

AVIATION WEEK

A McGRAW-HILL PUBLICATION

AUGUST 29, 1955

50 CENTS



Travel Pointer: 35 leading airlines on all six continents now offer you the speed, comfort, and dependability of the Convair!

More airlines have chosen the Convair than any other modern passenger plane! Wherever you are, you'll find the Convair's performance is a model of engineering efficiency and dependability! For your comfort there are built-in steps, self-service luggage racks, and many other features that are now being planned for the passenger planes of tomorrow. The Convair offers you these advantages — today! Ask your favorite airline or travel agent to make your next flight a Convair — first choice all over the world!

CONVAIR A DIVISION OF GENERAL DYNAMICS CORPORATION



**New Holley turboprop
power control
installed in Lockheed R7V-2**

One hundred and six passengers or 36,000 pounds of cargo cruise at speeds up to 400 miles per hour in the Navy's new Lockheed R7V-2 turboprop Super Constellation. Four Pratt & Whitney Air induction flow T-disk propeller turbine engines develop a total of 22,000 horsepower for take-off. Each of the four is automatically controlled by a new Holley jet-turbine power control.

Extreme accuracy in fuel metering is essential to maintain their high performance ratings and at the same time control operation within satisfactory limits. Through a system of accurately measuring four separate valves, the Holley control automatically meters corrected fuel flows to the engine in accordance with the engine operating requirements.

The Holley gas-turbine control is the result of intensive research and development to provide a

light weight, compact means of accurately metering fuel consistent with engine requirements.

This and other Holley developed fuel metering devices have played an important role in our country's undisputed leadership in the design, development and manufacture of superior aircraft.



Leader in The Design, Development,
and Manufacture of Aviation Fuel
Delivery Devices.




Whatever the temperature—from a roasting 100° to a frigid—65°, pneumatic systems always give fast-acting, dependable performance! Because viscosity of the air used in pneumatic systems remains essentially the same over an extremely broad temperature range, the systems are never sluggish.

Pneumatic systems are weight-and-space savers, too! Smaller lines are used, and no return lines are required. What's more, you actually store energy from a lightweight, low-horsepower compressor, eliminating the need for a heavy, high-horsepower source!

With pneumatic systems, leakage is no serious problem. The compressor itself automatically compensates for any minor leaks which might occur. Nor is there any danger from fire with pneumatic systems, since the air used in the systems cannot burn!

We here at Kidde have a complete line of pneumatic system components, as well as facilities for engineering complete pneumatic systems. If you have a problem in pneumatics, please write us.

Kidde
FOR
PNEUMATICS



The World's Largest Manufacturer of
Safety Products
Walter Kidde & Company, Inc.

FACTS

about

NEW DEPARTURE
BALL BEARINGS



New Departure split inner ring bearings are inexpensive, facilitate cleaning, inspecting and assembling into the engine. They carry heavy thrust loads from either direction and will also support major radial loads.


Research develops bearing for extreme speeds and temperatures

With the growing importance of the gas turbine in aircraft, ball bearings are being called on to meet increasingly severe conditions. For example, bearings that support the turbine wheels are subjected currently to temperatures up to 500° F. at high speeds and heavy thrust loads.

Anticipating still greater demands in the future, New Departure's Aircraft Research Program is already developing bearings for operational speeds of over 100,000 rpm and temperatures rising up towards 1,000° F.

Types of the bearings used in jet engines are New Departure's split inner ring types. These bearings are giving satisfactory performance in production engines today at extremely high speeds and heavy thrust loads. Write for full details.

TYPICAL JET AIRCRAFT APPLICATIONS



New Departure split inner ring bearing mounting for jet engine mechanism



Typical New Departure split inner ring bearing mounting for alternative drive power takeoff

NEW DEPARTURE™ • DIVISION OF GENERAL MOTORS • BRISTOL, CONNECTICUT

NEWS DIGEST

Domestic

The world's first supersonic speed record was set last week by Col. Howard A. Dixons in a North American Aviation F-100 Super Sabre. The new mark was recorded at approximately 825 mph. The exact figure is being substantiated and will be announced at the National Air Show at Philadelphia Sept. 15 (see page 21). Col. Dixons made his supersonic run at 40,000 ft in a series of attempts that were plagued at the start by malfunctions in the propeller equipment.

First production B-58s are beginning to take shape at Convair's Fort Worth plant. Individual sections of the enormous USAF bomber are being assembled and some of the necessary tailoring is under way. Production crews are finishing an all-metal fuselage B-58 fuselage that will be used to determine the best methods of assembly.

North American Aviation signed a 10-year master maintenance agreement with Rolls-Royce Ltd. that gives the British engine builder rights to manufacture rocket propulsion systems designed and developed by NAA. The joint sub cells for an exchange of technical information on engineering, development and production, U.S. and British governments approved the agreement, which it supports the Williams-Sandoz collaboration part of profit-sharing agreed by the two countries last year.

Nearly 2,000 V1650 engines and spare parts built by Federal Motor Co. under license from Rolls-Royce Ltd. during World War II will be built as surplus by USAF's Air Materiel Command at Orlando AFB, Middleburg, Fla. Delivery will be opened Sept. 15. The aircraft engines originally cost a total of \$35 million. The spares were valued at \$1 million.

Stearman & Western Airlines can expect a 125-day wait of supplies to Northern Canada for construction of the Trans-Canada pipeline, says the airline. Operating under a subcontract from Royal Aeronautics of Montreal, Stearman has a fleet of 124 Isotopes that included two eight-passenger converted cargo aircraft configurations she will be used.

Gen. Ernest L. Bowser, 48, will retire from the Air Force at the end of August because of physical disability. His last assignment was Deputy Chief of Staff for Materiel. Bowser was awarded the Distinguished Service Medal for outstanding accomplishments in that post.

Air Carrier Service Corp. sold seven transports for a total of \$1.5 million to three foreign airlines. Indian Airline Corp. purchased three DC-4s; Brasil Transportes de Brasil bought two Con-



Britain Orders Plane With Inflated Wings

Wings inflated by compressed air or deformed by the new 750-hp Whittle reactor, a number of which have been ordered by Britain's Ministry of Supply. Pressurized at 55 psi per pound engine, the unusual plane is stated to have a 1000-mi range. Wings span 49 ft and can be deflated for storage. Plane was designed by J. G. Labbe, former designer for Fairey Aviation Co., Ltd., and was built by M. L. Aviation Co.

plane has been placed with British Aircraft Corp. by one of its distributors, J. D. Renfro Co., Inc., Houston. British Aircraft says a number of corporations are interested in the French-designed "Nimrod" as a transport plane. (AW June 27, p. 46.) The MS-760 has made more than 400 demonstration flights in the past few months.

Wright Aerocraft Corp. received orders for 500 Turbo Compound engines from Douglas Aircraft Co. and 10 international buyers to power 100 DC-8s scheduled for delivery beginning in the fall.

Civil aircraft equipment financing will be handled by a new company headed by Harold R. Hause, former president of Northwest Orient Airlines Aviation Financial Services Inc., New York, will serve the airline and corporate aircraft fields using the equipment as primary collateral. Purchase and lease-back arrangements she will be used.

Gen. Ernest L. Bowser, 48, will retire from the Air Force at the end of August because of physical disability. His last assignment was Deputy Chief of Staff for Materiel. Bowser was awarded the Distinguished Service Medal for outstanding accomplishments in that post.

Air Carrier Service Corp. sold seven transports for a total of \$1.5 million to three foreign airlines. Indian Airline Corp. purchased three DC-4s; Brasil Transportes de Brasil bought two Con-

var 310s and Nippon of Japan took two DC-3s.

Financial

Bush Aircraft Airways reported a net profit of \$174,300 for the fiscal year ended March 31, compared with a loss of \$4,985,651 during the previous 12-month period. Operating revenue increased 10% to \$47,935,679. Expenses were held to \$47,319,178, only 1.2% above last year. Bush-Ever last factor was reduced to 66.6% from 74.4% in fiscal 1954-55.

Solar Aircraft Co.'s backlog of unfilled orders totaled \$10 million, though, increasing from \$16,620,108 during July. Net profit for the first quarter of the current fiscal year was \$358,680, compared with \$434,880 for the three-month period ended July 31, 1954. Sales dropped to \$12,947,000 from \$11,793,500.

International

English Electric Canberra started flight London to New York and back in 14 hr 20 min Aug. 23, including a 25-min turnaround at David Bennett Field. On the 3,457-mile roundtrip, the British jet bomber averaged 681.32 mph against 40 mph headwinds and completed the flight in 7 hr 29 min. Piloted in tail winds at the return flight, the Canberra crossed the Atlantic in 6 hr 16 min, at an average speed of 539.35 mph.



TITANIUM helps the Voodoo work its magic...

McDonnell's new F-101 Voodoo, a super-sonic long-range strategic fighter capable of delivering atomic weapons, depends upon REM-CRU titanium for vital parts . . . just as do most other advanced-type aircraft.

For titanium's high strength-weight ratio has made it an essential aircraft design material. And REM-CRU, a leading producer of titanium, led in the development of titanium alloys for aircraft applications. For example, REM-CRU titanium alloy grades C-11966 and C-1364M are used extensively for primary structural fuselage frames, webs, stiffeners, angles and wing spar fittings.

And because of REM-CRU's greatly expanded facilities you can be sure of prompt delivery of sheet, strip, plate, bars, wire, tubing and forgings . . . in a wide variety of sizes, shapes and grades—including new REM-CRU high-strength, weldable alloys. Let REM-CRU's engineering staff work with you on the application or fabrication of titanium.

To keep abreast of the latest developments on this vital subject, write for the *Rem-Cru Review*—a free quarterly devoted to the discussion of the latest technical data on titanium alloys.

REM-CRU
TITANIUM REM-CRU TITANIUM, INC., MIDLAND, PENNSYLVANIA

WHO'S WHERE

In the Front Office

V. N. Sneed, president of Vincennes Processing Co. Other new officers at the Indianapolis firm: R. L. Sek, vice president and finance; H. Happel, chief engineer; W. Jorhlyke, sales director; J. Williams factory superintendent; and G. Hopkins production manager.

Anthony J. Ming, vice president of Test Aircraft Co., Los Angeles, Calif.

E. H. McCloskey, vice president of Temple Industries Inc., Brooklyn, N.Y.

Arnold J. Thorlik, a director of Vibro Corporation of America. He is president of Vibro Aircraft Co.

James E. Lamm, vice president, S&T Service Division of Southwest Research Institute. Also promoted: Fred A. Koenig, vice president, Distribution Sales Division; M. H. Harting, vice president public relations and advertising; John Becker, treasurer; Jerome Foster, secretary.

Honors and Elections

Arthur C. Stue, Czechoslovakian and Hungarian participant of air power, elected "Man of the Year" by the Air Force Association.

Changes

H. D. Bouckier, deputy operations director for British Aerospace Avions Corp. Other changes: J. R. Stansbie, general manager of station and traffic control Liss, general sales manager; Charles Allard, chief engineer; and Capt. G. J. Harrington, deputy director of flight operations.

Henry Shultz, general manager of Remco Aviation Corp.; Marshall Eclipse Director.

Alex Berry Etess, administrative engineer of Ford Instrument Co.; division of Space Research.

Allen F. Smith, chief engineer of Society Motor Oil Co.'s research department.

Edward B. Taggart, director of the field test and endorsements staff for Razzo Worldwide Corp.'s General Music Research Division. Other new director in the division: Dr. Edward J. Bell, project control staff; Allen F. Etess, stereophony and product staff.

William L. Coalis, Change manager for An Associates, Inc.

J. P. Greenwell, appointed to the executive of Lockheed Aircraft Corp.

Craig J. Johnson, recently hired from United Air Lines Inc., 25 years with United flight Operations Division.

William A. Bennett, Los Angeles regional sales manager for Aerostar Atlantic Ltd.

John T. McNamee, sales manager of Cross Manufacturing Company.

Willie H. McNamee, Marine traffic supervisor for Arcoa Alloys.

D. R. Ratcliff, West Coast design engineer for Scientific Inc.

Ken E. Petrone, Edwards district manager, server manager, United Avco Electronics Inc.

Wolfe Platz, managing editor of Popular monthly publication of Powdertec Engine & Airplane Corp.

INDUSTRY OBSERVER

► Navy's Sidewinder air-to-air missile, developed by scientific teams at the Naval Ordnance Test Station at Inyokern, Calif., is expected to cost less than \$1,000 per round in production. Estimated cost is about one-tenth that of comparable Navy Sparrow and USAF Falcon.

► Candidate option systems is being considered for Northrop's long range interceptor design.

► Latest Hill submissions, probably those intended to be powered by nuclear reactors, are raising into the same stability and control problems currently plaguing supersonic transports. Cross-coupling between roll and yaw in straight flight has necessitated "tail surface" modifications.

► Bell Aerospace has developed a helicopter flight simulator which will give equivalent of four hours of genuine flight instruction. The model 243-H will be installed at Navy Flight School, Pensacola, Fla. It was developed under contract with Office of Naval Research's Special Devices Center. Pilot's compartment is replica of Bell 47 cockpit, with dual controls and standard instrument panel.

► Northrop Aircraft is scheduling an 80-ton Sheridan switch-loading machine almost full time on stand work for the North American Aviation F-100. The machine can handle 14 x 20-ft sheet.

► Fuselage firing tests to check the dynamics of separation from the Convair F-102 have been made on full-scale model of the plane on the short track at Inyokern Naval Ordnance Test Station.

► Donau Helicopters, Inc., Dunbar, Conn., believe it has an edge over other entries in Naval Canadian Navy's new anti-submarine helicopter competition because it is the only firm with expert manufacturing facilities in Canada—Dunau-Flair Helicopters, Ltd., Chit. Donau's proposal runs three General Electric T58 turbines and has folding tail and rotor blades for easier storage. A number of U.S. manufacturers have submitted designs to NCSN, most of which are modifications of existing types.

► Look for increased Army interest in the use of helicopters as fast movers to supply combat vehicles in the field. USAF is expected to begin "dry run" trials of several existing copter models at Edwards AFB soon. Under the fast trooper helicopter concept, the early would carry vehicles and light Army aircraft while hovering overhead, and other helicopters on call.

► Rocket boost takeoff units used with Northrop SM-62 Saratoga FWD land on missile and effect reliability of various guidance components. Rather than redesign equipment mounting, company says air slows-hunting rockets which will re-enter lower G's.

► Bell Aerospace's Texas Division has a bonus engineering contract for development of short all-weather helicopter flight instruments. Joint sponsor of the Bell-McDonnell Helicopter Engineering Project is Office of Naval Research, Bureau of Aerospace and Munitions, Transportation. First step of the BVHHP contract study is to determine with a survey of all potential subcontractors to determine individual capabilities and their possible degree of participation in program. The Bell project closely parallels Navy's funding instrument development work which has been conducted by Douglas.

► USAF's Aviation Engineer Force, Wright AFB, Tex., is launching a new project to reduce or losses after they have been hit by atomic bombs. New decontamination procedures and sterilization methods will be performed by the USAF unit to speed rehabilitation of airfields after an atomic bomb attack.

► Fiber metallurgy, a new technique developed by Amoco Research Foundation, may lead to an entirely new use of metal that provides better fibers and rapid cooling of jet engine components. Other applications, based on stiffness-to-mass ratio of fiber bodies, may be in strengthened skeletons to support plates, composites or fracture materials.



NO SPECIAL TOOLS

needed for FAST installation and removal of



INSERTS AND STUDS

Easier and faster of all inserts and studs to install and remove, Kelox requires no special tools — no special drills, taps, gauges or removal tools. In addition, Kelox offers all these other important advantages:

- Fastening action goes parallel to a panel or lock hardware part and can't protrude.
- No rotation action.
- No take of shims — allows for thin panels and eliminates any need to compensate for panel angle — permits application of heavier loads.
- Installed from without before surface.
- All dimensions and tolerances are standard.
- Has no axial constraint of retained and retained thermal expansion.
- Available in aluminum, steel or stainless steel.
- Installed in 25 seconds — up to your specifications.
- Adaptable to many special purpose applications.

*Product of Farnsworth, Inc., 500 Fifth Ave., New York, N.Y. Distributed exclusively in the Western half of the United States by



ONOGRAM
MANUFACTURING COMPANY
A DIVISION OF INTERNATIONAL SEAL CO.

8820 Highways Street, Culver City, California

AVIATION CALENDAR

Sept. 3-6—Twentieth National Aircraft Show, Philadelphia International Airport.
Sept. 6-11—Society of British Aircraft Constructors, Aircraft Show and Flying Display, Farnborough, England.
Sept. 7-18—American Society of Photogrammetry, International Convention and Trade Show, St. Louis Hotel, Los Angeles.
Sept. 8—Aviation Press & Whitney Aircraft Forum, Milwaukie, Ore. Second forum will be held Oct. 13 in Milwaukee.
Sept. 12-13—International Meteorological Symposium, 11th International Meeting and Fifth U.S.-U.S.S.R. Radar Conference on Airway Segmentation, Port Moresby, N.J.
Sept. 12—Helicopter Society of America, Transonic Aerodynamics, California and Idaho Falls, Idaho. Education Hall and Auditorium, Los Angeles.
Sept. 17—Institute of Radio Engineers, Symposium on Antennas, Cedar Rapids.
Sept. 17-18—Antique Airplane Assn. Convention and Fly-In, Oshkosh, Wis.
Sept. 19-21—National Space Society, Williamsburg Meeting, Las Vegas.
Sept. 21—Southwest Aerospace, Englewood, sponsored by Pratt & Whitney and Bendix Defense Systems, Dallas.
Sept. 21-22—American Helicopter Society, second West Coast Forum, Hollywood Roosevelt Hotel, Hollywood, Calif.
Sept. 22—Electro-Optical Institute of Electrical Engineers and Institute of Radio Engineers Park Sheridan Hotel, Detroit.
Sept. 29-30—Radio Technical Committee for Aeronautics, 10th assembly, Hotel Roosevelt, Los Angeles.
Oct. 12-13—National Electronics Conference, Hotel Statler, Chicago.
Oct. 14—Eighteenth annual Aircraft Supply Plus and Suppliers Conference, sponsored by Chamber of Rock Flag Co., San Francisco, Calif.
Oct. 17—Aerospace and Astronautic Assn., Annual Meeting and Forum, Statler Hotel, Detroit.
Oct. 17-18—1954 National Airports Conference sponsored by American Association of Airport Executives and University of Oklahoma, Norman, Okla.
Oct. 18-19—World Fair and Export Show, National Guard Armory, Los Angeles.
Oct. 27—Europe and Latin America: An air craft investigation sponsored by Institute of Transportation & Traffic Engineering, Inc. at U.C.L.A., Los Angeles.
Aug. 28-29—Annual meeting of the Astronomical Society, 145 Building, Los Angeles.
Oct. 11-15—Society of Automotive Engineers, Golden Anniversary, Annual Meeting, Aerostar Products Forum and Aircraft Engineering Displays, Hotel Statler, Los Angeles.
Oct. 17-19—National Safety Council, 44th National Congress and Exposition, La Salle and Conrad Hilton Hotels, Chicago.
Oct. 21-22—International Air Transport Assn., 17th annual general meeting, Mid America Hotel, New York.
Oct. 28-29—National Financial News Annual Symposium, Aecon Research Facilities, Chicago.

PICTURE CREDITS

11—George Trelstad, San Diego Union
11—(top) David Lee, (bottom) Wirt Wood

Washington Roundup

Quarles Differs

USAF new Secretary Donald A. Quarles issued a few Air Force systems in the Pentagon with statements he made on a solo basis about 10 days after replacing Harold E. Talbott. Replied to questions by John Randolph Head, Quarles made these statements:

"I have no evidence that the Soviets can make a truly effective changeover to new equipment more rapidly than we."

"Our present Air Force goal of 137 wings is a sound goal."

"American reach is... just as much affected as a jet engine."

Air staff opinion, already expressed by top generals and civilian experts, widely published by USAF and its RDT&E chief, indicate a differing viewpoint on each one. Jetfuel reaches is expected to widen Quarles in his approach to the issue. His reputation for conservative approach to publicity was one reason for the opposition.

India Bilateral

Civil Aeronautics Board is seeking an early start in renewing negotiations with India for a bilateral air transport agreement. A U.S. delegation which will probably be headed by CAB Chairman Alan Alder, is expected to leave for India in late September. Alder's team includes an Air staff member, the Director of Civil Aviation, and a representative of the Indian Civil Aviation Commission. CAB says it will be a preliminary discussion of what steps might be taken.

Admirer's consultation with the estimated U.S. air carriers is expected to avoid the difficulties that developed when the U.S.-West German bilateral was announced. Additional problems are present in dealing with the Indians, however, since India discontinued its previous air bilateral last January and has since given no indication of a desire for a renewal. Currently, the two U.S. airlines flying through India—Trans World Airlines and Pan American World Airways—are operating under a one-way bilateral grant which permits each carrier one stop en route to Asia within 100 miles until Dec. 14, 1956.

Flying High

Prospects are that more than our legislative proposal will be introduced at the next session of Congress to ban the use of deadly weapons against commercial air lines. However, observers predict that it will be a year when they will develop more headlines than concave action. There is a conspicuous lack between the obligation to impose a flight and the continuing fight to gain "immunity of refuge" free of transportation—cognizant of their obligation to take up other proposals but neither are yet put out of existence.

Latest legislation regarding in-flight drafting is Rep. Thomas J. Lantos (D-Calif.) who will introduce a bill next January that would make it a federal crime to use firearms on flights. Lantos says he feels that the string of attacks on airline passengers is a "dangerous situation" of potential menace to passengers and crews and is a threat to safety of all.

Not all of the scheduled airways serve desks at a passenger service counter. Capital Airlines, for example, does

not and has consistently opposed the Civil Aeronautics Board for relief of "excessive competition" it allegedly has suffered. The Air Lines Pilot Assn. has passed a resolution opposing passenger drafting on flights, and a similar resolution is endorsed by the Airline Stewards and Stewardesses Assn.

West Coast Dispersal

West Coast has rallied in flight against the Air Force policy barring expansion of the aircraft facilities there.

Sen. Thomas H. Kuchel (D-Calif.) also is pushing the use of the White House. He has discussed the problem with Howard Pixley, a White House aide, who recently met with Los Angeles representatives.

The question of dispersal is being carefully weighed by the White House staff and the Pentagon, Kuchel said. "I have been assured that there will be no discrimination in defense procurement against our state." A new Air Force strategy has just taken office and is familiarizing itself with a multitude of problems.

Kuchel said there have been representations from California that the Air Force policy has caused much confusion and contention among workers, management, civic officials and community leaders.

Broad-Based Pays Off

Recent broad-based wage in industrial installations Northeastern U.S. pointed up effects of USAF broad-based production programs. Damage, which in some cases was slow to recover, began to show up in quantity action, such as pay raises involving the output of major aircraft firms in New York, such as Avco. Wage surveys showed, although Wright Air Force Base, Cranston and Robins Air Force Base had different production schedules, compensation with suppliers in hand-to-hand combat, the companies felt that in most cases they could increase normal expenditures by taking several sources in scattered areas to step up production of needed items until market demand in final could get back into production.

Procurement Changes

White Defense Department committee is studying Hitler Commission recommendations changes specifically being brought about that would convert some of the fixed based to contract procurement practices. A Military Production Organization Status has been created, spelling out pre-MD and post-MD guidance to prevent conflicts when the three services are competing for industrial output. T. P. Pyle, Assistant Secretary for Supply and Logistics, has started to circulate recommendations to various mobilization planning under the Production Allocation Program.

The Hoover Commission Task Force on Military Procurement was strong, critical of the Defense Department on both of these points. It found that Pyle's office has been hampered by the fact that it is not an active participant in the logistical evaluation of available plants and is too far removed from their formulation to be of greatest value. It said that in the absence of a unified set of control requirements, "The Production Allocation Program has not been working effectively and some steps has been misleading."

—Washington staff

Airlines Seek Rapid Write-Off Extension

Industry fears suspension by OEM of quick tax benefits will inhibit transport aircraft purchases.

Washington, D. C.—Suspension of tax write-off benefits, initiated by the Office of Defense Mobilization in coming concern on the industry over future transport purchases.

Commercial transports were among a number of defense items caught in OEM's freeze of its rapid amortization program. Airlines have relied heavily on the tax benefit in recent years of fleet modernization.

Originally OEM set a goal of 600 aircraft for the program. This goal was reached last November.

Review Under Way

Early that month, OEM suspended 38 goals, including commercial aircraft, and closed 19 others leaving 30 of the original 225 goals still open. The suspended goals are being reviewed by the Defense Mobilization Board to determine whether adequate capacity exists or whether they should be extended to fulfill the program.

A major influence behind the OEM move is Secretary of the Treasury George M. Humphrey, who doesn't like to lose the tax receipts derived by rapid amortization, and who feels that the plan is an artificial type of stimulus.

Critics of fast write-offs for industry say that the current program will not yield the incentive, that they will not buy the airplanes anyway.

Proponents of a shortened program base their argument on reasons to lengthen the oxygen of keeping the nation's air transport capacity up to date. DATA has recommended that commercial aircraft be exempted from the one-year rule which would not be exercised first to the program. As an alternate, the agency has called for a 100-aircraft extension. Current appli-

Under the plan, an airline can apply for a certificate of account which authorizes a fast write-off on an aircraft purchase. The application is reviewed by the Defense Air Transport

Tax Write-Off Applications

Number of Aircraft	Amount (in millions)
Airlines	517
Aerospace Airlines	517
Boeing Airlines	19
Capital Airlines	64
Delta Air Lines	25
Eastern Air Lines	119
National Airlines	25
Northwest Airlines	21
United Air Lines	76
Western Air Lines	35

cations pending could total up more than two-thirds of such an extension.

DATA bases its recommendation on the continuing need for a large, modern commercial air fleet. The agency feels that the progress is at a great滞碍 to the national defense than it is to the airlines. DATA also is concerned with the Civil Reserve Air Fleet which went to kept abreast of technical development and which will probably have to be expanded as the future.

ATA Arguments

Support for the position of DATA is found in the Civil Air Policy submitted to the President in May 1954, by the Air Coordinating Committee in one of its recommendations, the policy report says that for long range planning purposes there is an operating and requirement for expansion of transport aircraft limited only by what the taxpayer can afford for military transport capability and to some extent political policies of the day.

An ATA spokesman supports expansion of the short-haul market. ATA says that promotion of a fleet of long range transports through a tax amortization program is one of the best bargains the government ever found. The association points out that the aircraft are purchased and maintained with private funds for both civilian and civilian use in emergencies.

ATA feels the offset should be encouraged to buy as much aircraft as they can economically support. It is also pointed out that, unlike other aircraft, airplanes must be regenerated and replaced quickly.

Rapid amortization is an aid to airlines in their bargaining for new gear choices. Another factor involved is that

XV-3 Makes First Vertical Flight

Bell Aircraft's XV-3 experimental has made its first flight, hovering and maneuvering 20 feet above the ground, at the company's plant in Ft. Worth, Tex. Floyd Carlson, Bell's chief helicopter pilot, was at the controls.

Conversion to horizontal flight will be made later in the test program.

The Bell machine has two-pairs of the end of its 30-foot wings which rotate horizontally for vertical flight and can swing forward 90 degrees for long distance flights.

Developed by Bell and USAF's Air Research and Development Command, the mo-

vement is an Army project, designed to increase the mobility of military soldiers in battle zones.

when a replacement for the DC-3 is established, the local airlines are going into a large-scale replacement program and will need rapid amortization aid.

Further support for the national interest arguments is found in the report of a Civil Aeronautics Board Industry Advisory Committee as "Mobilization."

In its report the committee said: "In the event that, like the U.S. Air Force, Civil Reserve Air Fleet, world oil shale deposits of commercial value will suffice requirements by 55 aircraft of the DC-7, DC-6A and L-1049C type."

Since the 600 aircraft mobilization goal was reached last November applications for 260 aircraft have been received by the OEM. Until an extension is granted, these applications can't be considered. Presently they were filed in order to be first in line if an extension should be granted.

USAF Warns Industry To Improve Avionics

Aerospace manufacturers have warned that if they do not improve electronic reliability, the avionics industry will be forced to design and produce components for U.S. Air Force weapon systems.

Speaking at a Philadelphia conference called by U. S. Air Force and Radio Corp. of America, Maj. Gen. Thomas P. Gentry, Assistant for Production Planning, Deputy Chief of Staff, stated, "We call for an advanced integrated system of reliability."

The equipment manufacturer must take the lead in this effort, not the Air Force. The equipment manufacturer must develop reliability standards, the Air Force must implement them. In the final analysis, the Air Force can only review these specifications, advise and offer continuous criticism based on past experience."

Gens Gentry said it is time for the industry to "get away from the radio and television type of component," he cautions standards of reliability used in their design and manufacture do not suffice for modern weapon systems.

He said the industry should pursue the reliability of an aircraft on a mission from the design of each part, part reliability and the number of components in the equipment. Failure rates must be less than one in 20,000 to get 50% reliability out of a weapon system with 4,000 components.

For the future, Gen Gentry stressed for electronic aids that will be reliable at speeds of Mach 3 and above. New techniques of development are necessary to meet this challenge, he said, because design rules will be destroyed if equipment for use at these speeds is produced with present standards of reliability.

What is needed, Gentry said, is a complete avionics system team, consisting of experts in business, in

Avionics' Manufacturers to Form Backbone of Automation Industry

By Philip Klass

San Francisco—Avionics manufacturers will form the backbone of the fast growing automation industry which is destined to become one of the nation's largest single industries, based upon the sales of billions of dollars.

The short prediction was made by Dr. Bert Woolridge, president of Radion Worldbridge Corp., in a speech before the Symposium on Electronics and Automatic Production, attended here last week by more than 500 officials from almost as many companies and sponsored by the Standard Research Institute and the National Industrial Conference Board.

The broad technical competence required to develop and produce modern military weapon systems such as firearms and missiles, has a strong demand to what is needed to do effectively job of maintaining manufacturing and business operations, Woolridge said.

The avionics executive held the new position that, as a result of military weapon system work, avionics firms have the required competence in electronics, operational analysis, systems engineering and human engineering for the designing of highly-complex equipment for use by semi-skilled personnel.

"Many of the specific techniques and devices being used today in automation were developed in military electronics," Woolridge pointed out in reference to such things as servo actuators, computers and servomechanisms. He added that, "in a remarkable manner, the experience and methods of modern electronics are far along developed by individuals who cut their teeth in military electronics work."

Two Approaches

Because of uncertainty, Woolridge urged industry to profit from military experience and adopt the systems approach which is now being used in the development of new and complex weapon systems. The avionics executive cited the unhappy experience of the nation in getting 50% reliability out of a weapon system with 4,000 components.

For the future, Gen Gentry stressed for electronic aids that will be reliable at speeds of Mach 3 and above. New techniques of development are necessary to meet this challenge, he said, because design rules will be destroyed if equipment for use at these speeds is produced with present standards of reliability.

What is needed, Gentry said, is a complete avionics system team, consisting of experts in business, in

control processing electronics, sans mechanica and data handling equipment. Such a team could study the problem and come up with the best automation solution—or perhaps the answer that automation is not needed!

Comptel large companies may find it economical to establish their own automation units teams. Smaller firms, however, will find it pays to employ the services of an outside organization with extensive competence in the automation field, Woolridge believes.

Whether avionics advances will go to the bottom of dollars it will depend on whether it uses the testes apparently Woolridge and.

Competitive Advantage

"A forward looking automation program can enable a company—short-sighted—to趁早 to succeed in its competitive field despite the fact that all its competitors are employing heavy-duty software," Paul B. Wissat, president of Minneapolis-Honeywell, stressed the importance.

Wissat also supported Woolridge's position, declaring that "The handling of the (automation) problem cannot be effectively solved without extensive cooperation among the programs that is in itself a further advantage."

"While none of the larger companies already have large and competent staffs of technicians studying, designing and researching using automation programs, the smaller companies cannot afford that," Wissat said.

USAF Saucer Project

In a recent memorandum that it has a contract involving a new aircraft design concept with the Aero Alisolt Ltd., U. S. Air Force has put out certain instructions to indicate that it has taken over the Canadian flying saucer project. Despite light security wraps on the Aero plant at Melton, Ont., where the project prototype is located, it was reported that Lt. Gen. Donald L. Park, USAF Deputy Chief of Staff for Development, has visited the site.

Air Research and Development Command took over the development after Canada's Department of National Defence agreed to split its \$375,000 per plane. This followed an estimate by Canadian Defense Production Minister G. D. Howe that construction of a prototype will cost \$100 million.



THESE SUPERSONIC F-106As, first of their class to join the Air Force, are shown (above and below) in their initial formation flight over Southern California. USAF has announced three production orders for the Convair delta-wing, all-weather interceptor.



lowest of parts department."

Whitney, however, said he is optimistic that automation equipment manufacturers will develop a line of semi-automated equipment which can meet the "common denominator in quantity" of hundreds of small and medium-size firms. This, he said, would enable such firms to benefit from a

certain amount of automation without tailoring the equipment to its specific needs.

Whitney also suggested that companies might look into reducing the cost and price of their cutting products, via re-investment, rather than spending the money on product development which is popular throughout industry today.

Rear Adm. P. R. Barth told the committee that the Navy is heavily engaged in investigating the uses of automatic electronic-data processing methods to improve the efficiency of its supply system and the effectiveness of its strategic planning. Barth is chief of the Office of Naval Research.

The Admiral reported that through the use of a logistics computer, a research test equipment division at Brooks Army Airfield, the Navy was able to reduce to a minimum a problem involving types and grades of personnel required for establishing an advanced base. The problem, he said, would have required two months to solve through conventional procedures. A similar problem—determining the total material requirements for two Marine divisions—was calculated in three hours with the logistics computer as compared with several weeks previously required.

As a result of experience gained with its logistics computer, the Navy believes it can develop electronic-data processing systems which can readily be tailored to its problems which can be operated at considerably less cost than conventional electronic digital computers designed for general purpose use.

Adm. Barth and the use of electronic data processing machinery which is expected to provide Navy inventory control and procurement systems with more rapid solvency, as well as the fast-to-delivery characteristics and inventories of the thousands of military items which it must buy and stock.

Barth said that advantages which should accrue to the military services, as well as to industry and the nation at a whole—from the use of automatic data processing systems include:



- Speedy analysis of the logistic implications of strategic plans and industrial capability to determine whether the nation can support such an operation. If one set of plans is bad and the nation's capability, another set can be quickly drawn and tested.
- Smoother scheduling of production and elimination of bottlenecks before they appear with consequent reduction of delays in transportation.
- Reduced burdens on American industry, forcing more industrial exports for civilian production.
- Far fewer closed explores required by the military for stock and invention control, leaving manpower to work in industry during war-time.

Convair Introduces 440 Transport

San Diego—Convair placed an options order on the market last week for the Convair 440—a modified version of the Convair C-149, the military transport aircraft that gained fame during the Korean conflict.

Semi-modular Avionics System was expected to place an order for eleven 440s late next year. And Transport SA of Brazil has ordered four. Others for sale orders are pending.

The engineer's decision to call the new aircraft the 440 rather than the 340B was based upon the speed and sound improvements made over the 340B. Other specifications are the same.

Convair's basic target cruise speed of 450 mph over the 1000-mile range, and a 400 mph target on an endurance speed—cruising rate—is achievable.

Improvements made to achieve the 5 mph speed increase include:

- Extended nose cone with smaller inlet area, improving rolling and reducing drag. Smaller inlet gives a high nose lift velocity. Better nose lift increases wing lift reduction drag.
- New landing gear. For additional run-up cushioning and reduced drag, Convair incorporated nose, engine cylinder fairings and cylinder head deflections for

development includes a special assembly for all nosewheels. The consists of a rubber-suspended landing gear suspension which rolls against the outer wheel to give a fixed air space. Space is balanced in internal pressure and has results in a plainer bladder which expands and contracts according to pressure differential. First four years of service limit gives lower power to the rear wheel as a plus.

Accommodating a round-tripping national carrier, an optional tape No. 2 is applied directly to the inside of the fuselage in the wing, floorboards, ceiling, and overhead bins, so saving thousands and thousands of dollars to afford maximum benefit with minimum weight.

Sound damping tape also is applied over cabin lining during cleaning.

Cabin sidewalls upper and lower panels, floor panels and overhead deck panels along the cabin interior are covered with an additional layer of fibreglass.

The end impactor tubes are eliminated, substituting as they stand a single-ply silencing material.

A sound improvement program (AVW Mar. 28, p. 37) has resulted in a considerable reduction in speech interference.

Maintained on an experimental contract until completed, the Douglas Aircraft Co. began flight testing in April and May, 1951, starting from 1000 ft (extreme) maximum altitude, much higher than 4500 ft (standard level). The standard Convair 140 passenger cabin rated about 45 for men 1 and about 74 for men 11 (that is, men). In the Convair 440, new 1 shows up in 74, while new 11 is about 60.

The exhaust silencer is the outstanding single item in the sound insulation progress. Another sound muffling tape has been improved by adding a perforated metal screen, permitting a guaranteed noise reduction of 40,000 lb at CBL16 power (net takeoff with 2500 hp), using 115/145 mph and \$7,900 lb at CBL16 power (over takeoff with 2400 hp), using 100/130 mph.

Helicopter Effective Life Saver In First Full-Scale Disaster Trial

Helicopters passed their first full-scale test under disaster conditions last week by operating successfully under the most adverse circumstances in the flood-stricken Northeastern U.S. according to an Aviation Week survey of industry, service and military authorities.

Rained in without advance warning, and also with a shortage fuel at their bases, helicopters flew over the flooded stretches of New England, Pennsylvania, Northern New York and New Jersey. Some crews who otherwise would have downed and packed up still others who left for the helicopter would have remained out all day for days. An one Civil Defense official summed up the helicopter's role: "If we don't have (them), the number of lives lost probably would have been in the thousands instead of in the hundreds."

The main helicopter operators, tested on from day to day with aircraft loaned by all the military services and by manufacturers located in or near the stricken areas, demonstrated these strengths:

- **Non-stop.** Many rescues were made at points impossible to access. People were picked up in wells from which no land could be seen, and boats and ropes from the flood debris. The long-haul flights and long durations of the aircraft were particularly helpful in these operations.

- **Adaptability.** Copters were flown in turbulent rains and other adverse conditions which would have made flight by plane impossible. Some, equipped with heat-seeking low-cost target receiver devices, often landed on small land formations.

- **Degradability.** Of an estimated 70 engines flying in the stricken areas, only two operating turbines were reported. A Boeing CH-46 had failed at Seaford, Georgia, and a Navy HU-16 was grounded in the Delaware River area, both with engine trouble.

The low-dollar rate was exemplified even though many of the rescues were found to use 100 and 150 cubic feet of fuel rather than the normal 91-96 octane because of a shortage of the latter.

Tasks performed included:

- Recon work
- Aerial photography and reconnaissance
- Arriving emergency generators and other medical equipment
- Supplying bread, water, foodstuffs, medical supplies and water purification tablets
- Transporting troops, rescue and survey personnel
- Laying telephone cables.

A crew of 2 and 8 passengers, and 16LPHs, with single engine, tandem rotor and counter-rotating rotors, were used. The aircraft is based on the H-16, US version of the BOHES. H-121, twin rotor, 14 passenger "Workhorse" and H-15, counterpart of the HUP, were also operated by Army, Air Force and Air National Guard units over both disaster areas.

Morane-Saulnier H-16, single-engine, 8-passenger vehicles, and Coast Guard HO-4S XOs were in use in the New England area.

Industry observers were impressed at the point of the helicopter's accomplishments as "the largest man-made by air." One spokesman said: "This proves conclusively that if we had extensive helicopter operations—airlines, medical, and military—it would be invaluable in emergency situations."

"They (helicopters) can go anywhere under any conditions."

Nonskied Fights on Two Fronts

Faced with new battles on the non-skied front, North American Airlines has gone to the U.S. Court of Appeals in its continuing legal fight to stay in business.

The non-scheduled operator has asked the court to review the Civil Aeronautics Board action which would put it out of business. The carrier has also asked the court to stay enforcement of the CAB ban order (AW Job 11-18 p. 187) while it's under judicial review.

While the legal process continues, North American and other regional operators are faced with a new cost pressure that at the form of fare cuts made by the transcontinental carriers.

The new cuts, which go into effect in mid-September on Trans World Airlines, United Air Lines and Pan Am.

North American can continue to compete with the transients in DC-8s flights, according to a company spokesman. The carrier has two DC-8s and is in the market for more.

At Rockwell Transpax Area President

H. B. Johnson cited widespread service with positive fare cuts and said that "a permanent injunction case-wide industry is essential to keep airlines alive from going up."

As it pertains to the U.S. Court of Appeals, in the District of Columbia, North American challenged the findings of CAB in its order. The carrier told the Court that the regulation applied to irregular carriers by CAB are invalid. In its brief, North American claims that CAB adapted its regulations with the purpose of making airfares open to as many passengers as possible, thus forcing the carriers to quit operating or be subject to enforcement action.

North American has also asked the court to stay enforcement of order while the matter is under review. The carrier asks the court to enable it to stay in business while the Court is reviewing a decision and while CAB is considering various North American applications for a certificate.



Ryan XF-109 Design Highlights

With outlines poorly concealed by a massive coating, the Ryan XI-109 vertical takeoff fighter prototype roars from San Diego to Edwards AFB for flight testing.

Notable design features include the high delta wing with rounded center section, a deep, short fuselage and high trapezoidal tail which moves like a nose support jack for takeoff. Two afterburners are built into the ventral struts at the wings. Unusual centerline exhaust nozzle of the belly fairing Area (nacelle) bows at the possibility of shear augmentation or control during the vertical takeoff operation. XF-109 is fitted VTCI known to be largely preve-

USAF Orders Faster Evaluation Of Missiles to Speed Integration

Washington, D. C.—U. S. Air Force has taken official cognizance of its tardiness in integration of the guided missile into its armament.

In a new regulation (AFR 38-4) calling for faster evaluation of combat effectiveness, "to determine the extent to which missiles can be profitably integrated into the Air Force," USAF's Chief of Staff, Gen. Nathan F. Twining, has now ordered a program that is designed to exploit their capabilities to the fullest.

"Manned aircraft techniques have, of necessity, been the basis in the past for most of the development practices and planning for the use of missiles," the regulation says. "Reluctance to deviate from such development processes and planning procedures may prevent maximum progress."

To overcome that reluctance, the regulation orders integration of missiles with manned aircraft to "achieve operational capability in non-proven areas."

There will be no waiting for the industry to provide test quantities. Says Capt. Al Crossman, Tactical Air Command and Air Defense Command and Materiel Division: "We must get results up with operational extremes while the new weapon and air in the research and development stage."

The contractors will set up a limited number of guided missile operational units to produce data that will speed their integration.

British IGY Plans

British scientists would recommend plans to explore the upper atmosphere by launching rockets from high altitude balloons sometime within the next three years.

The experiment and to be much less expensive than the American "Saturn" method will be conducted at the Woomera, Australia, testing site as part of the Anglo-Australian project for the International Geophysical Year during 1957 and 1958.

The plan is to send a small, mono-propellant rocket mounted by solid rocket that liquid fuel to a height of approximately 70,000 ft, attached to a large balloon. Ejection of the rocket from the rocket is expected to propel it to 300,000 ft, some 500 miles high.

The British also are considering launching rockets from Australia to test electric charges in the atmosphere over that territory.

- USAF feels their advantages:
 - They can be concealed and dispersed to reduce vulnerability before they are used.
 - They fly so high and fast that it is difficult to hit them with any existing weapon in flight.
 - Antisatellite guidance systems now being developed are acceptable alternatives.
 - They can be brought into action quickly in case of attack.
 - Roger is sufficient for offensive and defensive operations.

Secondly, the experimental work by the test operational units will result in a comprehensive evaluation of guided missiles and manned aircraft; the regulation says.

Titanium 'Break-Through' Near

Washington, D. C.—A new "breakthrough" in research and development which could greatly strengthen the design of the aircraft industry, for instance "in closer than has been imagined," a staff study by the Special Senate Subcommittee on Materials and Manufacturing has found.

It definitely appears that research and development programs, however chaotic in developing titanium alloys with physical properties superior to those previously enjoyed by the aerospace industry," the report stated. It is based on a series of off-the-record conferences during April and June with representatives of aircraft and engine firms, the Department of Defense, Office of Defense Mobilization and the titanium industry.

The aerospace industry, Defense Department and Air Force were enlisted. Calling on the aircraft industry to formulate an incentive program to guide the development of titanium and to develop the properties of improved with tool aircraft, the report said that at the time of the conference, MA "had not even taken a look at the titanium situation for six or eight months."

The Defense Department has failed to play a strong enough lead," the report added, and in government agencies there is "a sense of red tape, meeting and trumpery."

A contributing factor to the lack of coordination and direction in the titanium programs, the report declared, has been "inflation and an apparent spirit of 'let Congress do it,' within the Air Force itself, as evidenced by Secretary of the Air Force Harold Talbott."

The regulation is intended to freeze the mission of air armament. It makes these observations about three different types:

- Missiles for strategic bombing will be operated mostly from fixed launching sites against fixed targets. Major goal is to get them into action quickly in case of emergency and keep firing at a high rate.
- Missiles for tactical bombing will have guidance systems that provide more exact facilities, as striking from one target to another. Some tactical missiles may be used for reconnaissance.
- Air defense missiles must have long shelf life, be capable of fast launching at high speed and have fast moving targets.


The regulation calls for faster development of missile capabilities with emphasis on planning and programming for production, purchase of equipment and training.

The image shows a close-up of a person's hand holding a large, metallic, cylindrical component, possibly a missile part made of titanium. The hand is gripping the base of the component. The background consists of vertical red and white stripes, similar to the American flag. In the bottom left corner, there is a red circular logo with the word "Rheem" written in white. To the right of the logo, the text "GOVERNMENT PRODUCTS DIVISION" is printed in a serif font.

Just as the energy of men like Washington is reflected in the fundamental strength of our nation, so is the integrity of government and industry reflected in the enduring strength of our democracy. Integrity is inherent at Rheem. Performance, responsibility, quality, a sense of commitment— are the foundations on which all Rheem operations are based.

They are the energies generating every process from research through engineering to finished product and are responsible for Rheem's enviable record of low per-unit cost and on-time completion schedules.

Rheem's Government Products Division facilities are presently in quantity development and production on air frames, missile and jet-engine components, airborne ordinance, electronics and ordnance material.



YOU CAN RELY ON RHEEM

Rheem Manufacturing Company • GOVERNMENT PRODUCTS DIVISION

BOWMEY CALIF. • SAN PEDRO CALIF. • WASHINGTON, D.C. • PHILADELPHIA, PA. • TUTTINGTON, W. Va.



FLIGHT LEADER CHECKS HIS LOG

In the deadly serious business of guarding the northern approaches to Canada and the Western Hemisphere against enemy air attack, RCAF pilots and navigators function as a perfectly coordinated team. On that team, too, are the operator's officer, navigation chief, armament officer, radio control officer and ground crew.

Backing up this team are the men at Avro Aircraft. For it is their job to design and build planes capable of meeting and repelling attack, if attack should come. This constantly expanding objective is being met by Avro Aircraft's extensive engineering division led by the most outstanding research, design and development engineers in the aeronautical industry. Powered by twin Orions, no other all-weather interceptor in service today can equal the CF-100 for power and range.



In England, CF-100s are undergoing evaluation trials with the RCAF. RCAF squadrons of CF-100s will begin duty with NATO forces in Europe by 1956.



AVRO AIRCRAFT LIMITED HALTON, CANADA

A FORTRESS CORPORATION - INSTITUTE FOR APPLIED SCIENCE GROUP

National Aircraft Show Awaits Record Crowd at Philadelphia

Philadelphia is getting ready for the biggest National Air Show ever. Some 1,100,000 spectators in that one year, 750,000 persons will visit the show at International Airport Sept. 3-5. The 1954 display at Dayton, Ohio, drew 200,000 visitors.

The aircraft industry and the Defense Department are co-operating to present high state-of-the-art displays of the latest advances in aircraft and equipment.

The big advantage of Philadelphia over previous midwest cities such as Indianapolis and Cleveland is that it is in the heart of the most densely populated area of the nation.

Show officials expect that spectators will draw visitors from New York and New Jersey, as well as from much of Washington. While the population is far more concentrated in this area, it is also true that the northeast is less crowded than other parts of the country.

Many industrial participants, as well as the Defense Department, hope the show will help popularize aviation in this industrial region.

It was the prestige that shifted the scene through its riding of a year ago that it would continue participation in the National Aircraft Show, moved to another part of the country.

Philadelphia officials claim they are taking proper steps to control traffic to and from International Airport. The city has sufficient hotel accommodations, exceeding one of the major objectives in Division I as a site for the show.

Av Show Events

U.S. Pilots will continue to lead the million visitors in the extent of participation. In addition to more than 200 aircraft taking part in aerial and static demonstrations, pilots and F-100C Super Sabres of the National Air Guard will demonstrate. The British Triplane speed race on Sept. 3, opening day of the show.

The TAC pilots will start their run this year from George AFB, Visalia, Calif., 2,325 miles away from Philadelphia.

Their goal will be to beat the present record of 672 mph set by Lt. Col. Bobort L. Scott in an F-86 Thunderjet, en route from Los Angeles to New York last Mar. 3.

Previous records have been surpassed by Brig. Gen. Ralph G. Rosendahl, over flying officer for the Defense Department.

Safety rules have been promulgated by Brig. Gen. Ralph G. Rosendahl, over flying officer for the Defense Department.

to Dayton at 625 mph. This year's pilot is F-100C, Bobort L. Scott, the aircraft world record holder at 777 mph over a 15-kilometer course.

Other major events:

- Thompson Trophy event will be a speed race in F-100C Super Sabres over a straight 15-kilometer course. The race will be contested at Philadelphia and the aerial race made at Philadelphia, Calif., with the results summed up at the show.

- General Electric Case Company Triplane event will be a transcontinental speed dash in B-57 Stratojets from March Air Base, Calif., to Philadelphia. It will be held Sept. 4. Pilots from the Strategic Air Command will participate.

- The event is a departure from previous GE flights which have been held in the Midwest.

- The All-American Trophy will be awarded to the USAF crew that wins a jet engine change contest. Abolishing the speed trials entitles the prize for 1955 will be awarded to the maintenance crew that can set the fastest time for installing a new power unit in a Lockheed T-33 jet trainer. Engine is the Allison J33. The contest will be held Sept. 4.

- USAF also will show:

- The Thunderbirds, aerobatic jet precision flying team.
- Return of an Republic F-84F Iron Horse, the last of a Convair B-58 bomber.

- Arresting gear of Boeing B-52 bombers.
- Two planes making their first public appearance, the McDonnell F-101 Voodoo and Lockheed C-130 Hercules.

- North American F-86D demonstration.

Rules of the Air

Philadelphia-Winter Haven is at the USAF participation in the National Aircraft Show as a minimum rating of 2,500 ft. and five mi. visibility. This will apply not only to the area of the 1954 demonstration but also to the southern bases from which participating units will depart.

Some of the aircraft will carry fuel consumption and external fuel tanks will be referred to for the same cannot be dropped by accident. A Convair SA-16 and Sikorsky H-19 helicopter will stand by for emergencies.

Safety rules have been promulgated by Brig. Gen. Ralph G. Rosendahl, over flying officer for the Defense Department.

Loach RELAYS
ARE
Marked for Life
WITH

Metal-Cal



Rail-to-tube launch Precision Relays like this, hermetically-sealed, 400 cycle strength relay undergo rugged usage and it is essential that the product withstands testing conditions easy in road and field tested for life in the relay—and Loach has standardized on one method of identification—Metal-Cal is the ultimate in labeling.



comes in a variety of colors—matte or shiny finish—any size or shape



adhesive permanently to any smooth surface—flat or curved—without screws or rivets.



ensure legibility of the fixed labeling or diagnostic vital.

Write for FREE SAMPLE TEST the new Metal-Cal	
Metal-Cal	
Manufactured by C.R. Products Co. 412 E. South Avenue, Liverpool, L. Columbia, New York	
Name _____	Address _____
Company _____	City _____ State _____ Zip _____
Address _____	Phone _____
Dy. _____	To be shipped to _____
10 to 100 to 1,000 Per Box Per Piece	

• GUIDED MISSILES



CORPORAL WARHEAD on truck gets checked by battalion officer.



MISSILE ERECTOR is remotely-controlled by technician at left.



ERECTOR DRUM shown here in background.



ERECTOR ARM raises newly-erected launching position with Corporal missile in tow.

MISSILE, at auto launcher by center, is checked by officers riding inspection tower.

U.S. Corporal Battalion Set to Go in Germany



CORPORAL launching unit on an truck.



WITH CORPORAL in tilted position, electric motor vehicle auto launcher ready to fire.



MISSILE locked in place about to be launched.

Germany

By Gerald W. Schreider

BONN—A recent field demonstration by U. S. Army Forces in West Germany of the first surface-to-surface missile unit to be assigned to a tactical army revealed definite unclassified details.

The unit, the 29th Field Artillery Missile Battalion (Corporal), is under the command of Lt. Col. Glenn R. Ellett and stationed in the central part of West Germany within the 7th Army command.

The 29th, which is made up of 580 highly skilled officers and men, arrived in Germany early this year after training in Ft. Belvoir, Va. Although the Indians have not actually fired the Corporal in Europe, it is reported that a test firing will take place soon. Suitable range and equipment is being set up at present, probably in Germany itself.

The assignment of the Corporal battalion to the 7th Army adds proof "in excess of several thousand" officers already had at the same time, American West was told. The missile user-load can be shown in conventional trips.

The weapon's mission is to furnish tactical support to the field forces. It is classified like any other regular artillery weapon under the jurisdiction of the respective area tactical commander. Its striking force, range and capability make it the Army's major mobile support weapon. The battalion is completely mobile, a factor which increases its adaptability under combat conditions.

The battalion cannot be air lifted.





HEAVY-DUTY TRUCK carries critical electronic equipment for Corpsos of Ordnance.

at the present time, represents because of the weight and size of the over 50 ton trailer unit that cuts the Corpsos off from flying.

The Corpsos' range is classified, but it is known to be "in excess of 10 miles."

The Battalion

The Corpsos battalion consists of a headquarters section, which is the command post and directs actual firing of the missile; a storage section, which is charged with initial storage and supply of fuel missiles; methods and equipment section; and a missile battery.

Details of the missile batteries are broken down this way:

- Ammunition sections receive the missile circuits at dusk or, later, switchboard to missile. All of this is done at the launching site.
- Assembly, test and repair section performs all pre-flight checks on electronic and fuel components.
- Launching platform takes over in the next to last stage; it erects missile with cells on launcher, performs final go/no-go checks and launches.
- Guidance section guides the airborne missile to target. Average 10Q that replaces the entire battalion is lighter than that required for saturation with Officers' Growth School and the Commando. Florida has the highest number of college graduate and skilled technicians.

The Minutie

The Corpsos staff consists of three basic components: the warhead at the very tip; the propellant system in the center section and in the tail the upper motor rocket motor which concludes the body and holds up the front.

Whether the warhead is to be conventional or atomic is determined by higher headquarters on the basis of the local situation and needs. Since the Corpsos are part of the NATO forces, any decision to use an atomic warhead will come from NATO rather than from a subordinate headquarters. Day-to-day training is carried on along

- Missile is faced with arrester and test launching fixture and
- Warhead work is performed and resultant girts comprising checklist
- Missile is removed from missile cell in the center and placed on launcher
- Final missile warhead check is performed
- Corpsof is launched.

Details of actual launching and launching procedures are highly classified, but it can be said that the "missile mark," which is capable of throwing a projectile of 7,500 lbs., leaves an area the size of a house. At the exit signal the propellant ignites the orbiter and accelerating orbiter and booster and sets the warhead on the off section.

The warhead is guided by radar from launching to impact. The ground crew know at all times where it is and what it is doing.

Storage and maintenance problems are no better or worse than those of a normal missile unit in the field. Aviation Week was told. Although the equipment is heavy and is worn respects rough road, the launching is completely reliable and gas operates regardless of weather conditions.

The Corpsos has taken its place solidly as a combat unit, weapon in "the Army thinking."

On the Flying Line

The demonstration "front" of the Corpsos unit based in Atlanta Work included everything, but the actual launching of the deadly stuff.

Plan within the limits of security regulations, we the stage leading to launching.

- Missile is removed from propellant can and placed in a set of mobile vanes and


- Assembly, connectors, fins, restraints and other installation items are added.

- Complete checkout of electronic and propulsion units is run.



DRUMS OF ANILINE hold the Corpsos missile being towed into launching site.

For Precision use BISHOP



Resistant to:
Corrosion
Heat
Shock
Stress
Vibration

STAINLESS STEEL Sheet Blister Telling
(0.005 " to 0.030 " thick)

NICKEL* and NICKEL ALLOY* Tubing
(up to 450° F.)

AIRCRAFT TUBING

FABRICATED TITANIUM PARTS:

Bent
Flanged
Flared
Milled
Slotted
Sagged
Threaded

PLATINUM GROUP METALS AND ALLOYS:

Platinum
Electrodes
Foil
Laboratory Apparatus
Precious Metal Catalysts
Rivetless Plating Solutions
Tubing
Wire

RESEARCH, ENGINEERING AND DEVELOPMENT SERVICES

METALS



J. BISHOP & CO. PLATINUM WORKS

Melville, Pennsylvania

Serving Science and Industry Since 1843

Plans in Melville, Pa., Proctor, Pa., Vineland, N. J. and Southern Flats,
Via Ridge's Booth, A201 & A312, at the tenth Annual Instrument-Automation Conference & Exhibit,
Shrine Auditorium, Los Angeles, California—September 13-16, 1955

*Trademark International Nickel Company

MORE
GET-UP-AND-GO
FOR TAC
COMBAT CARGO
USAF
HERCULES



Every job assigned to the Tenth Air Command requires special aircraft capability—mainly "get-up-and-go."

TAC's new combat cargo plane, the C-130 Hercules, represents a new era in mobility. It's the first military transport with涵洞 prop power. It's fast—faster than many transport aircraft. It's designed to take off and land in less than 500 ft., making it rugged and robust enough to use even unprepared runways.

First assignment for Hercules: providing a mobile air lift at a moment's notice for TAC's 11th Air Force. Hercules will fly cargo and men further, faster and at lower cost than any other combat transport. The job of quick supply is a good one; triple load puts one of Hercules' doors on center stage. After dropping 64 paratroopers or loading more than 10,000 lbs. of cargo, the aircraft can land back to advance base, load up and take 24 tons of food, ammunition, medical supplies, and whatever else front-line fighters need there. Then, converting as a mobile hospital, a single Hercules can evacuate up to 74 litter patients.

This makes up-and-go TAC's Hercules here. Developed by Lockheed, the Hercules is now in production at Government Aircraft Plant, St. Louis, Mo., and U.S. Marine prop production line for transports.



Italian Ariete Jet To Be Supersonic

Rome—The Ariete light fighter interceptor prototype under construction by Avio in Naples will be capable of supersonic speeds according to Italian army details released in the capital.

The intercepting jet has two engines and an auxiliary to provide a range of speed and maneuvering ability. Armament, it is believed, will consist of rockets and bombs plus two 30-mm. cannons when the gear is used for attack support. Length is little over 30 ft., the wingspan is 24.5 ft., and the maximum takeoff weight is 11,700 lbs.

The Ariete design is a continuation of the Saetta two-seat light fighter built by Aviair and will be followed in a series of seven later steps. Plans call for each successive model to incorporate lessons learned in the preceding ones.

Three Firms 'Lend' Ryan Skilled Help

Three aircraft firms are various parts of the country will lend their design, engineering, equipment and prep and fixture facilities to help in getting up to early serial long fuselage sections of the Boeing KC-135 jet tanker.

The men, all in critical job categories difficult to fill locally, will spend the remainder of the summer working on the tankers which require the largest prep in Ryan's history.

The contractors are from Lockheed Aircraft Co., Martin Co., Boeing Aircraft Co., Seattle, and Wichita, and Ryan Aircraft Co., Sherman, Okla.

ARDC Getting Big Flight Simulator Lab

An electronic training and flight simulator laboratory, described as the boldest in the largest and most modern in the U.S., is expected to begin operation within a year at Wright Air Development Center, Glendale, Calif. The Research Division, Compagnie de Neu York, will build the facility for the Air Research and Development Command.

The new center is charged for handling the specific problems involved in the development of weapon systems for the Air Force. Using computers, it will evaluate the Armed Thunderjet at new design. It will incorporate all of the most advanced electronic computer techniques, according to Rizzo.

The lab's computer will have more than 500 operational amplifier which will measure equipment, make it larger, faster and more versatile than any of this country's other large-scale electronic



Reborn Spirit of St. Louis

The Spirit of St. Louis went from cosmopolitan to the world's flying spans three days over Long Island.

Ship shapes have been repeated

by Charles Lindbergh in one of three constructed by himself of his Palatine Farmhouse, built about the first solo transatlantic crossing. It was rebuilt by Paul Mantz from a Ryan Brougham at a reported price of \$40,000 using the blueprints prepared by the original designer. Dimensions were extended 2.5 ft. on each side to 36 ft. 6 in. and 10 ft. 6 in. on the original craft. Wingspan is 36 ft. 6 in. forming a biplane standard metal spars.

The new model must be photographed from the right side only, as a pilot's position has been reengaged into the wing on the left side (see photo) for the pilot who will remain in the plane while Lindbergh takes James Stewart in photographing along. Lindbergh had to use a passageway in the adjacent Spirit of St. Louis.

Mantz, who is handling the aerial photographs, is also building one of the other replicas and after Stewart and Jim do these he is building the third.

The custom craft had to wait for bad weather, duplicating the conditions of the original flight, for aerial photographs over Long Island, New England and New Scotia. A major problem has



been the synchronous moving TV antenna which spot coherence of air in ground shots. The movie company is building a new "Bausch Field" in Texas and "Le Bourget" near Paris for realism.

After filming is completed in this country the replica will be shipped to Paris for French shooting.

A "Silent Movie" is to be the name given to the film which Lindbergh is going to make for Pathé News, will also be made in the picture. Mantz will work from a modified E-1.

central systems, a complex hydraulic and

Among the more obvious is a transonic development section to check out both the problem but subsequent phases of one-point performance. Multiple test scales are available so as to obtain the best solution without sacrificing control at problem parameters. A patch load cylinder, developed by L. M. Wadsworth and W. G. Braun of WADC's Aerowind

laboratory, devotes for lifting static lift-test and aerostatic functions of several aircraft configurations.

An automatic program permits specimen to perform large numbers of runs without selecting controls at problem parameters. A patch load cylinder, developed by L. M. Wadsworth and W. G. Braun of WADC's Aerowind

Fast Filter Changes on the F-100 with Marman V-Band Coupling and Aeroquip Hose Lines



Here is an excellent example of how Marman clamps and Aeroquip hose work hand in hand to simplify aircraft plumbing installations.

On the North American F-100, a compact Marman stainless steel V-band coupling joined an Aeroquip line to the filter. Marman clamps are used because the close space has been no obstacle right on the Marman special hose fitting! The Marman "quick-couple" funds adds quick assembly and disassembly advantages, and funds securely.

Marman clamps, fittings, and couplings are used throughout the F-100 and many other planes for a wide variety of applications. Engineering assistance is available. Write for information.



MARMAN PRODUCTS COMPANY, INC.

A SUBSIDIARY OF **Aeroquip** CORPORATION

11214 EXPOSITION BLVD., LOS ANGELES, CALIFORNIA

MARMAN PRODUCTS ARE MANUFACTURED UNDER VAARIOUS U.S. AND FOREIGN PATENTS AND OTHER PATENT PENDING

Research Lab. provides extensive digital collection of case history patching for problem parts and gives a partial account of machine setup. The computer detects its own malfunctions and prints them for corrective by the operator.

The large integrated computers will consist of four sections which may be used separately or in any combination.

German Border Guard Buys First Helicopter

West-Germany's stark Federal Border Guard has purchased its first helicopter, a Sikorsky UH-1B. The copter was purchased from Hitler through the Cologne firm of Luftfahrt-Tecknik GmbH.

The copter is now stationed at Bochum's Hangelar Airfield and will be used for a variety of purposes—border patrols, air and ground police work, traffic control and emergency investigations in remote areas.

One pilot and one mechanic have been trained thus far by a Swiss instructor. A second pilot-in-command team is now in process of training. Both pilots are ex-airline pilots. The Border Guard is not placing purchase, let alone deliveries, in the "foreseeable future," however, since the unit's budget is limited.

Convair Studies Noise Effect on Materials

Convair's Wright is conducting research to determine the ultimate effects of jet engine noise on adhesives, friction and metal materials.

The high frequency sound (20 kilocycles) and its being studied for effect on static lubricants, liquid-like fluids, glasses, adhesives and on the explosive limits of fuel.

Tire tube samples are inserted in a coupling fluid where they are subjected to radiation at the point of maximum energy. Energy absorption is confirmed by the release of dissolved gases and/or the resulting greater of the specimen surface and by a vapor above the sample.

Tire tube made on the samples before and after ultrasonic exposure to determine changes produced.

Italian Missiles

Infrared guided missile activity has gotten off to a flying start with the launching of a Scud in October. Some sources report first to Centurion Ballistic and Space and test contracts to USAT to School of Air Engineering, Roma, for high speed ballistic research.

SPECIAL AIRCRAFT PUMPS

EASTMAN AIRCRAFT PUMPS are built to withstand the most severe of aircraft environments. They are built to meet all appropriate government specifications, including MILSPEC. See some of EASTMAN's unique design features which make the entire range of EASTMAN units, and provide a wide choice of performances. EASTMAN also manufactures special model pumps or completely new ones for custom-made to your needs.



EASTMAN AIRCRAFT is the smaller and lighter line of pumps and valves used for aircraft fuel systems. These pumps are designed for fuel system high pressure valve venting at the aircraft. The pump is designed to fit into the aircraft space without the use of the aircraft's own pump housing. They are designed to meet rigid military specification procedures, including MILSPEC. These pumps can be delivered at speeds up to 1000 gpm. They can be delivered at pressures up to 1000 psi.



EASTMAN AIRCRAFT was designed to meet the requirements for pressure flow like the 700 Series. The difference in the smaller size allows for more compact installation. These pumps are designed to fit into the aircraft's own pump housing. They are designed to meet rigid military specification procedures, including MILSPEC. These pumps can be delivered at speeds up to 1000 gpm. They can be delivered at pressures up to 1000 psi.



EASTMAN AIRCRAFT line of smaller permanent installations is the 700 Series. The design of the 700 Series pump is ideal for aircraft applications. These pumps are designed to fit into the aircraft's own pump housing. They are designed to meet rigid military specification procedures, including MILSPEC. These pumps can be delivered at speeds up to 1000 gpm. They can be delivered at pressures up to 1000 psi.



EASTMAN AIRCRAFT Series are available in a variety of different models and sizes designed to perform satisfactorily under severe conditions of aircraft environments. These pumps are designed to fit into the aircraft's own pump housing. They are designed to meet rigid military specification procedures, including MILSPEC. These pumps can be delivered at speeds up to 1000 gpm. They can be delivered at pressures up to 1000 psi.



EASTMAN AIRCRAFT is a continuation of the EASTMAN line of aircraft pumps. The EASTMAN line of aircraft pumps is designed to fit into the aircraft's own pump housing. They are designed to meet rigid military specification procedures, including MILSPEC. These pumps can be delivered at speeds up to 1000 gpm. They can be delivered at pressures up to 1000 psi.



EASTMAN AIRCRAFT is a continuation of the EASTMAN line of aircraft pumps. The EASTMAN line of aircraft pumps is designed to fit into the aircraft's own pump housing. They are designed to meet rigid military specification procedures, including MILSPEC. These pumps can be delivered at speeds up to 1000 gpm. They can be delivered at pressures up to 1000 psi.

EASTMAN
INDUSTRIES, INC.
1000 EAST STREET
MILWAUKEE, WISCONSIN

Write for Aviation
Products Bulletin 330.

Solar-Bristol Join in Afterburner Pact

By Irving Stone

SAN DIEGO, Calif.—Bristol Aerospace Co. Ltd. and Solar's program to develop an afterburning engine for the aircraftman fighter will become a joint venture of wide design and production resources available by an American company, Solar Aircraft Co.

An agreement between Solar and Bristol regarding afterburner development and licensing has just become effective, with approval by both the U.S. and British governments.

Contract awards approximately \$3 million and will run for about eight years. Initially, it is believed, to involve afterburner development for engines at the Bristol Observatory.

Under the agreement, Solar will:

- Give its know-how in design and production of afterburners to Bristol.

- Design and build several test prototype afterburners for extensive test stand runs at Bristol.

- Assist Bristol in its development work, starting with flight test prototype afterburners, advising on modification and other aspects of the Bristol program.

- Deliver to Bristol additional afterburners, controls and components in connection with the development program.

- License Bristol to use Solar's patents and proprietary designs relating to afterburners. In connection with the transfer of these rights, Solar will supply consultation services for a period of seven years.

Also, Bristol will be granted the right of sublicense in the United Kingdom and in Europe, subject to Solar's agreement. Under the solar condition will be the absence of military clearance in this country.

Contract negotiations had been going on for more than a year.

Working on it for Bristol were Air Commodore F. R. Banks, technical director; Dr. Stanley G. Blesker, chief engineer; and A. J. Best, executive service manager.

For Solar, Edward T. Pace, president and general manager; Herbert Kendall, executive vice-president; Paul A. Pitt, chief engineer; and Patrick Johnson, manager of the company's European division.

All of the Bristol representatives visited Solar during the negotiations.

Bristol already has test specifications to Solar on two engines. Bristol would like an afterburner designed so that it would be applicable to both powerplants—a difficult assignment, since each



OFFICIALS DISCUSS AFTERBURNER AGREEMENT—Solar representatives are Edward T. Pace, pres.-gen. mgr. (right) and Paul A. Pitt, chief engineer (left); from Bristol, Dr. Stanley G. Blesker, chief engineer (right center) and unidentified officials.

is running at different speeds so different models of the same engine, it is not easy.

While fitting this afterburner for a fixed role will be an objective of the program, Bristol has been requested to specify which of the two powerplants the initial afterburner is to be specifically designed for, so that at least it will do a prime job for that engine.

Only broad principles of the design have been finalized thus far by Solar engineers. Further design aspects will be finalized after the arrival of a team of a Bristol liaison team, who will have to be cleared by the Air Forces.

Specific design for the initial after-

burner should be completed sometime this summer, allowing time for Bristol's involvement in acceptance.

Work on the prototypes will start immediately after design approval. American standard parts and materials will be used. It probably will be late fall before any afterburner is delivered to Bristol under the program.

The afterburner development proposed under the agreement will incorporate controls based on the Marquette system developed.

This is an automatic, programmatically sequenced device which controls afterburner fuel flow and the variable nozzle in relation to the main engine for various flight conditions. According to West, he learned American engine technology when he was working in house development in the design center of Pratt & Whitney Aircraft, Westinghouse, Wright Aeronautical, General Electric and Allis-Chalmers.


Solar sees Marquette "survived by it self under all flight conditions exactly what the turbine discharge pressure should be, and at the same time sets an error between the actual engine pressure and what it should be. If there is an error the Marquette automatically sends out electrical signals to other engine controls which correct the pressure conditions."

In connection with the afterburner testing phase of the development program, Solar will have a technical team at Bristol. Their representatives may remain there for at least a year.

It is Bristol's intention to become self-sufficient rapidly in continuing de-



MICROTRON CONTROL, which automatically maintains engine pressure and altitude, will be incorporated in Solar jet afterburner development by Bristol.



Good engineers are essential to good work. TEMCO provides the opportunity to build a career and to keep its engineers developing their professional ability to the fullest.

Everything's Bigger in Texas--OPPORTUNITY INCLUDED

If you're an engineer who thinks big—then Texas and Temco are for you.

You'll find here the opportunity to fulfill your most ambitious plans.

You'll like working with a vital, growing organization that offers the chance to develop your talents to the fullest, that encourages you to build a career just as big as yours can be.

And you'll like Texas living, too. Its neighborliness...its casual outdoor life that is enjoyed the year round make it an ideal place to raise a family.

If you have big plans for the future, come where there's opportunity to match those plans...in Texas...and TEMCO.

For full particulars write to:
E. J. Homan, Jr., Engineering Personnel,
TEMCO Aircraft Corporation,
P. O. Box 4191, Dallas 2, Texas

We have specific need for:

- Electronics engineers with experience in VHF, UHF, and/or Microwave Techniques
- Antenna design engineers
- Stress analysis engineers
- Weight control engineers
- Engineering Methods mathematicians (the work on IBM computers)
- Aerodynamics engineers from:
 - a) stability and control work
 - b) performance
- Propellers
- Helicopters
- Welding engineers
- Thermodynamics
- Dynamics engineers



FAMOUS FOR POWER PACKAGES AND OVER 30,000 OTHER AIRCRAFT PARTS!

ROHR is famous as the world's largest producer of ready-to-install power packages for airplanes... like the Lockheed Constellation, Douglas DC-7, the all-jet Boeing B-52 and other great military and commercial planes.

But that's not all! Today, in addition to power packages, ROHR'S engineering skill is going into the production of over 30,000 other aircraft parts that have made ROHR famous.

other different parts for aircraft of all kinds... many of these requiring highly specialized skill and equipment.

Whatever the aircraft part... whatever you need it... call on ROHR. Call on the engineering skill and production know-how gained from the thousands upon thousands of power packages and over 30,000 other aircraft parts that have made ROHR famous.



DOUGLAS DC-7



WORLD'S LARGEST PRODUCER

OF READY-TO-INSTALL POWER PACKAGES FOR AIRPLANES
— PROPULSION, TURBO-PROP, TURBO-COMPRESSOR® AND JET

ROHR

AIRCRAFT CORPORATION

CHINA VALLEY AND RIVERSIDE, CALIFORNIA

*A trademark of Curtis Wright



BESTICL company who signs A. I. Thor (left) and Solar execs vice president, Robert Koenig, pose with Sheehan.

development work is concerned, and it will absorb responsibilities as it goes along, relying on Solar's guidance in consultation.

Acting as Solar's team as a result of the agreement—either down its own dr. development contributions or from Besticl's work—will be applied to Solar's afterburner efforts, in this respect.

Present in the afterburner field, Solar has produced a total volume of these units with an aggregate value of more than \$35 million. Solar afterburners were the first to be installed Navy and Air Force planes.

J46 Jet Production Resumes After Strike

Westinghouse Electric Corp.'s aircraft jet engine plant in Kansas City has resumed operations after a seven-week strike which was settled with the signing of a new contract with the United Automobile Workers (AWU Aug. 16, p. 7).


An immediate wage increase was granted amounting to \$1.40 an hour plus 3 cents for shift differential. A three-year contract running until Nov. 1, 1958. A familiar increase of 6 cents and 3 cents is provided for on Nov. 1, 1958 and another increase of 6 cents and 1 cent a year later. The contract also includes a company paid pension plan modified vacation pay and other benefits.

Westinghouse is finishing up work for the 140 jet engines at the Kansas City plant as well as turning out spares and parts in support of engines already in the field. Completion of the strike has also permitted resumption of work on the \$2.5-million research and development laboratory. Westinghouse has six construction

New High Performance Fastener

EXCEEDS ULTIMATE TENSILE and SHEAR LOADS OF NAS 547

New PANELOC High Performance Aircraft Fastener Carries Primary Structural Loads in Shear and Tension with Minimum Deflection and Minimum Sheet Separation.



Announcing high strength, quick release, rotary type fastener for advanced aircraft designs. Available in shear-retained and carriage adjustable types, it exceeds 1 1/2 times full load as specified by NAS 547. Opened and closed with quarter turn, used in tension, selected materials. Body pressure sealed. Adjustable for shear peak-ups in accordance with NAS 547, thus simplifying static analysis. Catalog and price list being on your file. Send request today.

PANELOC America's most reliable line of aircraft fasteners. High Performance. New Features. Styles 1, 2 & 3. Fiber Reinforced. Heavy Locks, and Snap Retainers.




Fill-in Coupon or Write Letter for Catalog



PANELOC

Div. of Manufacturing Division, Almond Products Inc.
40 Mill Street, Melrose Park, Illinois
Please send me literature covering:
1. High Performance
2. Shear Retained
3. Fiber Reinforced
4. Heavy Locks
5. Snap Retainers (S.R.T.)

Name _____
Company _____
Address _____



At Pinecastle AFB, all six J47's on B-47 pass 1000 HOURS WITHOUT OVERHAUL

Estimated 490,000 miles flown by each G-E engine installed on Boeing Stratojet No. 51-2076, part of SAC's 19th Bomb Wing

Setting the pace for the growing durability of American turboprops, all six General Electric J47-GE-3Ps installed on a SAC B-47B recently passed 1000-hour marks without overhaul at Pinecastle AFB, Orlando, Florida.

These rugged J47s, overhauled since November of 1952, went through 600-hour inspection over a year ago with only minor parts replacement. At last report, all engines had approximately 3000 hours. Since each hour was flown at an estimated average of about 490 mph, total flight distance of the B-47B has been more than 15 million around the world.

Used today in the North American F-86 and B-47 as well as the B-57, hundreds of J47's are serving the 3000-hour mark. As a result of their outstanding performance, the Air Force has saved more than \$100 million through reduction in the total number of engines required. Since 1949, improved production methods in G-E jet plants have saved another \$50 million.

The J47 qualifies G-E's key role in U.S. air power. Right now, operating experience from this radioprop is paying off on still newer engines in G-E test cells and on the drawing boards.

321

Progress Is Our Most Important Product

GENERAL  **ELECTRIC**



JETQUICK 51-2076 was built at Boeing's Wichita, Kansas, factory. The aircraft has been flying training missions for over 20 months, including the first strategic bombardment mission readiness mission commanded by a SAC B-47 Wing.



AT SAC'S 19TH BOMB WING, maintenance crews at the 5100-hr. B-47 are shown with the 19th Bomb Wing Engineering Officer. From left to right: Supervisor Ed Wellens; Capt. V. W. Floyd, Army Materiel Corps.



ON THE 1000 B-47's in AFM, Air Force bases throughout the world, the new operational with SAC. In the past 7 years, G-E has supplied four different engines manufacturing 100% more power than their original jets.



SAC'S LOW-HIT ENGINE CHANGE RATE claim largely from close teamwork of AFM maintenance crews and Walldorf service engineers. This teamwork has helped to raise 20% ultralow operating time between overhauls to 1200 hours.

Defense is our business...

From missile-cannon-carrying fighters to the most advanced guided missile weapon systems, Bell Aircraft has pioneered for twenty years in the design and production of new armament for our nation's security.

The defense industry at long last is an integral part of our national economy. Bell is a specialist in many facets of this business of defense. Our engineering and production teams are constantly applying the newest in scientific and manufacturing techniques to widely diversified programs:

Guided missiles capable of delivering nuclear weapons to an enemy; many nuclear arms . . . rocket engines for super speeds and altitudes; electronic and servomechanical devices for precise performance and control . . . research aircraft for the accumulation of invaluable data . . . vertical flying aircraft for a new dimension of flight . . . helicopters for every type of military operations, including quick extraction of wounded . . . advanced automatic landing systems for land or seaborne planes . . . a wide variety of high quality, assembly-line produced systems and components for industry and government.

In guided missiles, Bell is prime contractor for the

steerable, long range GAM-63 Rascal, one of the few contractors to undertake the complete weapons system requirement from airframe to rocket engine, from its electronic components and servos to ground-support equipment and training devices.

In one of the country's largest and best equipped rocket engine facilities, Bell has developed and is producing engines for the Rascal and Nike missiles as well as for other projects. The famous Bell series of high performance research aircraft — X-1, X-1A, X-2 and X-5 — is supplying today's information for tomorrow's tactical planes.

Improved Bell helicopters are serving away beneath the midwest skies. The unique XV-3 convertiplane will provide a link between fixed-wing and rotary-wing aircraft and the Bell jet VTOL (vertical takeoff and landing) promises to change the entire concept of military and commercial aviation, launching a new era of flight.

These and many other projects are being pushed forward to gratifying conclusions by a company founded on the premise of helping to make America strong. In hot war, cold war, or peace, Bell Aircraft's engineers, skilled factory workers and modern facilities work progressively toward protecting our American way of life. National Defense has always been, is now, and will continue to be our business.



BELL
Aircraft DEPARTMENT FT. WORTH, TEXAS

CARRIER LANDING SYSTEM

Aviation Week Buyers' Guide

An Annual Publishing Service
of Industry-Wide Usefulness

PUBLISHING DATE NOVEMBER 28, 1955

• INDUSTRY-DEEP Penetration Through
Aviation Publishing's Largest Circulation

• KEY To the Major Buying Influences in the
Multi-Billion Dollar Aviation Market

November 28, 1955, an all-important, needed publishing service will be available to the aviation industry . . . AVIATION WEEK'S Annual BUYERS' GUIDE. The dramatic development of aviation into today's multi-billion dollar giant-reaching into all phases of manufacturing-demanding a constant flow of products and materials from tens of thousands of separate suppliers-has made a comprehensive, complete source book of suppliers and manufacturers a must for all segments of the industry. AVIATION WEEK'S BUYERS' GUIDE carries this intelligence need with an information service of year-round usefulness, placed directly into the hands of some 57,000 key aviation engineers, management men, design and pur-

chasing personnel-who make up aviation's real buying influences . . . in the industry itself, in the Air Force, and throughout the Government.

The latest developments in military procurement will be covered in a special report included in this detailed information to be presented will be: Air Materiel Command-Air Research and Development Command buying practices, personnel listings—by name, procurement orders, etc.; All-industry listing of manufacturers oferonomic and allied products; standards for maximum utility under six major headings: Aircraft and components, Armament, Fixed Equipment, Landing Gear, Powerplants, Moltic Aircraft and components, Equipment, including ground-handling, Fire-control, Avionics, Communications systems and equipment, Radar-far control systems and equipment, Instrumentation and controls, Navigation systems and equipment, Ordnance and devices, Test equipment, Components and data processing equipment in airborne, ground-based or shipboard applications. Supporting Groups: Data systems, Electrical, Ground equip-

ment, Hydraulics, Instrumentation, Materials—including fuels, plastics, and chemicals, Tooling, Nuclear Power Systems, Accessories and components, Design services, Rudder fabricators, Airlines and Airports, Scheduled airways, Non-scheduled carriers, Cargo narrow, Ground equipment, Lighting.

Including is set up to provide quick, ready referential to buyers for all products. In addition, advertisements and product listings will be keyed to each other for ready reference. AVIATION WEEK'S BUYERS' GUIDE also will carry Trade Name and Distributor listings—making this publication the most complete single source of buying information available in the aviation industry today.

Every AVIATION WEEK subscriber will receive the BUYERS' GUIDE this fall edition of some 57,000 key aviation people . . . plus substantial bonus circulation through the sale of extra copies of the BUYERS' GUIDE to aviation companies and government agencies (Price for additional copies is \$3.00 each). AVIATION WEEK's BUYERS' GUIDE will be read, referred to, and depended

upon constantly wherever aviation business is transacted. Be sure your complete line of products and services is listed in this basic book of buying information. Special discounts are offered for multiple and extended-type advertisements. Your AVIATION WEEK representative will gladly help you plan your advertising to make the most economical and profitable use of the GUIDE. Call him today.

* Average net paid circulation, 51,803 (June, 1955 ABC Statement). Paid circulation of current weekly issue more than 53,000. Current weekly print order exceeds 57,000.

AVIATION WEEK

A McGRRAW-HILL PUBLICATION



PLEXIGLAS...aviation's standard transparent plastic

Plexiglas is a trademark Reg. U.S. Pat. Off., and other principal countries of the Western Hemisphere.

© 1958 Rohm & Haas Co., Inc., 1501 Chestnut Street, Philadelphia, Pennsylvania.

ROHM & HAAS
COMPANY
WASHINGTON SQUARE, PHILADELPHIA 5, PA.
Representatives in principal foreign markets

"Bogey at 6,000 miles!"

Sure, six thousand miles is beyond the range of today's radar equipment. But radar has been so highly developed since the end of World War II that who's to say how long it'll be until we're thinking in terms of thousands of miles . . . or more?

We're proud of the part we play in producing the world's most sensitive radar sets. Granted, it's a small part—many wall parts—but our team of precision engineers, toolmakers and mathematicians makes certain that *If We Stop It . . . It's Right!* We work with practically every major builder of radar equipment—supplying the materials on which the radars turn, twist and probe. We're confident, too, that in the future, we'll continue to furnish component parts that will enable us to spot bogeys' way out there—yes, even 6,000 miles away! For a look at our company—its facilities, its people and accomplishments—just write to: The Steel Products Engineering Company, Springfield, Ohio, and ask for our new Plant Brochure.



**THE STEEL PRODUCTS
ENGINEERING COMPANY**



Navy Contracts

Contracts amount announced by the Navy Aviation Supply Office:

Air Force: American Mariner and Mariner Cessna; Avco Manufacturing Co.; Avco Corp.; Bell Helicopter Co.; Boeing Co.; Cessna Aircraft Co.; Convair Co.; Douglas Aircraft Co.; Grumman Aircraft Engineering Co.; Hughes Aircraft Co.; McDonnell Aircraft Co.; North American Aviation Co.; Sikorsky Aircraft Co.; Vought-Sikorsky Co.

Boats: Products Int'l.; Brooks Aviation Components Inc.; Goss Corp.

Cameras: Photographic Film Co.

Decorating: Precision Paint Corp.

Electronics: General Electric Co.; IBM Corp.; Raytheon Co.

Furniture: Knoll International Inc.

Glass: Pilkington Bros. Ltd.

Haberdashery: Brooks Brothers Corp.

Interiors: N.Y. Interiors Inc.

Jewelry: Goldsmiths Inc.

Kinetics: Kinetronics Corp.

Liquor: Jim Beam Distilling Co.

Machinery: Allis-Chalmers Mfg. Co.; Case Tractor Co.; Clark Equipment Co.; Dresser Industries Inc.; General Electric Co.; International Harvester Co.; John Deere Co.; Komatsu America Corp.; Lippert Industries Inc.; Massey-Ferguson Co.; National Machine Co.; Oliver Corp.; Peterbilt Mfg. Co.; Studebaker Corp.; Tippco Corp.; White Motor Co.

Nonferrous Metals: Alcoa Inc.

Oils: Standard Oil Co. of New Jersey.

Petroleum: Texaco Inc.

Rubber: Goodyear Tire & Rubber Co.

Stocks: Standard Oil Co. of New Jersey.

Textiles: W.L. Tex Inc.

Vehicles: Ford Motor Co.

Wool: Woolgrowers Assn. of America.

Zinc: Zinc Alloy Co.

Ashore, N.Y.: welding, metal coils, 100,000.

Walkersburg, W. Va.: steel plate, 200,000.

Yorkton, Saskatchewan: steel, 100,000.

Zinc and zincite: zinc, 100,000.

Berry Corps. Inc., The Library Assn. of America, Inc., The Library of Congress, Washington, D.C.: books, 100,000.

Canadian Pac. R.R. and Maritime, Inc., St. John's, N.L.: Alaska oil, 100,000.

Founder Products Inc., 100,000.

Gold, Art: Minkoff, N.Y.: chrome and gold, 100,000.

Hospitality: Brooks Brothers Corp., New York, N.Y.: clothing, 100,000.

Ilford Photo Film Co., 100,000.

Jewelry: Brooks Brothers Corp., New York, N.Y.: gold, 100,000.

Kinetics: Kinetronics Corp., 100,000.

Liquor: Jim Beam Distilling Co., 100,000.

Machinery: Allis-Chalmers Mfg. Co., 100,000.

Nonferrous Metals: Alcoa Inc., 100,000.

Oils: Standard Oil Co. of New Jersey, 100,000.

Petroleum: Texaco Inc., 100,000.

Rubber: Goodyear Tire & Rubber Co., 100,000.

Stocks: Standard Oil Co. of New Jersey, 100,000.

Textiles: W.L. Tex Inc., 100,000.

Vehicles: Ford Motor Co., 100,000.

Wool: Woolgrowers Assn. of America, 100,000.

Zinc: Zinc Alloy Co., 100,000.

BuAer Contracts

The following contract awards of \$75,000 and more have been unannounced recently in the Bureau of Aeronautics, Department of the Navy, Washington, D.C.

Aircraft Development Office: 25-81198, 25-81200, 25-81201, 25-81202, 25-81203, 25-81204, 25-81205, 25-81206, 25-81207, 25-81208, 25-81209, 25-81210, 25-81211, 25-81212, 25-81213, 25-81214, 25-81215, 25-81216, 25-81217, 25-81218, 25-81219, 25-81220, 25-81221, 25-81222, 25-81223, 25-81224, 25-81225, 25-81226, 25-81227, 25-81228, 25-81229, 25-81230, 25-81231, 25-81232, 25-81233, 25-81234, 25-81235, 25-81236, 25-81237, 25-81238, 25-81239, 25-81240, 25-81241, 25-81242, 25-81243, 25-81244, 25-81245, 25-81246, 25-81247, 25-81248, 25-81249, 25-81250, 25-81251, 25-81252, 25-81253, 25-81254, 25-81255, 25-81256, 25-81257, 25-81258, 25-81259, 25-81260, 25-81261, 25-81262, 25-81263, 25-81264, 25-81265, 25-81266, 25-81267, 25-81268, 25-81269, 25-81270, 25-81271, 25-81272, 25-81273, 25-81274, 25-81275, 25-81276, 25-81277, 25-81278, 25-81279, 25-81280, 25-81281, 25-81282, 25-81283, 25-81284, 25-81285, 25-81286, 25-81287, 25-81288, 25-81289, 25-81290, 25-81291, 25-81292, 25-81293, 25-81294, 25-81295, 25-81296, 25-81297, 25-81298, 25-81299, 25-81300, 25-81301, 25-81302, 25-81303, 25-81304, 25-81305, 25-81306, 25-81307, 25-81308, 25-81309, 25-81310, 25-81311, 25-81312, 25-81313, 25-81314, 25-81315, 25-81316, 25-81317, 25-81318, 25-81319, 25-81320, 25-81321, 25-81322, 25-81323, 25-81324, 25-81325, 25-81326, 25-81327, 25-81328, 25-81329, 25-81330, 25-81331, 25-81332, 25-81333, 25-81334, 25-81335, 25-81336, 25-81337, 25-81338, 25-81339, 25-81340, 25-81341, 25-81342, 25-81343, 25-81344, 25-81345, 25-81346, 25-81347, 25-81348, 25-81349, 25-81350, 25-81351, 25-81352, 25-81353, 25-81354, 25-81355, 25-81356, 25-81357, 25-81358, 25-81359, 25-81360, 25-81361, 25-81362, 25-81363, 25-81364, 25-81365, 25-81366, 25-81367, 25-81368, 25-81369, 25-81370, 25-81371, 25-81372, 25-81373, 25-81374, 25-81375, 25-81376, 25-81377, 25-81378, 25-81379, 25-81380, 25-81381, 25-81382, 25-81383, 25-81384, 25-81385, 25-81386, 25-81387, 25-81388, 25-81389, 25-81390, 25-81391, 25-81392, 25-81393, 25-81394, 25-81395, 25-81396, 25-81397, 25-81398, 25-81399, 25-81400, 25-81401, 25-81402, 25-81403, 25-81404, 25-81405, 25-81406, 25-81407, 25-81408, 25-81409, 25-81410, 25-81411, 25-81412, 25-81413, 25-81414, 25-81415, 25-81416, 25-81417, 25-81418, 25-81419, 25-81420, 25-81421, 25-81422, 25-81423, 25-81424, 25-81425, 25-81426, 25-81427, 25-81428, 25-81429, 25-81430, 25-81431, 25-81432, 25-81433, 25-81434, 25-81435, 25-81436, 25-81437, 25-81438, 25-81439, 25-81440, 25-81441, 25-81442, 25-81443, 25-81444, 25-81445, 25-81446, 25-81447, 25-81448, 25-81449, 25-81450, 25-81451, 25-81452, 25-81453, 25-81454, 25-81455, 25-81456, 25-81457, 25-81458, 25-81459, 25-81460, 25-81461, 25-81462, 25-81463, 25-81464, 25-81465, 25-81466, 25-81467, 25-81468, 25-81469, 25-81470, 25-81471, 25-81472, 25-81473, 25-81474, 25-81475, 25-81476, 25-81477, 25-81478, 25-81479, 25-81480, 25-81481, 25-81482, 25-81483, 25-81484, 25-81485, 25-81486, 25-81487, 25-81488, 25-81489, 25-81490, 25-81491, 25-81492, 25-81493, 25-81494, 25-81495, 25-81496, 25-81497, 25-81498, 25-81499, 25-81500, 25-81501, 25-81502, 25-81503, 25-81504, 25-81505, 25-81506, 25-81507, 25-81508, 25-81509, 25-81510, 25-81511, 25-81512, 25-81513, 25-81514, 25-81515, 25-81516, 25-81517, 25-81518, 25-81519, 25-81520, 25-81521, 25-81522, 25-81523, 25-81524, 25-81525, 25-81526, 25-81527, 25-81528, 25-81529, 25-81530, 25-81531, 25-81532, 25-81533, 25-81534, 25-81535, 25-81536, 25-81537, 25-81538, 25-81539, 25-81540, 25-81541, 25-81542, 25-81543, 25-81544, 25-81545, 25-81546, 25-81547, 25-81548, 25-81549, 25-81550, 25-81551, 25-81552, 25-81553, 25-81554, 25-81555, 25-81556, 25-81557, 25-81558, 25-81559, 25-81560, 25-81561, 25-81562, 25-81563, 25-81564, 25-81565, 25-81566, 25-81567, 25-81568, 25-81569, 25-81570, 25-81571, 25-81572, 25-81573, 25-81574, 25-81575, 25-81576, 25-81577, 25-81578, 25-81579, 25-81580, 25-81581, 25-81582, 25-81583, 25-81584, 25-81585, 25-81586, 25-81587, 25-81588, 25-81589, 25-81590, 25-81591, 25-81592, 25-81593, 25-81594, 25-81595, 25-81596, 25-81597, 25-81598, 25-81599, 25-81600, 25-81601, 25-81602, 25-81603, 25-81604, 25-81605, 25-81606, 25-81607, 25-81608, 25-81609, 25-81610, 25-81611, 25-81612, 25-81613, 25-81614, 25-81615, 25-81616, 25-81617, 25-81618, 25-81619, 25-81620, 25-81621, 25-81622, 25-81623, 25-81624, 25-81625, 25-81626, 25-81627, 25-81628, 25-81629, 25-81630, 25-81631, 25-81632, 25-81633, 25-81634, 25-81635, 25-81636, 25-81637, 25-81638, 25-81639, 25-81640, 25-81641, 25-81642, 25-81643, 25-81644, 25-81645, 25-81646, 25-81647, 25-81648, 25-81649, 25-81650, 25-81651, 25-81652, 25-81653, 25-81654, 25-81655, 25-81656, 25-81657, 25-81658, 25-81659, 25-81660, 25-81661, 25-81662, 25-81663, 25-81664, 25-81665, 25-81666, 25-81667, 25-81668, 25-81669, 25-81670, 25-81671, 25-81672, 25-81673, 25-81674, 25-81675, 25-81676, 25-81677, 25-81678, 25-81679, 25-81680, 25-81681, 25-81682, 25-81683, 25-81684, 25-81685, 25-81686, 25-81687, 25-81688, 25-81689, 25-81690, 25-81691, 25-81692, 25-81693, 25-81694, 25-81695, 25-81696, 25-81697, 25-81698, 25-81699, 25-81700, 25-81701, 25-81702, 25-81703, 25-81704, 25-81705, 25-81706, 25-81707, 25-81708, 25-81709, 25-81710, 25-81711, 25-81712, 25-81713, 25-81714, 25-81715, 25-81716, 25-81717, 25-81718, 25-81719, 25-81720, 25-81721, 25-81722, 25-81723, 25-81724, 25-81725, 25-81726, 25-81727, 25-81728, 25-81729, 25-81730, 25-81731, 25-81732, 25-81733, 25-81734, 25-81735, 25-81736, 25-81737, 25-81738, 25-81739, 25-81740, 25-81741, 25-81742, 25-81743, 25-81744, 25-81745, 25-81746, 25-81747, 25-81748, 25-81749, 25-81750, 25-81751, 25-81752, 25-81753, 25-81754, 25-81755, 25-81756, 25-81757, 25-81758, 25-81759, 25-81760, 25-81761, 25-81762, 25-81763, 25-81764, 25-81765, 25-81766, 25-81767, 25-81768, 25-81769, 25-81770, 25-81771, 25-81772, 25-81773, 25-81774, 25-81775, 25-81776, 25-81777, 25-81778, 25-81779, 25-81780, 25-81781, 25-81782, 25-81783, 25-81784, 25-81785, 25-81786, 25-81787, 25-81788, 25-81789, 25-81790, 25-81791, 25-81792, 25-81793, 25-81794, 25-81795, 25-81796, 25-81797, 25-81798, 25-81799, 25-81800, 25-81801, 25-81802, 25-81803, 25-81804, 25-81805, 25-81806, 25-81807, 25-81808, 25-81809, 25-81810, 25-81811, 25-81812, 25-81813, 25-81814, 25-81815, 25-81816, 25-81817, 25-81818, 25-81819, 25-81820, 25-81821, 25-81822, 25-81823, 25-81824, 25-81825, 25-81826, 25-81827, 25-81828, 25-81829, 25-81830, 25-81831, 25-81832, 25-81833, 25-81834, 25-81835, 25-81836, 25-81837, 25-81838, 25-81839, 25-81840, 25-81841, 25-81842, 25-81843, 25-81844, 25-81845, 25-81846, 25-81847, 25-81848, 25-81849, 25-81850, 25-81851, 25-81852, 25-81853, 25-81854, 25-81855, 25-81856, 25-81857, 25-81858, 25-81859, 25-81860, 25-81861, 25-81862, 25-81863, 25-81864, 25-81865, 25-81866, 25-81867, 25-81868, 25-81869, 25-81870, 25-81871, 25-81872, 25-81873, 25-81874, 25-81875, 25-81876, 25-81877, 25-81878, 25-81879, 25-81880, 25-81881, 25-81882, 25-81883, 25-81884, 25-81885, 25-81886, 25-81887, 25-81888, 25-81889, 25-81890, 25-81891, 25-81892, 25-81893, 25-81894, 25-81895, 25-81896, 25-81897, 25-81898, 25-81899, 25-81900, 25-81901, 25-81902, 25-81903, 25-81904, 25-81905, 25-81906, 25-81907, 25-81908, 25-81909, 25-81910, 25-81911, 25-81912, 25-81913, 25-81914, 25-81915, 25-81916, 25-81917, 25-81918, 25-81919, 25-81920, 25-81921, 25-81922, 25-81923, 25-81924, 25-81925, 25-81926, 25-81927, 25-81928, 25-81929, 25-81930, 25-81931, 25-81932, 25-81933, 25-81934, 25-81935, 25-81936, 25-81937, 25-81938, 25-81939, 25-81940, 25-81941, 25-81942, 25-81943, 25-81944, 25-81945, 25-81946, 25-81947, 25-81948, 25-81949, 25-81950, 25-81951, 25-81952, 25-81953, 25-81954, 25-81955, 25-81956, 25-81957, 25-81958, 25-81959, 25-81960, 25-81961, 25-81962, 25-81963, 25-81964, 25-81965, 25-81966, 25-81967, 25-81968, 25-81969, 25-81970, 25-81971, 25-81972, 25-81973, 25-81974, 25-81975, 25-81976, 25-81977, 25-81978, 25-81979, 25-81980, 25-81981, 25-81982, 25-81983, 25-81984, 25-81985, 25-81986, 25-81987, 25-81988, 25-81989, 25-81990, 25-81991, 25-81992, 25-81993, 25-81994, 25-81995, 25-81996, 25-81997, 25-81998, 25-81999, 25-82000, 25-82001, 25-82002, 25-82003, 25-82004, 25-82005, 25-82006, 25-82007, 25-82008, 25-82009, 25-82010, 25-82011, 25-82012, 25-82013, 25-82014, 25-82015, 25-82016, 25-82017, 25-82018, 25-82019, 25-82020, 25-82021, 25-82022, 25-82023, 25-82024, 25-82025, 25-82026, 25-82027, 25-82028, 25-82029, 25-82030, 25-82031, 25-82032, 25-82033, 25-82034, 25-82035, 25-82036, 25-82037, 25-82038, 25-82039, 25-82040, 25-82041, 25-82042, 25-82043, 25-82044, 25-82045, 25-82046, 25-82047, 25-82048, 25-82049, 25-82050, 25-82051, 25-82052, 25-82053, 25-82054, 25-82055, 25-82056, 25-82057, 25-82058, 25-82059, 25-82060, 25-82061, 25-82062, 25-82063, 25-82064, 25-82065, 25-82066, 25-82067, 25-82068, 25-82069, 25-82070, 25-82071, 25-82072, 25-82073, 25-82074, 25-82075, 25-82076, 25-82077, 25-82078, 25-82079, 25-82080, 25-82081, 25-82082, 25-82083, 25-82084, 25-82085, 25-82086, 25-82087, 25-82088, 25-82089, 25-82090, 25-82091, 25-82092, 25-82093, 25-82094, 25-82095, 25-82096, 25-82097, 25-82098, 25-82099, 25-82100, 25-82101, 25-82102, 25-82103, 25-82104, 25-82105, 25-82106, 25-82107, 25-82108

FLY WEATHER-WISE



These weather items prepared in consultation with the United States Weather Bureau

Rain drops from heavy cumulus clouds which fall from mid-air streams may cool cylinder heads enough to cause engine to stop. Avoid heavier showers whenever possible



Wind shear, rain falling from extended cloud layers over the western deserts, can be worse than the air through which it falls. Be prepared for poor visibility in the cold air near the ground, as fog is likely.



←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

←

Electronic Aids Speed Quality Control

By J. H. Thompson and S. Mooney*

The quality requirements for materials that will be used in high performance aircraft of the future are mandatory, testing imperative. But test techniques must be accurate, efficient and cost effective.

For these reasons electronic inspection methods are playing an increasingly important part in quality control. At Convair-Ft. Worth there has not only reduced the man hours required but has also improved the quality of work produced.

The processes and materials used in the fabrication of aircraft are costly because of the precise engineering, close tolerances and high-grade raw materials required.

Verifying the quality of parts is especially important since parts must be checked to determine the quality of a component. In addition, the quality of entire assemblies must be determined and verifiable to check conformance.

From the Wilder We II material and fiber wire cheaper therefore, extensive mechanical testing was not acceptable. Today, materials and labor are at a premium, and costs must be reduced by eliminating repetitive methods of inspection and quality control by identifying repeatable methods.

Properties and Defects

Inspection instruments have been perfected to such a degree that the internal structure and composition of parts and materials can be easily determined.

There are electronic instruments that can check material as to heat treat, work hardness, type of metal and often as well as presence and size of internal defects (such as cracks and holes).

Other types of electronic instruments give fast and accurate determinations of various elements contained in solids and liquids.

Still other electrical equipment, using the color spectrum, can be employed to determine various components of different materials.

Electronic instruments that reduce human error to a minimum. This is one of the main advantages of growth, higher speed and that of more advanced types of testing equipment.

The Types of Electronic Instruments

*The authors are engineers at Convair-Ft. Worth. Mr. Thompson is a research metallurgist and Mr. Mooney is a research mechanician.




CHART above is used by Reflectograph operator at Convair-Ft. Worth. On the Refractograph, porosity appears as "holes," cracks as single pips and inclusions as multiple pips.

being used at Convair-Ft. Worth are discussed below:

* Inspection equipment needs to verify the quality of the product and the conformance of a particular part to a specific drawing.

* Laboratory instruments used in limited personnel to evaluate material requirements with respect to government and other specifications not directly related to dimensional processes.

Many inspection functions may be accomplished by visual examination where the quality of the product depends upon its appearance or other visible characteristics. Some surfaces must be checked in an environment to assure the correct result. This is a "physical" type of inspection and is done by the Quality Control Department at Convair-Ft. Worth.

The "physical" inspection of aircraft parts has been improved by electronic instruments such as the Refractograph, Scanning, Andridge, Ultrasonic, and Magnetrack.

The physical characteristics or even position of the parts are determined by the passive control vibrators using the Stroboscope, Quartzmeter, Spectro photometer and X-ray.

Refractograph

The Refractograph is a non-destructive technique for locating internal defects in metals and other materials. It employs ultrasonic waves which are transmitted and received through a thin quartz crystal. The Refractograph

produces a visual indication which enables the operator to identify and accurately locate large and small defects in the part (see Figure 1). A photograph of a typical defect is shown.

Standard test blocks having defects of known size and location are used to calibrate and adjust the Refractograph.

It is possible that surface noise of Hertzians may pose a source of errors.

Parts which have irregular shapes and rough surfaces can be scanned ultrasonically for internal defects by submerging them in water. The scope is mounted on a revolving platform (see photo, p. 18) which can be moved in any direction in order to inspect all areas of the part. A hood attachment and glass cover to exclude light

Spectrometry

Another instrument, the Scanners, is essentially an electronic microscope which can be used to measure the thickness of material or the depth of an internal flaw. The device employs a hand probe containing a quartz crystal which is placed on the material to be inspected. The crystal is fed a continuous high-frequency impulse which is converted to ultrasonic waves that travel to the opposite face of the material and are reflected back to the crystal.

When the "echo" sound waves arrive at the next mirror across the crystal, an energy change occurs in the electronic circuit. The energy is amplified, causing a peak to occur on the cathode ray tube. The location of the peak in



BE Adel-wise... SPECIFY ADEL

Write for descriptive
brochure containing
detailed information
on Adel's line of
aircraft equipment and facilities



ADEL
A Division of General Metals Corporation

BURBANK, CALIFORNIA • HUNTINGTON, WEST VIRGINIA
GAMMA, BALDWIN & POWER ENGINEERING CORPORATION, LIMITED

ADEL designs and manufactures aircraft accessories in the following major categories:

- HYDRAULIC & PNEUMATIC CONTROL EQUIPMENT
- ANTI-SKID, BRAKE & FUEL SYSTEM EQUIPMENT
- EXHAUST ACCESSORIES
- LANDING SUPPORTS



YOUR No. 1 SOURCE FOR COMPLETE BELLows ASSEMBLIES AND DEVICES

**FULTON SYLPHON
BELLows
HEADQUARTERS,
U.S.A.**

You gain three important advantages when you consult Fulton Sylphon engineers of the metal Bellows—1. Over 30 years experience in bellow engineering is focused on your problem; 2. Modern production facilities geared to good service; 3. Cost saving opportunities through the design and production of complete bellow assemblies.



HANDBOOK INFORMATION

This 32 page catalog covers basic bellow engineering, component tables, parts available and other bellow data. Use the handy coupon for your free copy.



Robertshaw-Fulton

CONTROLS COMPANY

FULTON SYLPHON DIVISION

Knoxville, Tennessee

- 1 Please have a Robertshaw Business card sent for an appointment.
- 2 Send me your Catalog F (48-148)

Name _____ Title _____

Company _____

Address _____

City _____ State _____



SONDECH, shown above with scale calibrated in inches, measures the thickness of a part.



RECKEMAN MODEL DU Quartz Photoelectric Spectrophotometer used to identify types of chemical solutions.

A calibrated scale gives a direct reading of the thickness of the material, or, in the case of a solvent, the depth of the filter. The material to be tested is held in place by two or more fingers or by a probe mechanism.

The Sondech has been used for many types of inspection that formerly required the destruction of parts such as engine cylinder walls, fuel tanks, and propeller blades.

Audigage

The Audigage provides a non-destructive, rapid and accurate means of inspecting "blind wall" thicknesses of sheet skin, tools and pipe when only one side is accessible. The inspection method eliminates special tools, costly shims, shims and destructive drilling and plugging inspection methods.

It can be used on such different materials as copper, aluminum, nickel, steel, glass and plastic. However, a wood, concrete or any porous material cannot be tested. Cast materials may be measured with the Audigage but with more difficulty because of the internal damping effect. Gossen-Fort Weiland has used the Audigage to locate laminations in wood and to determine the effectiveness of the adhesive bond.


Mechanically it is made by placing a fine wire quartz crystal in contact with one side of the material under test so that an ultrasonic wave is transmitted into the material. This wave travels in a narrow beam through the surface and is reflected by the opposite surface.

These harmonic signals are counted by moving a calibrated dial. The signals are indicated automatically through a microphone to the operator and also on a calibrated dial.

At certain frequencies, when the transmitted and reflected waves are in phase, there will be a relatively large increase in the amplitude of the wave in the material. This is a resonance condition occurring at a fundamental frequency which is inversely proportional to the velocity of the sound in the material. Since the velocity of sound is a known constant, the determination



ONE METHOD of ultrasonic inspection is by under water scanning. Sound can be scanned in any direction.



QUANTAMETER can check materials for chemical composition at a rate of one every 30 seconds or less.

of the fundamental frequency required to produce resonance is an accurate and reliable measure of an unknown thickness.

For the Audigage to be effective, all surfaces of the parts to be inspected must be smooth. Coarse sand, dust, oil, oil, gas, or any other substance may be used as a coupling between the crystal and the part. Thin layers of oil, soap, plating, enamel, or hard paint have little or no effect on the accuracy of the Audigage. Coated surfaces must have suitable conductivity to compensate for the coating.

The Audigage is a portable, self-contained instrument.

Magnetic Inspection

Magnetic particle inspection, in which a magnetic field is set up in the proper direction within the part, is one of the most widely used clearance inspection techniques, although only transverse current fields can be checked by such Magnetic equipment.

Interruptions in the magnetic field, such as cracks, discontinuities and in-

TURBOPROP

TURBOJET

wherever
engines are joined
to airframes,
LORD
controls vibration

Effective noise and vibration control at the vital link where engine meets airframe is a key to smooth, quiet flight. Lord bonded-rubber engine mountings have consistently proven their ability to control the engine vibration level effectively in all types of power plants—turboprop, jet and reciprocating. On small planes or heavy bombers, military or commercial, under extremes of operating temperatures and environmental conditions, Lord mountings have an impressive record of performance, economy and safety. Lord aircraft engine mountings are lightweight, easy to install, longer-lasting and require fewer replacement parts. They are designed for maximum safety at all times.

Lord has a 25-year record of supplying the aircraft industry with the best in engine vibration control. For further information on Lord bonded-rubber products, contact the nearest Lord Field Engineer or write the home office, Erie, Pa.

RECIPROCATING

LORD
BONDED RUBBERdesigners
and producers
of bonded
rubber
products
since 1924

NEW YORK N.Y. • CHICAGO 1338 • PORTLAND 21167
CLEVELAND 5600 • WILMINGTON 1-2847 • CANTON OHIO • MONTGOMERY 867-2200 • BIRMINGHAM 2-1214 • BOSTON 5-1244
FALLS TEXAS • PHOENIX 477-1295 • ANAHEIM 6-6261 • HOLLYWOOD 4-7911

"In Concrete - Rubber & Power Engineering Insulation Services"

LORD MANUFACTURING COMPANY • ERIE, PENNSYLVANIA

chains, tend to crowd some of the magnetic lines of force outside the surface of the part. These types of leakage fields act as local magnets and attract and hold the particles divided for magnetic particles as they are applied. A definite induction is built up in this area showing the extent and shape of the discontinuity.

The magnetic particles may be applied manually or automatically, either as a dry powder or as suspension in a thin oil carrier. Various types of powder may be used to make the indications stand out clearly on colored surfaces. The majority of discontinuities are caused by 100% inspection of the magnetic particle method for defects, flaws or cracks. This method of inspection, especially for cracks and indications, is almost foolproof and is the most accepted method of inspection in the aircraft industry.

The Magnaflux process of magnetic particle inspection is similar to the Magnaglow but goes one step farther than the magnetic particles glow under ultra violet light. The illumination there has most take place in a dark room with intense black-light conditions. In this manner, indications that normally would not be seen by the naked eye become more pronounced.

X-Ray

The X-ray machine is a non-destructive testing instrument which uses the penetrating power of X-rays to determine internal defects in any of finished products.

The X-rays are projected through an object onto a photographic film. The internal construction and the surfaces in thickness are shown in the expanded film, thus revealing the latter components on plain surface. Any variation in a section, such as an indication, presence or lack, will show up as a contrast in the original as light or dark areas or as spots which can be spotted in an experienced eye.

This method is used extensively in foundry control of castings. Different techniques in passing castings can be eliminated, using production casting are made. The various types of casters can be spotted and other faults procedures can be found on test casting. This approach is recommended because it prevents formation from producing defective castings.

X-ray also is used to show whether the internal weaknesses of certain assemblies were properly put together.

Fluorescent

Fluorescent inspection is adopted in principle to X-ray examination except the "shadow picture" is reproduced on a fluorescent screen instead of on a photographic plate.

This method of parts examining is

unquestionable but limited to thin sections of steel and progressively heavier sections of nonferrous alloys, depending on the degree of X-ray penetration through the particular alloy.

Chemical Analysis

Spectrochemical analysis is a fast, accurate and convenient method of chemically analyzing metal alloys. It identifies the detectable chemical elements of inorganic compounds in thin walls, glass, ceramics, etc. The light given off by an element identifies it in the same manner as finger prints after the heat treatment.

An unknown metal may be identified by a general analysis of elements. However, to a known metal, due to a particular composition specification requires the determination of all elements and the intensities of their respective spectrum in the sample.

The sample to be analyzed is prepared and mounted in the excitation stand. The specimen that is excited (made to emit light) is an electric spark. The wave lengths of the light caused are sorted out by gratings and recorded on a photographic plate in spectrum lines. The lines are arranged according to their wave-lengths called on the lines and are associated with the red of claim to tables.

No two elements have the same spectrum. Therefore, the source of a particular element is readily determined. The ratio of the wave length emitted by the element under controlled excitation conditions is a fraction of the concentration of that element.

Densitometer

In terms of the Densitometer, the intensity of the particular spectral line may be calculated from percentage of element present. The results of spectrograph analysis may be calculated in a few minutes as compared to a few hours. Another advantage is that a very simple, such a technique in the case of infrared from the product of conversion can be used. For some rare sample would be too small for wet analysis.

More obviously we present in materials in such solid quantities that without spectroscopic methods of analysis their presence or amounts could not be determined.

Quotrometer

The Quotrometer (see photo, p. 39) is a highly refined and improved Spectrometer which eliminates the necessity of developing a negative and interpreting results on a densitometer by accomplishing these functions electronically.

Parts that have to be tested for chemical composition can be checked in this manner at a rate of one every 10 seconds



SMALL AXIAL FLOW BLOWERS

DESIGNED
DEVELOPED
TESTED
PRODUCED



COMPLETE PACKAGE UNITS SPECIFICATIONS

Material—Aluminum, Monel, Stainless Steel, Cast Iron, Fiberglass, Sheet Metal

Speed—Adjustable upon drive shaft and performance requirements

Performance—Total pressure up to 30 inches of water. Flow — 100 cfm to 3000 cfm

Driver—All Motors tested to meet application needs. AC and DC, Hydromotors, Air Motors

Testing—All Motors tested to meet application needs. AC and DC, Hydromotors, Air Motors. Structural test at 50 per cent capacity for all required. All units are tested and certified to meet requirements of Bureau of Research, Inc., recognized spin at 10 and wind tested.

Dean & Benson Research, Inc.

14 MONMOUTH ST., CLIFTON, N.J.
GREGORY 3-1680

*let's face the
problem of
**OVERHAUL
COSTS....***



There is always a certain attraction about a "beginner" engine overhaul.

But what is most important... first cost? Or fixed cost-per-overhaul hours? How you measure that the 10% to 15% you save you pay a heavy initial cost? And how much you actually save up to 85% of your engine maintenance costs... up to 5% of your total engine operating cost? Do you know how much you save by keeping your plane around for 10 years? And what typical cost figures are typical for planeflying Airwork engineers?

Engines Type	Total No. Applied	Average Total Per Flying Hour
A-36	100	\$28
A-36B	1200	\$30
A-36C	1400	\$28
A-36D	300	\$32

Factory new parts, factory-serviced tools, fixtures and gauges, modernized methods of production, and the latest makes Airwork overhauls costly at first, but they save money for you during the operating life of the engine.

On September 8th, the Airwork-Patt & Whitney Aircraft Forum will be held in Melville. Why don't you attend and see why Airwork engines cost less to operate?



Airwork
CORPORATION
Millville, New Jersey

as far as the instrument could be used on an aerial line if required. The article is set up for test to check the time not in the biographraph, using the same technique.

The light from the gating glass through pre-selected serrated slits on its mirror that deflect the light onto photo multiplier tubes. These are calibrated for pre-selected channels for each element and the Quantimeter records the amount of all elements individually in one excursion. The integrated part of the plane multiplier tubes is negligible and records only when the weight of the beam is balanced.

In proper synchronization of the two counters the smaller response will indicate the percent transmission directly for each element. Upon completion of the cycle, the instrument is automatically reset and ready for other analysis.

Spectrophotometers

The infrared Spectrophotometer is an electronic device and photomultiplier for qualitative and quantitative measurement of various constituents in organic materials. Infrared absorption spectra can be used for the identification of particular substances or for the detection and identification of impurities.

Thus, there are more applications in the organic field than in the inorganic field. However, water, with its chief interest for organic compounds, absorbs strongly beyond the infrared spectrum of about 1.5 microns.

In the identification of substances in the pure state it is necessary both to compare the spectrum of the item known with the spectra of the known possible substances. Usually, enough is known about the origin or the nature of the unknown to limit the number of possible substances which may be subject to the test. When a single substance spectra is obtained identification is complete.

With glasses solvents etc. are tested quickly and the results plotted on an

infrared spectrum.

The graph is compared with the graph of a standard known sample, and the analysis is made. The Bellanca Model DU Quartz Photoelectric Spectrophotometer (see photo, p. 35) is an instrument with a wide spectral range for use in the ultraviolet and determination of all types of chemical substances. It is used in applications demanding accuracy and dependability with great economy and ease of operation.

The instrument permits measurement of absorbance from 320 to 1,600 millimicrons—in the ultraviolet, accurate measurements down to 220 millimicrons are possible.

In operation, the light from a lamp is formed by an adjustable slit by mirrors. The light rays strike the collimating mirror and are reflected toward the prism. The monochromatic light then passes through the absorption cell into the photo tube, where it is amplified and measured directly in percent transmittance. This method of analysis is known as absorption spectral determination.

For many substances infrared or ultraviolet spectrophotometers are required. The basic Spectrophotometer, for example, utilizes a lamp instead of a lamp and a light source. The sample here is measured from the lamp, which in turn excites the elements in the sample, causing them to emit radiation of certain wave lengths. The measurements of these emission bands and determine the amounts of the elements.

• E.W. Filter Center

► **E.W. Nansen Site Location—China:** One of sites for the Rane-Worlwide Corp.'s new manufacturing facility. The company's first, less than annual doves to fly over China. Delta, Delta II, Wright and Aeronautical. Parts will manufacture both military and non-military computer/electronics systems developed within the company.

► **New Short Pulse Radar—**A new, small lightweight X-band radar employing a pulse only four microseconds long each and a possible range capability of 10 to 100 feet or better, has been developed by Litton Industries. The new radar appears particularly attractive for application as local altitude finders on airplanes, forward path selection, aircraft anti-collision problems and missile firing rate detectors. A solid state radar using the new techniques reportedly would weigh only 14 lb and occupy 0.53 cu ft.



Small Rectifier

This new silicon diode developed by Bell Telephone Labs for communications use has proved superior to the wire-loop silicon diodes in the background and in RF noise power than 99%. Bell says New Jersey is expected to have about 100,000 units and life at temperatures up to 100° F.



CO-2 HYDRAULIC CONTROL TEST MODE




LONG RANGE EXPANSION PROGRAM REQUIRES QUALIFIED ENGINEERS

...on Lockheed's Georgia Division, advanced projects in large aircraft components are creating openings in Design, Research, Structures, Flight Test, Dynamics, Operations Research, Preliminary Design and all other aircraft engineering functions.

Complex and interesting assignments in all phases of aircraft design and propulsion research are continuing enlargement of our Engineering Branch.

Inquiries, which will be held in strictest confidence, are invited.

Here's a **NEW** concept in airborne switches—
Small... completely sealed... cylindrical switch
for landing gears, flaps and other
exposed locations



* The MICRO SWITCH "EM" Switch has greater visibility than switches many times its size and weight.

It is one of a new family of MICRO SWITCH environment-proof switches which offers aircraft designers unusual flexibility in switches where elements are completely sealed from effects of atmospheric changes.

The "EM-6" shown here is composed of two single-pole, three-way switches mounted completely sealed in a housing filled with inert gas under pressure. Six 22 gauge MIL-M-10946 leads, six feet long, are supplied, one from each terminal. These project at a 90-degree angle from the base of the switch. They may be run in any direction by rotating the switch.

These switches are designed for bracket type or through-hole mounting. The plunger operates through a $\frac{1}{4}$ x 2 threaded housing one inch in length.

For complete information on the new "EM" switches, types of rotary actuators and cylinder developments, contact MICRO SWITCH Engineering Service at your nearest branch office. Let them show you the complete MICRO SWITCH line of environment-proof and hermetically sealed switches for severe airborne service. You will find that it pays to bring your switch problem to MICRO SWITCH first.

CIRCUIT ARRANGEMENT



ELECTRICAL RATING

(at 25 mils d.)

INERLISH

Hermetically sealed, 24 ampere
Hermetically sealed, 24 ampere

AT SEA LEVEL

Rotaries, 4 ampere
Inverters, 3 ampere
Actuators, 4 ampere

AT 100,000 FEET

Rotaries, 4 ampere
Inverters, 2 ampere
Actuators, 4 ampere



MICRO SWITCH

A DIVISION OF MINNEAPOLIS-HONEYWELL REGULATOR COMPANY
In Canada: Lethbridge, Alberta • PERPIGNAN, France

MICRO SWITCH provides a complete line of extremely reliable, sensitive, high-current-carrying, microswitches and limit switches. Available in a variety of materials, shapes, weights, sizes and electrical contacts. For all types of electrical controls.

LETTERS

Aeronautic Week endorses the opinion of its readers on the issues raised in the magazine's editorial columns. Address letters to: Editor, Aviation Week, 330 W. 42 St., New York 36, N. Y. Try to keep letters under 500 words and give a general identification. We will not print anonymous letters, but names of writers will be withheld on request.

Nonskeds Defended

Reading was altered at 10:25, 1957. I have reprinted one paragraph which reads:

"North America was subtended only in the high density radio range who is by pass cutting it could show some of the means from the creation or treatment market. It had no opportunity to serve less populated points that are part of the public concern under a responsibility mentioned in railroad volumes."

This article failed to see that you were referring a "train" segment with our much consideration of the needs of the passenger. The nonskeds doles are around of replacing the short haul in favor of the main profitably long haul first, as I pointed out in a cited and long ago article. The railroads have been the cornerstone of long haul with the emergence reduction in long haul days especially for the mass passenger with moderate income, and as one of the greatest contributions to civil aviation made by the nonskeds carriers.

The trans-Pacific passenger of the airline is far more important than the long distance at a short time. The West American who wants, or needs to go to California—in Florida—in a mass passenger and dependable air passenger than the Washington who flies to Philadelphia.

Before the independent carrier started mass service, the truck drivers were charging the long haul passenger profile that the short haul passenger. Yet as we know, it can or will loss his position to trans-Pacific long haul and that the railroads, particularly the railroads in the West Coast, therefore, overcharging the long haul passenger in order to reinforce their short haul passenger. A section of an unsuccessful rail-Skoda on the fire system is surely "over-charging."

The railroads, however, are not to be faulted by charging in either their producing or their customers. The truck carriers apparently blame the air transportation for not being the kind of association does who try to set the customer aside. This is why the railroads little used their trucks to compete with the air lines because they have increased as government with modest success obviously they much need and are yet along the highway.

It is regret to note that engine from the fire route is necessary to allow lesser damage to the road surface. This is yet another way of saying that the business

Here's Your Source for Low Cost, High Quality Production



Whirlpool

147 Clermont St., Indianapolis, Indiana
Divisions of the Whirlpool Corporation
Inc., and Lockheed Aircraft Corp.

263,000 Sq. Ft. of Engineering and Production Facilities Ready to Produce for You NOW

On your next airframe subcontract job it will pay you to see Whirlpool before decentralizing your production source. Whirlpool has complete modern production facilities... experienced engineering talent... and most important, a proven record of delivering quality-at-low-cost. At Whirlpool you have to over 65 years of manufacturing know-how.

Whatever the job... whether large or small production... on even the tightest schedule... Whirlpool is geared to meet your needs fast. Write, wire or call today... qualified Whirlpool representatives are available to meet with you at your convenience.

Send for Illustrated Booklet

Complete Information on Whirlpool's production and manpower facilities.



FACILITIES TO MEET EVERY NEED

- ROBOTS
- METAL FORMING
- METAL FABRICATION
- HEAT TREATING
- ANODIZING
- MACHINING
- PINNING
- ASSEMBLING
- DEVELOPMENT and DESIGN ENGINEERING
- ARMED AIR FORCE INSPECTION

La Porte Aircraft Division

WHIRLPOOL CORPORATION
DEPT. D, LA PORTE, INDIANA

FUEL SYSTEM



"Blast the fuel going to anti-engine!" That's what petroleum experts told design safety engineers working on icing problems in the fuel system as encountered in flight condition of a long-range, multi-engine bomber.

The oil and fuel injection system of the non-icing type is to conserve aviation to dispense jet engine oil heat by transferring the heat to the fuel oil before it flows through the radiation of fuel oil heat exchangers. But to apply the same principle to the comparatively steady-cooled oil used in anti-icing engines caused problems for which there was no precedent. Engine heat temperature had to be raised since the icing stage to overcome icing of unheated water in the fuel without comprising the oil. Concerning the H-D type of fuel oil heat exchanger, the oil at jet engines, its application on anti-icing requires raising passing the fuel oil next to the cold fuel in the same envelope. Would the oil heat the fuel before the heat generated the oil?

UAP engineers had the answer to apply— -65°F , set to reciprocating engine of 26 years ago. But this need of putting hot engine oil to warmer— -65°F , liquid was mounting the. This in itself meant a serious decrease in the flowability of the oil. Problems, too, were different. Oil engineers had to dig deep into their bag of heat exchange "know-how" to make these new conditions acceptable. The application of the UAP H-D principle of controlling liquid flow gave out the edge over all other interested manufacturers of aircraft heat exchangers.

The solution is wrapped up in a deionized-air-heat exchanger and control assembly of 3.2 pounds dry weight, and 11.2 pounds wet weight, having the maximum fuel flow of 2000 gph from -65°F to 70°F . Total amount of heat transferred at this condition is 2620 BTU per minute at 2000 gph fuel flow and oil pressure drop of 6.2 psi at 150 rpm. The maximum fuel pressure drop is ± 15 ps at 2000 gph permitting the engine to continue to operate without boost pumps when required. A modulating control unit, internal, prevents the fuel temperature from ever exceeding 25°F .

H-D Principle of Liquid Flow Control Solves Warmer-to-Fuel Problems

What has been done so successfully by UAP engineering "know-how" for reciprocating engines can now be applied to fuel systems for anti-icing engines. A heat exchanger feature has been patented and new factors established. Let UAP "know how" present the correct H-D heat exchanger for your anti-icing fuel/oil systems.

UAP CONTRACTUAL ENGINEERING OFFICES:

Dates, Ohio
New York
North Hollywood, Calif.
Montreal, Canada

McWayne Hill
Harrington Hill 1100
St. Paul 1-1102
Elkhorn Hill 610



a famous family of aircraft essentials



UNITED AIRCRAFT PRODUCTS, INC.
1116 BOLANDER AVENUE, DAYTON, OHIO

LETTERS

low fat profits on the long haul passenger in order to carry as many passengers as possible in comparison with the cost of winds and tides. Low rates are not necessarily "low rates." Low rates there are, some rates on foreign waters which may not be possible. Such rates are no longer possible because of the cost of fuel and the cost of labor (the cost of the crew too). If there are no rates when a transport must be provided, which would be redundant. Whatever subsidy is desired, however, should be clearly and clearly stated and act instead as soft fat and meat dinner menu ingredients.

I have written to you before and I am writing again. But you have not concerned me long enough. In the Large Airplane Investigation (CAB Docto No. 51) I made a statement supporting the facts as they were later learned in evidence.

ALBERT J. BROWN
Member, Board of Governors
American Society of Building
Washington 3, D. C.

(Mr. Brown represented the Air Coach Team, part Association of which West Airlines is a member, in a number of the Large Airplane Case investigations by the CAB or Airline Board—Ed.)

Red Plane Photos

Correspondence or news editorials printed usually focus on creation of photos of recent aviation accidents.

We, the Capt. McCormick Free GDC, at Dates, N. H., have done all we could to keep our newspaper up to date, trying to make up stories and using them as angles at people who wouldn't let us touch the public.

I believe if the public was more fully aware of how valuable we are from the public relations standpoint for the GDC, we'd get a lot more cooperation.

We sincerely hope we keep up the good work on printing information about the Red in force.

Captain V. DODD
McWayne Hill
Somersworth, N. H.

High-Density Revisions

You state in your July 18 edition (p. 10) in regard to the establishment of a High-Density Area Traffic Zone at Washington, D. C.—"the CAA has decided to go ahead with the plan." Let me assure you that the plan was not made by the Aircraft Owners and Pilots Association, whom I lead the pride of representing at the public hearing.

If I think it is reported for the mass that aeronautical coordination is based on coordinating factors such as the area that do not become it was claimed by aeronautical changes—on the aeronautical factors such as the density of traffic and the time that changed body-wise of the aeronautical situation.

Jack Kirby's section within the Field Service Group is responsible for all publications and technical data relative to Whittaker products, is a vital part of maintaining efficiency of his dreams along that line.

You mention "the CAA has ac-

Valve Talk

By WM. R. WHITTAKER CO., Ltd.
See Muriel Miller,
Senior Member, Aviation Writers Assn.



Members of Whittaker's busy Field Service Group of the Field Engineering Department have a tidy thumbnail description of their jobs.

"We are responsible," they say, "for the care and feeding of all Whittaker products after they are delivered to the final customer."

It's a mobile operation, and it takes a crew of experts hopping to stay ahead at the three major fields of publication and technical data, spare parts and research, plus the detection and removal of trouble in the field.

Tom Langford, captain to and the a/cap, and Jim Morris, his co-pilot, see Whittaker's top investigators as mobile shooting, lookin' to field service engineers in various areas of the country.

When an emergency arises, no one knows just where the repair job is or on or near edges of the map. The big job is to find the trouble and fix it.

Responsibility can be passed down high. And the men in the field are given the benefit of all the latest publications when they work in close and friendly cooperation — we're reasonably honest in their many-sided efforts to help.

They never keep us up the gash mark on printing information about the Red in force.

These men are moving representatives spending more than 25 percent of their time in the field. They "drop in" at our houses and Art Material Areas and attack us on anything they're interested in. They're not afraid to speak frankly about "presentative and hydraulics" nor a problem exactly an "local" or "general" and dig right in to find the answer as quickly as possible.

These men also are charged with preparing spares and partsmen under the direction of the Contract Service Dept. that we'll be needed where and when under a certain "block check" procedure with major customers.

Another responsibility of "spares" is to keep a complete historical record of all the parts the Field Service Group does much by mouth throughout the year.

Research and overload, headed by Andy Brewster, handles all customer applications in almost two categories and is a major factor in the success of the company. Each of an average 60000 orders a vice request at least four forms or pieces of correspondence — drawing, parts list, or paper work in a dozen models. This work is done in a continuous run of long-distance phone conversations and wires linking Andy with customers across the nation in an effort to meet and exceed.

The operation of field service from an open-service desk is aimed at avoiding to the best of orders for possible over-production we learned early by Whittaker as a service to its members. The field service is a quality of cooperation, understanding and cooperation that cannot be topped.

Advance Design Production Tools Are Plastic

- Master Models • Drag Hammer Sets • Drill Fixtures
- Hydral Form Dies • Skin Panels • Stretch Press
- Forme • Checking Blocks • Checking
- Features • Inspection
- Gauges are built or new,



Now you can afford precision testing tools like

Hydral Form Dies. It's available now at a discount.

Or call us for more information.

Engineering Services are available.

For consultation. No cost required.



Ron-ite PLASTICS, INC.

3193 South Center Road, Gurnee, IL 60031
Offices in Chicago, Cleveland, Detroit,
Los Angeles, New York and St. Louis



Twist Wire 3 Times Faster with



ROBINSON WIRE TWISTERS

Robinson's unique three-point safety twist wire 3 times faster than required for one by any other method. Sizes as small as #300 per engine assembled.

3-Twists-in-1 Thread Cutters
Torsion-Side cutting
Permanent torque setting
Jaws broken wire, can't stop off.
Used throughout the world for all aircraft assembly and maintenance.

#3-Tool-in-1 Thread Cutters
Torsion-Side cutting
Permanent torque setting
Jaws broken wire, can't stop off.
Used throughout the world for all aircraft assembly and maintenance.

#3-Twists-in-1 Thread Cutters
Torsion-Side cutting
Permanent torque setting
Jaws broken wire, can't stop off.
Used throughout the world for all aircraft assembly and maintenance.

ELECTRONICS Research Engineers

• How many research, problems and test control projects are you solving as expert engineer for the famous aircraft engineers at Northrop? You're a key factor in our unique design and production of all weather and pilotless aircraft.

★ If your training and experience qualify you for one of these challenging assignments, please write phone or wire collect:

Mr. Robert Berger
Manager of Engineering
Industrial Relations
Northrop Aircraft, Inc.
Hawthorne, California

At Express-Lite Los Angeles after
noon will be arranged for qualified
applicants.

NORTHROP
NORTHROP AIRCRAFT, INC.
HAWTHORNE, CALIFORNIA

(With advertisement pages every week)

* LETTERS

sufficiently for the 110 day period, Aug. 14 to Nov. 24.

In the first place, the prior expressed point "to understand it we have been given a peek" and the addition of "thus its opportunity" reflects an interest helped to secure in the Washington Area showed the plan power dirigibles as wholly feasible.

Secondly, the original plan proposed to land the plane into the zone of any AAF base if it were not destined to do so prior to an urgent action, the air space line has been dropped from the plan and that probably no major revision has been required.

Next, it was proposed that the force operating at his discretion might close the Washington Zone to any AAF traffic except the minimum of VFR traffic. This also has been eliminated from the plan.

Total, remaining at the place on each of the original proposals, finally, that traffic within the Zone must consist of two types only, bases, and secondly that it must consist only of bases.

It seems to me to be that the main ALPA is not opposed to the additional zone, but as a practical military measure or the same unsatisfactory position of the proposal it has assumed a mind to compete with the Administration now in this regard. This proposal might be classified as "fair packing."

Given L. Wren
Wall High School & Soho Cobbs
125th St., Parkland 204
Brooklyn 2, N.Y.

Rx for Congestion

Your editorial on the "Air Traffic Control Problem" in our Aug. 6 issue does not seem to be a quick panacea for the many problems involved in the development of an effective system of air traffic control. The solution of the air traffic congestion problem lies in the reorganization of the system.

First, let me say that I am in full agreement with the fact as presented, namely by NACA's 1953 and NACA's 1955, that with the advent of the jet-propelled airplane, particularly in passenger transports of over 150 mph, that an average of 10,000 ft. and fueling at each stop, will result in a significant improvement of speed, range or load capacity.

The development and utilization of such aircraft is certain to place an air traffic considerable, time, and place as a solution to the air traffic control problem. In addition, the development of a long range one-way television system when combined with a satellite link, and the benefits to air transportation in general as well as short range aircraft, the solutions which I believe in my judgment, should end the search for the "air traffic congestion problem."

Hansford H. Peery, M.E.
Engineering Consultant
19 East 45th St.
New York 22, N.Y.

Chargers: Wire allows conceptual planning in all other new aircraft developments except. An analysis of the VTOL transport model test flights in VACA systems is part of their research and development work appeared in our June 12 issue (see ED).

SAFE!

ON ANY BASE

The high-winged C-123 Assault Transport is a perfect teammate to the transformed C-119 Flying Boxcar.

Especially designed for safe, swift air-dropping or para-dropping of men and material of advanced bases, the C-123 brings new mobility to meet the support needs of any conditions of climate or terrain.

Powered by Pratt and Whitney engines, this new assault transport is rugged and versatile. More than 22,000 pounds of personnel or materiel equipment, 60 airborne troops with full field equipment, can be landed on unprepared runways or dropped in front line positions — 20 litter cases can be evacuated from combat areas.

A new nose-on-on-wing to the fused, combat-proven Flying Boxcar takes to the air — another outstanding Fairchild production achievement.



FAIRCHILD
Aircraft Division
McDonnell Douglas Corp.

Other Divisions:
American Industrial Division, Worldwide Sales Corp.
Aerospace Division, Philadelphia, Pa.
Golden Mountain Division, Woodland, Calif.
Kearny Division, New York, N.Y.
Speed Queen Division, 21 Springfield, Pa.
Sholes Division, Bay Shore, N.Y.

BUSINESS FLYING



First Royal Gull Executive Plane Ready to Make Market Debut

Milwaukee—The first Royal Gull, a trans-cougar cockpit twin in production in the U.S., is being evaluated here after a \$300,000 investment.

The first of the Italian-built six-seaters, which have a retail list price of \$74,500, had Nitchell Field, Milwaukee, already has been sold to the West Aircraft and Finance Co. of Dallas, its distributor in U.S. Western States, Alaska and Mexico.

The Gulls, components built by Peggi & Co., Canada, are shipped to Milwaukee for assembly and modification of American imports: propeller safety, instruments and accessories. Royal, however, has secured the right to market the entire plane in the U.S. if it becomes popular, but will not import parts from Italy. Current schedule calls for completion of two Gulls a month.

Recent changes in the aircraft's design required a Royal for its American market, include:

- A second step in the aft bulkhead to facilitate dual color meter placement.

- Relocated fuel and auxiliary anti-icing nozzles three 10 deg. each instead of former single-cougar flight deck outlets.

- Movement of hydraulic action of air and fuel connections from radome to left wheel well for greater accessibility.

- Relocation of exhaust stacks to service side to reduce cowl noise and keep cold water flow from spilling hot stacks when in operation.

- Improved insulation to lessen engine noise transmitted through main wing fairings.

Performance Features

Takeoff in the Gull will use standard

AN 510gs and all but the main ring and landing gear attach bolts will be changed over to AN nuts and bolts.

Other design and performance features:

- Engine cooling. On a demonstration flight with Wallace F. Watson, David's chief pilot, exhaust heat temperature stayed within 10° at 21,000 ft. Ambient temperature was 50°.

- Water observability. Rudder is mechanically retractable for better water landing. The plane can be kept under complete control with one engine operating.

- Performance. Using flap deflection control, cockpit handle moves flap to quarter, half, full or intermediate settings. Flaps move at the same speed as the rudder.

- Hand-operated, button-down parking brake. All of the plane's four landing gear compartments can be lowered or retracted easily.

- Brake hydraulic brakes. Effective wet or dry, they do not chatter when set, the rudder repairs. Wheel bearings are sealed to keep out water and sand.

- Wide engine cowling opening above and below the wing fairing to change of altitude or accessories.

- Right wheel/tire is forged along longitudinal. Cowl can swing plus close open to steer to anchor after gear compartment and pilot can walk to the docking and lowering of the plane.

- Flamed tail intake venturi and after-burner exhaust ports keep explosive fumes from accumulating in the fairings.

The Gull is not yet prototype aircraft. The current model P 196 L-3 reaches a running speed of 650 mph. At 70%

METOP power, 1,600 hp—a development of a design used by the Italian Navy for over three years.

The two aircraft being used in Royal as company plane and demonstrator have a combined total of 500 flying hours. The planes have experienced three soft landings when forced to bailed out hydraulic pump solenoid, a belt pump drive shaft failure and a main fairing bent on one of the planes at 170 hours.

Standard Equipment

Standard equipment on the new executive plane includes Stewart Warner Smith Wind 20,000-hour combustion heater, dual flight controls and brakes, a hydraulic driveline and Grimes "exhibit" instrument lighting. Instrument panels for night and bad weather flying also are included.

Pneumatics are Lycoming GD-958 RT engines each of which develops 770 hp on takeoff. These blades constant-speed propellers are de-laminating aircraft materials of 60-100 degrees.

Here are the details of the Gull's equipment system:

- Hydraulics. An electronically driven Zeros 0.5 rpm, 1,900 rpm pump supplies normal hydraulic pressure. An automatic pressure switch cuts in when system pressure drops to 1,700 psi to start the motor for pressure build-up. Accumulators for the main system and the brake system are provided.

- The hydraulic system stores the main and tail landing gear retraction using flap control and normal tail parking brakes. Main gear retracts onto the side of the hull, the tail wheel rotates 180 deg.

- An emergency hand pump and a separate nitrogen tank for the main landing gear system are provided. The tail wheel is not lowered when this system is used but a dual slot at the bottom of the rear hull helps to stop the plane.

- A shock valve isolates the brake hydraulics system from the main system.

- The brakes remain operative so long as pressure remains in brake accumulator even if the main system fails.

- Electrical. Two engines in 24-v. generator rated at 90 amp nominal and 100 amp maximum, electrical operation has the system. The 24-v. battery times more available than 24-v. at 12-volt power source hours, and 12-v. lights are mounted on the forward fuselage.

- All switches also serve as circuit-breakers. Landing lights are mounted in the nose's leading edge.

- Bleeding and pressurizing. A common



ARO

Vision-eering

LEADS THE WORLD IN OXYGEN EQUIPMENT

Another ARO FIRST! The new 5, 10 and 20 Liter Liquid Oxygen Concentrators developed by ARO are the most compact and reliable oxygen concentrators ever made. For example, come oxygen increases by 73% over equivalent gasogen oxygen supply in an impressive 10 weight. Complete technical and engineering data available on request.

This is typical of many ARO contributions to aviation progress. With world leadership in the design, development and manufacture of oxygen equipment, leading aircraft builders today depend on ARO for a growing number of precision products. For further details write:


THE ARO ENGINEERING CORP. • 2000 EAST 44TH STREET • CLEVELAND, OHIO
An Incorporated Division of Dresser Industries, Inc.
Also Incorporated of Canada, Ltd., Toronto, Ont.
Division of Dresser Industries, Inc., Chicago, Ill.
Division of Dresser Industries, Inc., Philadelphia, Pa.

ARO

AIRCRAFT PRODUCTS

Dust Suppression Systems, Baggage Handling, Pressure Regulating Devices, Oxygen, Fuel Valves, Fuel Transfer Systems, Air Conditioning, Refrigeration, Heating, Ventilation, and Other Aircraft Accessories.

Focus on the Booster for Zero-length Launching



... a Thiokol rocket motor

Much attention has recently been focused on boosters required to launch missiles and aircraft or zero-length "boosted" rocket motors can deliver the high performance required of boosters for these systems.

With "Thiokol" rocket motors, a limited range of thrust level and duration is available in fit virtually any zero-length launching system. The motors are practical for field use. They are of simple end rugged construction and will withstand rough handling, cycling and temperature extremes without impairment of performance characteristics.

Advanced rocket motor vehicles for zero-length launching are among the many achievements resulting from coordinated chemical research, design, fabrication, development testing and manufacture conducted by Thiokol's rocket development and manufacturing teams.

Rocket Propulsion and Power Units Test

ALL TYPES OF ROCKETS	GAS GENERATORS
ROCKET BOOSTERS	AIRBRAKE AIRFIRE TAILGATE SYSTEMS
ROCKET MOTORS	SHOCK ABSORBER POWER PACKS

Thiokol projects include participation in development programs as the Hughes "Polaris" and many other classified projects.

ENGINEERS AND DESIGNERS
Become a member of Thiokol's rocket development and production team. We offer opportunities for mechanical engineers, chemists and process and thermal scientists interested in the rocket field.

Thiokol Chemical Corporation

SYNTHETIC RUBBERS • PLASTICIZERS • MONOCALC • ROCKET MOTORS

780 NORTH CLINTON AVENUE • TRENTON 7, NEW JERSEY
Thiokol Niles, Illinois, Inc. • Address Thiokol, Monticello, Ill. • Englewood Niles, Monticello, Ill.



Cowl Aids DC-3 Speed

Cruise speed increases of at least five knots are expected for Seneca, back-to-base distance DC-3 fitted with new cowlings that have frontal area of 34 as compared with 38 in standard cowl. The streamlined cowling set also tends to improve engine cooling by reducing intake turbulence. A five knot gain was experienced with the DC-3 fitted with one prototype and one production version of the cowl, which was made by Martin Aircraft & Engine Service, Inc., 1600 First Avenue North, Seattle, Wash. New cooling fan has been approved by Civil Aeronautics Administration after successful flight test.

Set of ducts is unrivaled by a four-way valve in the cowl.

For cooling, air is drawn through a screened intake at the base of the left wing's leading edge and forced through a combustion heater (which is off) to four individually-controlled outlets in the cowl's hubboard. Additional cold air is used to cool small air intakes at each end of the instrument panel.

Combustion heater heat air can be directed to the engine through the base was control valve for pre-heating in cold weather.

It is estimated that a 39-47 minute warm-up for each engine is sufficient at all hot extreme service conditions while this system heat air is blown directly into the cylinder of the aircraft's engine.

*Fuel. Two 45-gal tanks are mounted in the center fuselage on the plane's center of gravity so that longitudinal trim remains unchanged as fuel is consumed.

Two magnesium fuel pumps feed gasoline to gasoline engines. Crossfeed oil line going to serve both engines in the event that the other pump should fail.

When a fuel pump breaks on one of Boeing's C-47s, the company finds that

the fuel peasant supplied by the remaining pump was marginal. Gulls, therefore, will be equipped with two electrically driven booster pumps to insure adequate fuel pressure under emergency conditions.

- **Vincent.** Two cockpit device vacuum gauge supply low pressure to drive the plane's gyro instruments.

- **Cockpit.** Pilot's and co-pilot's seats are adjustable and one seat is completely accommodated therefrom. Large wind shield and windows provide good visibility.

- The aircraft's flight controls are of the polished type located on the right structural frame.

- The landing gear control knobs are in the shape of a wheel, wing flap control knobs is patterned after air foil for easy identification. The forward baggage compartment (behind the rear seat) has a 1200 cu. ft. capacity, the rear compartment (on aft bulk) can hold 300 lb.

- Francis J. Fletcher, president of Kovore & Tinker Corp., which owns Royal Aircraft, where work is finishing of a larger, faster amphibian if the Cowl proves successful.

- Both the Mexican Air Force and Navy have expressed interest in the plane during a recent demonstration of the Cowl in Mexico City as part of the company's sales campaign.

"Get Your Air the Positive Way"

USED BY

THE AIRCRAFT INDUSTRY FOR:

- Jet Engine Starters
- Cabin Pressurization
- Sealed Altitude Conditions
- Ground Air Conditioners

SUTORBILT

CORPORATION

2000 East Olympic Avenue

Los Angeles 38, Calif.

State Phone: Wilshire 7-2228

Tele. Office: 100px 8-2228



FASTER! SAFER!

UNITED ADJUSTABLE MAINTENANCE STAND

Provides a P by GI safety stand platform with grid rails at exactly the right height for maximum efficiency. Plenty of room for tools and freedom of movement. Easily purchased by

one year, hydrolytic life estimates like an elevator attachment available for automated lifting. Capacity 1000 lbs. The Model 100 service range 9' to 11'. Model 105 service range 7' to 11'.

THOUSANDS IN USE TODAY THROUGHOUT THE WORLD

WEBSITE:
WPS.COM

UNITED STEEL & WIRE CO.

BATTEL CREEK,
MICHIGAN

KNOW YOUR DOORMAKER!

Trust TRUSCON to
build big doors
for the big ships

Detroit Wayne Operated Straight Edge Hangar Doors
Detroit Wayne Major Airport, Detroit, Mich.
Biffle and Wells, Inc., architect
O. W. Burke Co., contractor



These Straight Edge Steel Hangar Doors recently installed at Detroit Wayne Major Airport give new proof that Truscon knows how to build the big ones. Republic's Truscon Steel Division makes doors to fit every need, every size of opening. Each is the product of nearly thirty years' specialized experience in big door design and manufacture.

The success of every door installation requires just such experience. Hangar doors are no job for amateurs. Coping with the demands of these big jobs requires sound engineering knowledge, design experience, plenty of background in the field;

skilled fabrication and big ideas. Truscon offers this type of sound thinking to you.

High, wide, quick-opening Truscon Steel Doors help get the big ships in and out fast. You choose from a variety of panel types, suited to all airport service and climate conditions. Truscon designs include Straight Sliding Doors, Vertical Lift Garage Doors, Braced and Unbraced Garage Doors, Tilt Doors. Truscon Door engineers and field crews will help you apply the proper design and type to the job at hand. For facts, send coupon.

REPUBLIC STEEL

*World's Widest Range
of Standard Steels and Steel Products*



UNITED AIRLINES 747 TAIL SWING-UP. The one-piece Rudder and Tailfin Building of United Airlines, McKinley Airbase, Oregon, is built with Truscon Vertical Lift Garage Doors. It is a completely prefabricated structure with load-bearing panels. It incorporates all the many products and techniques of modern steel construction. For information on steel buildings, garage doors, roll-forming, window frames, metal roofs, etc., write Milwaukee, ask your architect about Truscon Value-Print Card coupon for more facts.



PLANTWIDE STEEL REINFORCING. It can be specially Truscon Steel Reinforcing Bars for circuit-related concrete reinforcement. Beams placed in the development of concrete reinforcing, now offer immediate delivery of deformed steel reinforcing bars and welded wire fabric cut-off warehouses located near its plant.



REPUBLIC STEEL CORPORATION
2214 West 14th Street
Cleveland 15, Ohio

For interested in more industries
on the project, please checkmark

TRUSCON Hinged Doors TRUSCON Vertical Lift Walls
 TRUSCON Backfilling Products TRUSCON Garage Products

Name _____ Title _____


Firm _____

Address _____

City _____ State _____ Zip _____



Another Truscon product heavier curtain structures. Big Republic Industrial Plate Pipe Arch, made of Republic Tensile Iron or Republic Copper—load-carrying and resistance members in their plate arches. Republic's Truscon Division has over thirty years of experience in designing, engineering, and fabricating heavy curtain structures. Send coupon for name of Truscon Steel Reinforcing Products Representative nearest you.



Emergency Power in Seconds-- Electric or Hydraulic!

AEROPRODUCTS AIR-DRIVEN GENERATORS AND AIR-DRIVEN HYDRAULIC PUMPS GIVE POWER INSTANTLY TO FLY AND LAND A PLANE SAFELY

Aeroproducts has the answer to your requirements for emergency sources of electric and hydraulic power—rare air-driven emergency generators and hydraulic pumps.

In less than two seconds, Aeroproducts rare air-driven generators develop sufficient power to operate flight control surfaces and cockpit instruments necessary to fly and land a plane safely. Also, within this time, Aeroproducts rare air-driven pumps produce sufficient hydraulic pressure for the flight controls.

Aeroproducts also is ready now to meet your most demanding specifications for turbopropellers, propellers requiring high horse-power absorption, starters, and other aircraft components now under development. Call or write us for details.



Two aeroplane engines, one air-driven generator (left) and one air-driven hydraulic pump (right), are mounted on the No. 1 Douglas A-3 Skyraider. The pump is used to supply hydraulic fluid to the main landing gear strut.



Air-inlet Airbreathers



Turbine

General Motors Engineering Books Division



GM
GENERAL MOTORS

Building for today...Designing for tomorrow
Aeroproducts
ALSTOM DIVISION OF GENERAL MOTORS • RATTAN, OHIO

NEW AVIATION PRODUCTS

ENGINEERS



Air-Start Coupling and Hose

Air-start coupling provides two methods of disconnect, latched and unlatched. Coupling can be connected to a supply source by turning the collar to the lock position or by slaming the collar lock-on to forced disconnection. Unlatch coupling will function satisfactorily at the following pressures: operating pressure 400-150 psi; 700° F. proof-175 psi; 700° F.

Hose can be run over by mobile truck vehicles without damage and can be plugged into small container units. Hose meets pressure requirements of 75 psi operating, 150 psi proof and 225 psi burst pressure. It is rated for 350° F. operating temperature. Operates under all weather conditions and is proven flexible at -120° F.

Royles Inc., Cleveland, Ohio.

anging from 4 to 12 inches. The cleaner and consists of cabinet which houses a generator of high power electrical energy and a transformer for changing and which holds cleaning unit box and converts electric energy to high frequency current. The cleaning transverse surface is selected steel wire mesh which "bends up" the water droplets relative to achieve high penetration of the part to be cleaned.

Complicated mechanisms may be cleaned without disassembly.

Primer-Central Division, Badia Avionics Corp., Hickory Grove Rd., Davenport, Iowa.



Multi-Purpose Light Kit



Simulates Aerodynamic Heating

Portable infrared heat lamp for air traffic controllers training is capable of producing approach, 20 deg. 3 sec. heat rise on certain aircraft skin areas. It simulates 182 square infrared heat lamps that consume nearly 400 kw.

Originally designed for studying aerothermal stresses using aircraft as specimens in free-air heat cycle, the unit can also be used to simulate airframe heating effects resulting from flight at supersonic speeds.

Cook Research Laboratories, 2790 N. Southport Ave., Chicago 14, Ill.

Ultrasonic Cleaners

Used for cleaning nuclear parts and assemblies, new ultrasonic devices have stainless steel tanks and tanks with dissimilar

metals, a combination of 90% steel and 10% plastic is available in units of various liquid levels.

The ultrasonic cleaner reports it is being used by aircraft manufacturers for washing, cleaning or stripping dies for aircraft, filling large or small holes in aircraft, bonding lead to metal or to aluminum, bonding wires to metal, and bonding up the ends of pumps and valves.

Chevalier Development Corp., Dallas, Tex.



PICK A FUTURE with RANGE UNLIMITED

Flight refueling goes hand in hand with the jet age and, now fully proven and operational, has resulted in requirements for new systems of ever greater efficiency and capacity.

As a pioneer in air-to-air refueling, Flight Refueling, Inc., is undertaking a major expansion program, now providing a future for qualified engineers by promising and challenging assignments in the aviation field.

Immediate openings exist for qualified engineers in the following categories:

- **Aerodynamicist**
- **Aircraft Hydraulics Specialist**
- **Aircraft Electrical Systems Engineer**
- **Fluid Systems Engineer**
- **Aircraft Structures Engineer**

For full information write the Employment Manager.

**FLIGHT
REFUELING,**
INC.
Friendship International Airport
Baltimore, Maryland




ROYAL JET "CANS" SAVE 1800% IN SPACE...90% IN WEIGHT...50% IN COST



The steel "Tank Cans" designed, developed and manufactured by Royal Jet have revolutionized the transport and storage of aircraft components. For example, six 450 gallon external fuel tanks are needed in each hermetically sealed "Can"; thus, 33% space may be gained to a freight car (the space formerly required for 12 crated tanks). The new packaging technique assures maximum protection against shipping and landing hazards—the tanks are instantaneously pressurized against atmospheric conditions. The sealed-in tanks remain temperature-stable in any climate...any temperature...for any storage period. New standard for the USAF, Royal Jet "Cans" are another example of the skill and imagination of American industry.

THE INVISIBLE IMPRINT OF SKILL



ALSO ON THE MARKET

Ballou's vacuum lifter lifts non-porous shells up to 5 ft. wide in 20 ft. long, weighing 2,000 lb. with a 2:1 safety factor. The sheet lifter rotates. The sheet 180 deg. J. Linnell Machine Co., 4250-B Roosevelt Road, Chicago 13, Ill.

Car-operated precision bearing washer, style 312, reduces part changing time for producing series of frames—Ex-Cold Corp., 1200 Galilee Blvd, Detroit 12, Mich.

HSB split adjustable overhead power hoist, angular and vertical shifting plus hoisting and lowering in one motion without attachment—Var-Near Corp., 3608 Main St., Springfield, Mass.

Airline collision damping is reported to be particularly interesting to aircraft manufacturers because of application on Hawaiian aircraft—Lester Engineering Co., Inc., 201 E. Jefferson St., Phoenix, Ariz.

Executive secretary desk chair Model 633 for mathematics, science, and composite account has 360-degree swivel mechanism providing positive lock on 15 deg. increments of rotation—Elgin Iron Tool & Engineering Co., 1945 S. Bundy Dr., Los Angeles 26, Calif.

Optical engineering experimental lab contains full selection of precision optical components. Price of \$49.50 kit includes prism, cylindrical and spherical lenses and flat cylindrical and spherical mirrors suitable for use in all types of optical systems and devices—Hinsdale Technical Lab., P. O. Box 6037, 2424 Research, Houston 6, Texas.

Miscellaneous soldering tools include specimens for soldering components of guided missiles—other soldering on small parts to 1,250 deg. F. from a distance through glass at 1000 deg. F. over 3 sec. Used also for spot welding low carbon and chrome steel plates of standard and heavy-duty grades—Zimmer Mfg. Co. Inc., Ingleside, Calif.

Small portable bench meter for measuring index density has integral audience plate. Mandrel holding work piece and test plate are at 90° between centers, accurate to all dimensions to 0.0005 in.—Tenneco Corp., Worcester, Massachusetts, Pa.

Magnesium mounting bases are reportedly 25% lighter than their aluminum counterparts. Circular action features built-in micrometric and variable load-

Cox & Stevens

Aircraft Weighing Kits



PUT THE "PAY" IN PAYLOAD

There's no guesswork in achieving optimum payloads with maximum flight safety when the Cox & Stevens Electronic Aircraft Weighing Kit is on the job. Problems of weight and balance can be worked out on the spot. You don't wheel the plane to the scales . . . you take the scales to the plane . . . in a portable case.

Both axle is weighed independently. The wheels are jacked off the ground, with an electronic "load cell" placed between each jack and axle pad. Guaranteed accuracy is within 1/10% of the applied load.

Four sizes of kits are available for weighing the smallest to the largest military or commercial aircraft. Proven operationally under all climatic conditions by leading operators throughout the world for many years.



Ask for Bulletin C&S-A

COX & STEVENS ELECTRONIC SCALES DIV.

Levere CORPORATION OF AMERICA

WALLINGFORD, CONNECTICUT A Subsidiary of Niprene Meter Company

wire is avoided by padding nylon between the materials.—T. R. Fina Co., Inc., Electronics Division, 208 Central Ave., Hawthorne, N.J.

Vinyl-based flight case has cut front and fold back flap for weight savings—Aerojet & Co., Aerobic Sales Division, Denver, Colo.

Synthetic rubber compound No. 47-671 used in aircraft leather seats in O-rings permits operation in the temperature range of -45° to +275°F.—J. McCallum, Rubber Products Division, Parlor Appliance Co., 17325 Euclid Ave., Cleveland, Ohio.

These FINE AIRPLANES Make FINE SEAPLANES with EDO FLOATS



RUFUS SUPER CUB



CESSNA 170



BEECHCRAFT SEABEE



BEECHCRAFT CITYSEAR



CESSNA 180



RUFUS TRI-PACER

New utility and passenger plane planes you can land on water. While today for new features on standard aircraft, tomorrow by Edo, the Cessna, Beechcraft, Beechcraft, Whistler



CORPORATION
COLLEGE POINT, NEW YORK

Since 1925

Insulated plastic oxygen hose carries coded wire outside the tube, lessening danger of sparks from the wire, giving oxygen—Drapco Rubber Co., Dayton

Fence assembly, triple blade fence post may be angled up to 15 deg. Automatic tension mechanism can be used in one post and preloaded top spring with linkage to middle post smooth action when adjustment is counteracted.—Frank San Piers Inc., Clayton, 1089 Islands, N.Y.

Hydraulic clamp with rotator and side safety stopper need no wrench attachment for handling various re-

bars on fork lift truck, makes report Datum between bottom fork and top plate can be hydraulically adjusted from 36 to 76 in.—State & Town Manufacturing Co., 11,000 Research Blvd., Philadelphia, Pa.

Nigaro No. 190 hand operated deep throat combination machine has 12 pair of standard tools for turning, boring, facing, slots, edges, booring, countersinking, forming, cold riveting, hole flanging, drilling and trepanning.—Nigro Machine & Tool Works, 653 Northland Ave., Buffalo 11, N.Y.

G312D Deaktron cold cathode mercury tube has a plug-in base for one replacement of glass coating. An elliptical shape provides a shorter tube with a wider neck and face, improved insulation.—Atcor, 307 University St., 94 Massachusetts Ave., Cambridge 39, Mass.

Molded piano cutter has a detachable crank case for at least six different operations. Quick tool changes make cutting, bending, filing and drawing more accessible. Unit has 1-hp motor.—Nord Corp., Nutley, N.J.

Rectangular shaped vinyl spray gun gives for large size parts hot hand plastic interior coating. It protects against moisture. Mechanism automatically activates for no solvents needed. Electrostatic spray gun can be used for parts cleaning.—Sonic Industries, 241 West Ave., Los Angeles 8, Calif.

Zigzag wire-spool electric hoist has motor hook and load hook, both of which hold full loads. A 100-lb. lift is supplied with hoist lifts open-end.—F.A.H. Hoist Division, Flansburgh Corp., Milwaukee 46, Wis.

NLS Model 401 self-aligning digital potentiometer provides a balanced digital display of 4 digits. Resolution is 0.001% per increment. Resolution is supplied by a series of four resistors assembled into a compact lattice pad having an operating life exceeding 10,000 hours.—New Linear Systems Inc., Del Mar Airport, Del Mar, Calif.

New humanized low interchangeable heads of aluminum, brass, copper, two types of silicon and their combinations of plastic. Spring pin mechanisms with field head auto plus—Hi-Lok Mfg. Co., 1825 Madison Rd., Akron, Ohio.

Massive hydraulic utility pump provides 15-ton thrust for pushing, shearing, angle iron notching or forming light-gage metals. Machine operates on a 1-hr. stroke with a 12-sec. operational cycle.—Muncie Mfg. Co., Bedford, Ill.



From Cessna — a new concept in helicopter

*Introducing a new Cessna development
...the CH-1 Helicopter*

Hovering speeds at 40,000 ft., while in flight from sea level to 10,000 ft. in less than 30 minutes and hovering the lowest speed in its field, over 100 mph. Cessna's new, CH-1, high upper lifting surface, leading performance design and outcome to helicopter flying.

And the Cessna heliplane can do it more often. That's due to its simplified mechanical design. There are three gears in the main transmission, two in the tail rotor assembly. All-

Cessna's unique angle blade attachment makes the CH-1 give top performance with less maintenance.

Instrument efficiency is planned into the CH-1. The engine location on the nose of the fuselage is, for example. This makes instrument and servicing easy, provides added room for passenger space.

The Cessna heliplane fills a need and is an important contribution to aviation.

CESSNA AIRCRAFT COMPANY



WICHITA, KANSAS



AIRCRAFT INSTRUMENT LIGHTING GOES MODERN WITH *Bendix* INTEGRAL LIGHTING



Following extensive experimentation since 1951, we are now making Integral Lighting available on our panel-mounted aircraft instruments... including both fixed and changeover mounting styles. This new lighting system, which is accomplished with only minor changes in standard instrument design, meets the latest military spec for instrument illumination. Here are some of its features:

DARK ADAPTATION: By day, materials and graduations show white as a black background. By night, they are lighted in **Integral Lighting**. Red - the color unique to this type of lighted panel for sleep readability with minimum effect on "dark-adapted" eyes.

UNIFORM, ADJUSTABLE BRIGHTNESS: Bendix Integral Lighting is even and shadowless... has a uniformly of .5 to 1.5-foot lumens. Intensity is adjustable for maintaining readability through dusk to dawn flying.

NO "JUMPLINESS": Through skilled design and scientific application of a new conductive type of direct and back lighting, random light is minimized and held at just the right level to maintain instrument definition and avoid "jumpliness" of graduations and numerals. Bendix Integral Lighting has to be seen in person to be fully appreciated. For a demonstration of its advantages, write ECLIPSE-PIONEER DIVISION, BENDIX AVIATION CORPORATION, TETERBORG, NEW JERSEY.

Bendix General Office: 137 Northgate Drive, Robert, Calif.
Bendix Sales and Service: Worldwide. Post Office Box 1100, New York 17, N.Y.



Piedmont Strengthens Route Structure

Local service carrier enters Washington market; Fokker F-27 turboprop seen as DC-3 replacement.

By Craig Lewis

Winston-Salem, N.C. - Piedmont Airlines entry into the lucrative Washington, D. C., market has strengthened the local service carrier's route structure and established a position well beyond the reach of the DC-3 fleet.

Piedmont has three flights daily nonstop between Washington and Knoxville, Tenn., and the airline estimates the new service will produce an additional 15,000 passengers a week in the beginning and considerably more when it becomes established.

The new route gives Piedmont, one of the largest local service carriers, access to a large metropolitan market, something it lacks in the mountainous area of Virginia, Kentucky, North Carolina, West Virginia and Tennessee.

Seek Chicago Entry

The next route improvement Piedmont seeks is entry to Chicago from points of Cleveland, Akron, Greater Ohio, and Louisville, Ky. The carrier would like to link its network through Louisville and Knoxville.

Piedmont figures that about 80% of its passengers going into Columbus, Cincinnati and Louisville are headed for Chicago or points west of there. The carrier wants to carry them on to Chicago and on to the Gold Coast via routes it could extend from Atlanta.

If route extensions aren't granted, Piedmont president T. H. Davis told Airways Week, he thought one change would suffice with an air route between Chicago and the three Piedmont terminals. A feasible and could be the answer to the need for through service.

According to Davis, Piedmont operates on the theory that a successful local service operation is based on two key factors - frequency of service and high schedules. The carrier claims the local service utilization is the local service industry slightly over eight hours daily.

Service frequency is considered important in promoting new business. Piedmont feels that the addition of new flights on a segment tends to generate new business for existing flights and less the total effort of raising the segment load factor. The local carrier is constantly operating with load factors

Piedmont Gains

Piedmont Airlines flew 167,601 passengers, \$2,471,681 passenger miles in the first six months of 1955 with an average load factor of 89%.

Traffic for the same period of 1954 was 142,991 passengers and 20,677,399 passenger-miles. Load factor was 84%.

Piedmont's total revenue for the first half of the year was \$3,561,322. Net income after provision for taxes was \$12,184.

fleet replacement will be high - probably close to \$500,000 an airplane.

Thus discounted Martin or Convair equipment would be replaceable for investment. In fact, the local airlines should move on to an advanced design when their initial component takes them to go to an aircraft which is already becoming obsolescent.

DC-3 Replacement

The fact that the Fokker F-27 and the Hawker Siddeley Herald come closest to meeting the specifications The Herald is a twin engine, high-wing turboprop transport. The Herald has four piston engines.

If the F-27 succeeds up to performance predictions when it flies this fall, Davis said it will be the best prospect for replacement of the DC-3. A testable price of about \$400,000 has been estimated for the F-27. The Herald price



able will sell for about \$475,000.

Davis prefers the two-engine propeller because it fits in with Piedmont's pilot strategy on flight distances. He sees it is easier for a local airline to run a small airplane on routes, foregoing thus a large airplane on fewer flights.

The Piedmont official also thinks that the F-22 has great passenger appeal because its high-wing configuration gives better visibility as well as making landing and takeoff easier.

Piedmont, available the F-27.

not only attracts the passenger, but it contributes to operational efficiency by allowing skipper control and descent.

Davis also points to higher speeds, better ground base, lower seat-mile costs and easier maintenance as further advantages over the DC-3. The F-22 will be able to operate out of DC-3 airports where Martin and Convair could operate with a weight penalty.

He believes there will be a wide executive and military market for the F-27 which will help reduce the price.

by Delta Air Lines and Robbie Radcliffe, president of Pan American Airways between New York, Miami and Puerto Rico. AAICCO operates a cargo service between the U.S. and Central and South America and does contract work for the Defense Department.

In his report, Keoh says AAICCO's lack of experience and familiarity with the requirements of a New York Florida and Midway Florida service and Radcliffe's recognition of its inability to stimulate service between New Orleans and New York and New Orleans and the Midwest for a considerable period after construction, give the fact that U.S. Airlines is currently insolvent and has been forced to bankruptcy an emphasis on the need for dividing the routes between two carriers so that eventually all routes can be amalgamated or absorbed, and the Board can have the benefits of a complete far east expansion service.

In view of the enormous freight potential at various ports, the report recommends that a number of ships be included in the certificates on a demand basis. Traffic fed for such ports would set a standard of freight volume required before a ship would be made available.

On Radcliffe's insistence that this rule would apply to Baltimore, Washington, Jacksonville, Jacksonville, Tampa, Orlando, Fort Pierce, St. Petersburg, Tampa, St. Petersburg, Clearwater, Lakeland, Polk County, and Columbia, Fla., AAICCO would have Philadelphia, Washington, Richmond, Louisville, Indianapolis, Cincinnati and Columbus as demand ports.

South recommends for Robbie Airlines a route structure between Miami and northern ports. One route would run between Boston and Miami via New York, Philadelphia, Baltimore, Washington, Jacksonville, Jacksonville, Tampa and Seminole. Another Jacksonville-Miami segment would operate via Tampa, Orlando, Fort Pierce and Miami.

From the Midwest Robbie would be authorized to fly between Chicago and Miami via Indianapolis, Louisville, Atlanta, Jacksonville, Tampa and Seminole with a second Jacksonville port being Port Huron, Michigan. Fort Pierce and St. Petersburg Atlanta Robbie also could serve Cincinnati, Columbus, Cleveland and Detroit via Miami.

American Air Express and Express Co. would get routes between New Orleans and the north south. Robbie's seven schedules between New Orleans and New York, AAICCO would serve St. Louis, Birmingham, Atlanta, Indianapolis, Wichita, Oklahoma and Philadelphia.

The carrier would give two routes to the Midwest from New Orleans. One would be to Chicago via Birmingham and Indianapolis, and the other to Detroit via Indianapolis, Louisville, Cincinnati, Columbus and Cleveland.

The remaining routes on the north-south plan of the Far East Freight Bureau Co. When CAB rendered the all-cargo carrier, it set a five year

limit on the experiment which expand last summer. A consolidated general proceeding was initiated to review the air freight situation. The proceeding became dormant last winter, largely due to the failure of the Steel Amendment to the Taft-Hartley Act to become effective. The Taft-Hartley Act emphasizes that air freight rates should be different for domestic and foreign traffic.

Finally CAB ruled on Keoh's proposal which would affect revenue and profit margins all-cargo services out of the Mississippi service was offered on a limited scale.

Transport Sales' Report Card

US aircraft builders have sold 1,425 commercial transports since the end of World War II. Of the total 1,149 had been delivered in last week. The leaders in output and delivery, as compiled by Aviation Week:

COMPANY	MODEL	ORDERED	DELIVERED
Boeing Airplane Co.	737	95	96
	707		
Cessna, division of General Dynamics Corp.	240	179	379
	340	398	206
Douglas Aircraft Co.	DC-6	179	374
	DC-9A	44	22
	DC-9B	387	334
	DC-9 70	151	76
	DC-9	94	
	DC-8		
Lithiair Aircraft Corp.	149C, D & E	78	78
	149G	64	39
	149H	9	
	169P	51	
	Fleetair	53	
Cessna L. Maxon Co.	202	51	31
	242A	12	12
	404	300	104
TOTAL		1,329	1,149

Mass Volume Helicopter Needed To Make Short-Haul Profitable

By Gordon Conley

and scheduling, four-shuttle sets and a round trip not exceeding four hours.

Mohawk, N.Y.-Mahwah Airlines wants to resume helicopter service with a south-engine transport similar to Sikorsky Aircraft's S-55 but with a cabin modified to meet flying standards and able to carry 35 to 40 passengers. With such a returning airline, the local service carrier expects to make its first deep penetration of the short-haul travel market.

"This is the transport that can go to main routes," Mohawk President Robert E. Pease says. "So far, the market has been too short-haul traffic or slightly more than 100 miles."

Mohawk has been planning eventual conversion to an all-helicopter fleet since its expansion last year with an eight-passenger Sikorsky S-55 (AW 10, p. 32). In addition to a large returning transport, the carrier believes this problem must be solved before it can switch from a fixed-wing operation.

• **Helicopters.** The local service airline wants assurance that it will be able to operate out of business districts in cities on its routes—particularly on the New York metropolitan area. "We're waiting as much as a New York banker would for a helicopter," Pease says.

• **Passenger confidence.** "The biggest attraction of helicopters from the passenger's point of view is the convenience of taking off and landing on a roof. When a regular lands the passenger has the same attitude as holding an umbrella, without much joy or some anxiety in any type of standard passenger service, without paying less than \$100 a seat."

Pease disputes a statement by Robert L. Cummings, president of New York Airways, that short-haul airlines should operate 20-passenger transports in its quasi flight schools in a two-type service (AW May 11, p. 187). A larger capacity, Cummings said, would be best to \$1.

Mohawk's expense cloth shows that this assumption is not correct,

Pease says. "For successful short-haul passenger service is the result of a de-

Cost, Operational Studies

Helicopter studies made by Mohawk call for a transport with at least four, but probably four, engines. It must carry from 10 to 40 passengers, a three crew plus baggage, cargo and mail. Minimum cruise speed would be 140 mph and fuel range 200 miles. The carrier lists no preference on rotor size, but Research Director David E. Pease points out that there would be a 15% weight penalty with two rotors.

Of the U.S. rotary-wing transports now in production, Mohawk is interested only in Sikorsky's S-56. This two-engine single-rotor design is being built for the military however, and it will be at least three more years before a commercial version is offered.

"The S-56 is the most advanced design now in being," says Pease. "But we'll have to make one or two modifications before we could get the proper funding. We need ratios similar to those of fixed-wing transportation to the ground for quick loading

and delivery between populated areas at the time people desire to travel, adequate capacity of the aircraft at peak travel hours and load factors on each individual aircraft."

Pease believes the total operating cost of the proposed called for in Mohawk's studies can be reduced to below that of fixed-wing transports on short-haul routes.

"Direct operating costs per available seat-hour on an 80-seat flying-boat is about 2 cents," he says. "It goes up sharply on an 80-block distance of 75 miles or less. If the helicopter's operating cost can be brought down to 4 cents, it will remain constant on stage-lengths down to about 30 miles."

Passenger Confidence

Mohawk President Pease is convinced that helicopter will give local service airlines a transportable to compete for the fast time with railroads, buses and private automobiles. He lists these advantages:

• **Passenger confidence.** "The biggest attraction of helicopters from the passenger's point of view is the convenience of taking off and landing on a roof. When a regular lands the passenger has the same attitude as holding an umbrella, without much joy or some anxiety in any type of standard passenger service, without paying less than \$100 a seat."

Pease disputes a statement by Robert L. Cummings, president of New York Airways, that short-haul airlines should operate 20-passenger transports in its quasi flight schools in a two-type service (AW May 11, p. 187). A larger capacity, Cummings said, would be best to \$1.

Mohawk's expense cloth shows that this assumption is not correct,

Pease says. "For successful short-haul passenger service is the result of a de-

sign in a letter to Authority officials.

Rep. Peter J. Viscuso, D-Neewark, N.J., earlier had countered the Port Authority's proposal with a plan to build a waterfront freight terminal on the Hudson River just west of the highway overpass and add a modern heliport to the facility. He had last week filed his bill for its construction.

Arguments offered by PNTA Aviation Director Fred M. Glatz against O'Connor's plan included ones that indicated the ground-level trap would be safer than a heliport helipad. He added that the commissioners' proposal also would be only a temporary fix until about \$570,000 more than the Port Authority's helipad would take more than a year to build, compared with 30 days for the trap, and would

(This is the last in a three-part series on Mohawk Airlines.)

New York Heliport Plan Denied

The Port of New York Authority last fall had sought to build a \$140,000 temporary heliport on Manhattan's East River waterfront and follow this with a \$10-million heliport to be completed by 1975.

Assistant U.S. Commissioner of Marine and Aviation, Dennis C. O'Connor, earlier had countered the Port Authority's proposal with a plan to build a waterfront freight terminal on the Hudson River just west of the highway overpass and add a modern heliport to the facility. He had last week filed his bill for its construction.

Arguments offered by PNTA Aviation Director Fred M. Glatz against O'Connor's plan included ones that indicated the ground-level trap would be safer than a heliport helipad. He added that the commissioners' proposal also would be only a temporary fix until about \$570,000 more than the Port Authority's helipad would take more than a year to build, compared with 30 days for the trap, and would

WHAT DO YOU KNOW ABOUT AVIATION...

Who Made the First Powered Vertical Flight?

One of the small band of pioneers who began to experiment with heavier-than-air flight at the turn of the century, this man made the first powered vertical flight in 1903. In 1911, he set a world's distance record of six miles. He founded a famous aviation company whose planes saw service in both world wars. One of them made the first East-West flight from Paris to New York. He is lost in the American Aviation Hall of Fame in Washington, D. C. His name, *Louis Bleriot*.

In 1919 Monique Bleriot founded France's first airline, which later became Air France. It was the who set the standards of dependability and technical efficiency that have made it possible for Air France to serve the peoples of 26 countries for 36 years.



Louis Bleriot just before his death at the age of 75 in 1955.



Now flying the Atlantic, Air France Super "G" Constellations.



AIR FRANCE
THE WORLD'S LARGEST AIRLINE

NY NEW YORK • ATLANTA • BOSTON • CHICAGO • CLEVELAND • DALLAS • DETROIT • DODGE CITY • KANSAS CITY • KNOXVILLE • PHILADELPHIA • PITTSBURGH • SAN FRANCISCO • WASHINGTON, D. C. • MEXICO CITY • MONTREAL • TORONTO • VANCOUVER • JAMAICA • PORT OF SPAIN



not have the operational advantages of the simpler construction.

Class removal draws support from New York Airways, the metropolitan area's scheduled helicopter airline. NTA President Robert L. Conroy and staff members in his company favored the proposed license if it offers:

- Greater scope for research and findings and more operational stability
- Full utilization without involving thermal performance data and untried flight techniques
- Operational flexibility that will cope with the performance characteristics of future transport helicopters as well as the Sikorsky S-55—the only rotary-wing aircraft considered in O'Connor's initial help-point plan
- Complete evaluation of wind and weather data before a permanent facility is constructed

CAB ORDERS

Dktg. 81-177

GRANTED

Flying Tiger Line an exemption by permit to conduct passenger flights between Mexico and Peru pursuant to a contract with the Michael Redhead Co. on behalf of Compañia Panamericana de Aviación de México.

Continental Air Transport Co. permission to advertise in the helicopter Air Service and Mobility Airlines certificate area.

Copart Air Services Inc. an exemption by permit to begin air mail service between D.C. to London, Ontario and return to Jackson, Mich., pursuant to a contract with Ray Anthony's Orlanair.

Pan American World Airways an exemption to provide one round-trip flight between New York and Taiwan. American Overseas, Inc. Canada about 100 CAC exemptions in addition to its scheduled services.

Promedia Aeroparque Comisiones permission to advertise in the New York Permit Space Case.

Rocky Mountain Airlines an exemption to operate from Fort Wayne, Ind. flights scheduled between Wyoming, Wyo., and Cheyenne, Wyo.; to McMurtry and Odell, Wyo., and one year.

APPROVED

Airtrans International, Inc. and Transair, Inc., Brazil, Argentina and Venezuela each for new bidding to start charter arrangements.

Routhiana Services, Inc., formerly adopted by the International Air Transport Assn. relating to proportional cargo rates between Miami City and Houston.

DISMISSED

Cathay International Airways application for a foreign air carrier permit under the provisions of the proposed regulations.

Tunisair Air Lines' application for an exemption to perform a flight from New York to Rome at the request of the applicant.

National Airline's complaint against East Air Lines' payment to its continuation



HELIPORT PROPOSALS for Manhattan include permanent facility (left) and mobile plan

need 25,810,000 ton-kilometers of cargo during the first six months of 1955, 17% over same period in 1954.

• Panagra will grant 18 travel fellowships for study at U.S. universities to graduate students from countries on its route to Latin America. The scholarships were selected by the Institute of International Education.

SHORTLINES

AIR FRANCE

Air France carried more than 787,000 passengers in the first six months of 1955, an increase of 22% over the same period of 1954.

• Air Transport Asia reports an increase of 20% in scheduled starship business transacted in July 1955 through the Airline Clearing House over July 1954. Assistant was \$45.9 million in July 1955, as compared with \$34.9 million in July 1954.

• British Overseas Airways Corp. flew 50,613,000 passenger miles in the nonstop period ending July 9. The passenger total was up 21% over the year-round period in September 1954.

• British Overseas Airways Corp. flew 50,613,000 passenger miles in the nonstop period ending July 9. The passenger total was up 21% over the year-round period in September 1954.

• Flying Tiger Line reported the largest freight business in its history during June. Revenue for the month was \$691,000, as compared with \$39,000 for the same period last year. Contract division handled revenues of \$3,431,000 in June, nearly seven times the contract volume for June, 1954.

• KLM Royal Dutch Airlines car-

ried 74,700,000 ton-kilometers of cargo during the first six months of 1955, 17% over same period in 1954.

• Pan American World Airways carried 512,500 lb. of cargo in the U.S. and Europe in July, a new single record and a 55% increase over July 1954. Panair operates eight cargo flights weekly across the Atlantic in both directions. Current plans are to increase the flights to 12 weekly next month.

• Turkish State Airlines has started operating seven newly-purchased de Havilland Herons.

• United Air Lines will start a \$6 million expansion program at its San Francisco hub early next year. The expansion program, scheduled for completion early in 1958, will bring United's investment to \$16 million.

AAL's June Traffic

June traffic figures for American Airlines (AVW Aug. 22, p. 101) were based on partial data. Complete figures are: Revenue passengers, 79,407; Revenue passenger miles, 661,900; Total passenger load factor, 73.34%; U. S. mail tonnage, 149,458; express tonnage, 899,913; freight tonnage, 575,897; total revenue ton miles, 46,975,621, percentage of revenue to available ton miles, 53.29%.

Airline Traffic—Second Quarter 1955

	Revenue Passengers	Revenue Passengers In Miles 10000	Revenue Passengers Load Factor	U.S. Mail Ton-Miles	Express Ton-Miles	Freight Ton-Miles	Total Revenue Ton-Miles	Per Cent Revenue to Available Ton-Miles
DOMESTIC TRUNK								
American Airlines	1,947,359	1,133,471	69.65	4,352,363	3,474,183	16,938,268	132,756,754	46.10
Braniff Airways	485,403	158,304	63.62	461,545	390,403	914,711	15,365,971	37.93
Capital Airlines	285,119	92,000	61.00	800,412	671,048	941,945	9,979,345	45.21
Continental Airlines	787,474	478,795	63.73	481,200	380,750	97,750	10,549,257	39.37
Delta & S. S. Air Lines	*	59,482	55.11	189,959	750,014	361,117	11,020,000	43.64
Eastern Air Lines	1,202,209	845,370	64.95	2,510,091	1,266,565	3,242,797	93,569,994	31.68
National Airlines	302,889	871,146	47.97	714,489	143,093	1,078,078	9,486,799	66.46
Northwest Airlines	136,718	58,209	58.32	32,794	41,053	105,513	7,920,050	56.68
Southwest Airlines	337,992	379,294	58.33	1,133,356	488,349	1,568,950	84,940,987	58.33
Twa World Airlines	958,118	741,319	68.60	3,971,360	1,300,430	5,845,418	91,671,649	61.13
United Air Lines	1,424,647	1,040,431	69.61	6,499,792	9,888,389	10,588,889	180,183,988	60.81
Western Air Lines	979,895	727,815	58.54	695,674	951,675	979,144	10,956,150	55.91
LOCAL SERVICE								
Allieday Airlines	94,053	15,002	46.58	19,442	42,818	—	1,495,921	49.48
Braniff Air Lines	39,856	5,648	43.40	9,891	9,144	15,941	546,009	42.00
Central Airlines	24,954	3,954	29.41	19,259	4,455	14,199	40,991	53.76
Florida Airlines	14,424	2,200	29.41	1,200	1,200	1,200	2,600	50.00
Lake Central Airlines	92,836	42,050	56.99	7,335	85,187	—	433,599	33.87
Midwest Airlines	65,918	16,292	41.65	76,829	79,971	80,862	1,288,141	41.33
North Central Airlines	110,496	77,447	57.43	49,081	64,603	1,773,180	46.00	
Oriskany Airlines	67,873	10,186	38.54	80,091	25,359	—	1,021,997	39.68
Piedmont Airlines	100,667	79,896	58.08	77,989	87,939	37,503	1,094,880	54.36
Southern Airways	45,903	7,779	44.64	85,513	31,596	—	830,769	49.45
St. Louis Airways	70,858	13,408	56.45	19,021	71,523	1,349,841	57.32	
Texas Texas Airways	40,705	8,841	59.68	73,865	17,386	41,175	979,585	36.71
West Coast Airlines	33,958	9,059	44.90	11,450	5,868	92,633	933,393	48.35
INTERNATIONAL								
Braniff Airways	8,995	150,848	46.99	93,105	946,695	9,394,136	47.48	
Delta & S. S. Air Lines	12,374	14,211	47.98	10,798	11,915	1,040,574	39.98	
Eastern Air Lines	48,412	64,886	48.42	196,389	974,978	7,102,021	40.35	
Midwest Airlines	95,025	49,700	53.45	5,491,180	45,899	9,503,906	9,648	
Pan American World Airways								
AirAsia	90,478	84,846	46.29	98,799	5,744,717	3,773,337	49.95	
Aeroflot	226,265	83,570	58.37	9,581,036	4,651,169	37,179,550	66.98	
Latin American	78,800	905,845	63,55	978,659	7,458,890	8,040,545	59.51	
Pacific	57,377	179,103	56.26	3,689,483	3,195,399	81,026,089	68.33	
Pan American-Golra Airlines	33,369	39,865	59.17	189,685	63,548	5,057,433	56.73	
Twa World Airlines	60,058	126,389	51.05	8,128,378	9,028,748	9,037,484	78.09	
HAWAIIAN AIRLINES								
Hawaiian Airlines	95,927	13,403	68.87	11,881	345,145	1,588,881	35.41	
Tomo Pacific Airlines	30,598	6,381	55.15	10,994	328	95,799	937,080	34.91
CARGO LINES								
Rising Sun Line	*	*	*					
Riddle Airlines								
Stolt Air Lines	128	158	86.79					
HELICOPTER SERVICE								
N. Y. Airways	8,326	1,08	31.30	4,054	3,137	3,315	32,835	33.74
Los Angeles Airways	1,257	26	16.82	16,685	5,200	—	59,388	48.65
Melvinair Air Service (Chicago)	None				7,321		3,268	48.70

* Not Available

Compiled by Aviation Week from Air Transport Assn. Reports

For First Quarter Figures See Aviation Week June 29, p. 79.

SCIENTISTS & ENGINEERS

Now Republic Greatly Expands its Development and Experimental Activities



Adding 425,000 sq. ft. of Floor Space

Republic Aviation has undertaken a vital and large expansion program for development and experimental activities. Many new opportunities at all levels of professional experience are open to scientists and engineers. If you seek a position where your skills and plans are the key to success, and where company growth *fuels* these plans with resources, you owe it to your future to investigate these positions with Republic.

The large, modern building pictured above with 425,000 square feet adjoining Republic's Farmingdale plant has just been added. A corps of prime thinkers is working with minds untainted by traditional restrictions of any kind, unshackled by traditional tradition. New ideas being developed will be as revolutionary as Republic's many past achievements in aircraft design.

The fast-expanding scope of these operations has created a large number of positions for men with a bent toward development work. May we make ready a discussion in your career, by checking into the opportunities open with our staff of development engineers and scientists? Republic's benefit program for all professional staff is one unmatched in the scale as a model for the industry. Reference expenses are paid.

POSITIONS ARE OPEN AT ALL LEVELS IN THE FIELDS OF:

physics	aeronautical analysis	metallurgical	vibration & flutter
mathematical	aerodynamics	aerodynamics	structural and mechanical design
physical chemistry	stress-mechanics	thermodynamics	
	fire control	stress analysis	

Convenient interviews will be arranged.

Please forward complete resume to:

Mr. R. L. Barnes, Dept. C

Assistant Chief Engineer

Attn: Director of Personnel



REPUBLIC AVIATION

FARMINGDALE, L. I., N. Y.

WANTED:
Electronics and
Mechanical Engineers
of
Bendix-Pacific

This is the new Engineering Department of Bendix-Pacific now seeking complete With 100,000 square feet of space, it represents the latest and one of the most advanced facilities in the nation.

We are invited to consider becoming a member of this well engineering group—with a division located company in Southern California.

Our impressive positions in electronics, mechanical design, aircraft structures, and other areas are available. These positions, which are directly associated with our long-range projects for industry and the defense, are available at all levels.

Please call in the coupon or write us for complete information.



W.C. Parker, Engineering Department
West Coast Division, Dept. C-2000, Box 2000,
10000 Sherman Way, North Hollywood, Calif.

Please send information
on all positions available with...
Please note no graduate engineers for home
plant experience.

Name _____
Address _____
City _____ State _____ Zip _____

Electrical Engineers
FORMATION
OF NEW GROUP
At
NORTH AMERICAN
AVIATION

Provides
Special Opportunities for

ELECTRICAL
ENGINEERS

Have a special opportunity to work with a NEW engineering group at NAA in design and manufacture of specialized electronic systems.

Work with new tools and NAA's broad product line to meet the specific needs of **FUTURE AVIATION SYSTEMS**.

Positioned in functional areas power AC and DC Electrical motor design, insulation

control, etc.

Many new electrical and electronic products are under way to test ingenuity and ingenuity of Engineers with design and experience in:

- ELECTRONICS
- COMPUTER APPLICATION
- ELECTRICAL DESIGN
- PHYSICS

WIND TUNNEL INSTRUMENTATION
TESTING ENGINEERS

Design of electrical circuits for wind tunnel tests. At least 2 years' exp. in use of electronic instruments and evaluation of electrical sensors.

Join the Company that is Engineering ahead of its time—now!

CONTACT

ENGINEERING PERSONNEL
151 E. Cesar Chavez International Airport, Box
101, Goffs 19, San Joaquin Highway
Temple City, California 91787

CONTACT BOX A-12
ENGINEERING PERSONNEL

NORTH AMERICAN AVIATION
Los Angeles International Airport
Los Angeles 45, Calif.

NORTH
AMERICAN
AVIATION

STRUCTURES ENGINEER

- Opportunity in planes in wing designs for aerodynamic loading.
- Developing programs for wing dimensions of high performance aircraft.
- Associate with structures and weight groups in a research department engaged in military research and development programs for high altitude aircraft.

Write to: Personnel Manager
AERONAUTICS DEVELOPMENT
CORPORATION

(Building of Subsidiary) Rockwell Corp.
P. O. Box 949
Santa Monica, Calif.

SALES
ENGINEER

Large corporation manufacturing components for aircraft for a highly qualified person to assume the sales engineering responsibility for one of its major divisions. The opportunity for professional development in this position is extremely valuable.

If you are a graduate engineer with experience in aircraft design, particularly in the airframe/mechanical components in pressurized aircraft and if you have ability and interests that would be associated with a research and development program, we invite you to apply for full professional status to:

T. H. Morris, Area Sales Manager
2311 W. Washington Blvd., Los Angeles 15, Calif.

We have openings for engineers here—
one specifically in the field of:

- AIRPLANE DESIGN
- DYNAMICS
- PROPPELLER DESIGN
- ROTARY WING DESIGN
- STRUCTURES

Write to: Administrative Engineer
KELLETT AIRCRAFT CORPORATION
P.O. Box 545 - Compton 1, New Jersey

WANTED
EXPERT RADIO MAN
To Operate Active Shop

Doing Installation And Maintenance On
Corporate Aircraft—Opportunities To
Buy, Sell, Trade, Rent, Charter, Commer-
cial Or Private Aircraft—Also
Lester M. Corman Complete Service
Of Experience, Previous Employment,
Availability, Etc.

P.O. Box 2000, Aviation Work
2217 N. Hill St., Los Angeles 7, Calif.


COOK RESEARCH LABORATORIES

THE FIELD OF RESEARCH OFFERS Satisfying CAREERS

We invite one of the nation's most progressive research and development laboratories and are looking for qualified engineers — Stress and fatigue — who are interested in furthering their careers in the field of research.

If you are interested in becoming part of a growing company — with OUTSTANDING PERSONNEL — at HIGH STARTING SALARIES — and EXCELLENT WORKING CONDITIONS — write:

Mr. D. M. Holliday



★ 8100 N. Mainville Ave.,
Skokie, Illinois 60077 • 20000

★ A division of COOK ELECTRIC COMPANY

2790 N. Southgate Ave., Chicago, Illinois

Electrical and Mechanical Engineering and Manufacturing Since 1897

Engineer
ME, AE or EE

1010 Wilshire Boulevard, Suite 1000,
Los Angeles, California 90017

Minimum of one year in aircraft or aerospace industry. We are looking for individuals with a strong interest in aircraft design and development, and for those with excellent academic backgrounds.

We are also looking for people with a strong interest in aircraft maintenance, including persons with one or two years' experience in aircraft mechanics or in aircraft maintenance, and for those with excellent academic backgrounds.

POSITIONS OF INTEREST
OPENINGS IN THE FIELD

Send resume to:
Personnel Department,
Allied Signal Aerospace Co.

GENERAL ELECTRIC
Cleveland 14, Ohio

Business flying growth creates need
for Aircraft Designers at Cessna

Because our business airplanes plus Cessna developments in military aviation provide big opportunities for creative engineers.



Cessna 172

Cessna 180

Cessna 185

For a brighter future join successful Cessna

Cessna offers competitive salaries, job stability, flying clubs, and the convenience of living within 100 miles of the nearest airport. **VERY IMPORTANT:** Cessna offers real world recognition, and new opportunities at both crew and military positions. At Cessna, you are an important part of the team. If you are interested and you will be given every opportunity to grow.

WRITE: Cessna Aircraft Company, Dept. AEP-JE, Wichita,
Kansas. State experience and qualifications.





We want a

SALES ENGINEER for AVIONICS

- * He must be a graduate engineer, M.E. or E.E.
- * He must have had electronic experience working for an avionics manufacturer.
- * He must know the industry's requirements.
- * He must be qualified for liaison work between our industry and aircraft engineers.
- * He must be qualified to take full responsibility for our sales to Aircraft Manufacturers.
- * He will be representing the country's leading line of Avionics Components.

AMPHENOL

If you feel you are the man for this important position—write us a complete outline; your communication will be held in confidence.
Address: RICHARD HALL, Sales Manager

AMERICAN PHENOCOR CORPORATION
Chicago 30, Illinois

LOCKHEED AIRCRAFT CORPORATION GEORGIA DIVISION

THE TOOL DESIGN DEPARTMENT

Hot opening for

MANUFACTURING RESEARCH ENGINEER

Degree in Mechanical Engineering. Five years experience in manufacturing engineering in aircraft or allied field.

Write in complete confidence
Dept. AWMB-829
781 Peachtree Street, N.E.
Atlanta, Georgia



ACOUSTICAL ENGINEER

Responsible position available for man with college training and substantial experience in acoustics to give background for sound measurement and analysis, evaluation of effect of noise on the human body, and method and evaluation of sound treatment. Starting salary dependent on past experience in this field. Will undergo personal interview wherever desired for qualified applicants. If interested, write in confidence to:

TECHNICAL PLACEMENT SUPERVISOR
Box 516, St. Louis 3, Missouri

MCDONNELL AIRCRAFT CORPORATION

SUNDSTRAND AVIATION

Hrs Opportunities for
DESIGN ENGINEERS
MECHANICAL ENGINEERS
ELECTRICAL ENGINEERS
TECHNICAL WRITERS
to Design and Develop

Mechanical-Hydraulic Constant Speed Systems

Please advise complete resume,
including details of your technical
background to:

MR. HOWARD EKSTROM
Personnel Director
SUNDSTRAND AVIATION
2331 11th, Bedford, Illinois

INTERSTATE AIR LINES, INC., AIRPORT AVENUE AND
CRAVEN AVENUE, NEW YORK 36, NEW YORK
TELETYPE 2-4200
TELEPHONE 2-4200
TELETYPE 2-4200
TELEPHONE 2-4200

POSITIONS VACANT

Engineers and Engineers required for design and development of aircraft components. We have openings for design engineers and test engineers for aircraft engine components. We also have openings for aircraft maintenance engineers. Write to: Personnel Department, Aeromarine Division, New York 36, New York.

Mechanics required for plant maintenance and production in assembly, inspection, preventive maintenance, and troubleshooting. Write to: Personnel Department, Frank J. Lillie's, Inc., 1011 Peachtree Street, Atlanta, Georgia.

Quality First and Inspection required for quality control and inspection. Write to: Personnel Department, Frank J. Lillie's, Inc., 1011 Peachtree Street, Atlanta, Georgia.

POSITIONS WANTED

For all personnel with instrumentation, electronic, electrical, and mechanical backgrounds, we offer excellent opportunities. Write to: George E. Harrington, 1000 Peachtree Street, Atlanta, Georgia 30309.

Executive Assistant for power systems engineer, manager of air and water. Duties: Book travel, handle correspondence, telephone, etc. Write to: Box 516, St. Louis 3, Missouri.

AIRCRAFT INDUSTRY REPRESENTATIVES

Great opportunities established. Apply for the position of aircraft industry representative. Write to: George E. Harrington, 1000 Peachtree Street, Atlanta, Georgia 30309.

INTERSTATE AIRLINES, INC.
2331 11th Street, Bedford, Illinois

SPECIAL SERVICES

OVERHAUL & MAINTENANCE

ONLY 3½ HOURS FROM N.Y.
PORTLAND, ME
QUICK SERVICE ON
100 HOUR INSPECTION

WORLD'S LARGEST
COMBINED FACILITY
FOR AIRCRAFT MAINTENANCE
Repairs in Both North Germany
Western Beach, Bremen, Berlin
all other major airports

NORTHEAST AVIATION
President: Alan Argus
Portland, Me.
Maine, New Hampshire,
Vermont, Western Maine

REMMERT-WERNER, Inc.
Linden Field
Dr. Lester A. Remmert

1 DAY
2 DAY
3 DAY
4 DAY
5 DAY
6 DAY
7 DAY
8 DAY
9 DAY
10 DAY
11 DAY
12 DAY
13 DAY
14 DAY
15 DAY
16 DAY
17 DAY
18 DAY
19 DAY
20 DAY
21 DAY
22 DAY
23 DAY
24 DAY
25 DAY
26 DAY
27 DAY
28 DAY
29 DAY
30 DAY
31 DAY
32 DAY
33 DAY
34 DAY
35 DAY
36 DAY
37 DAY
38 DAY
39 DAY
40 DAY
41 DAY
42 DAY
43 DAY
44 DAY
45 DAY
46 DAY
47 DAY
48 DAY
49 DAY
50 DAY
51 DAY
52 DAY
53 DAY
54 DAY
55 DAY
56 DAY
57 DAY
58 DAY
59 DAY
60 DAY
61 DAY
62 DAY
63 DAY
64 DAY
65 DAY
66 DAY
67 DAY
68 DAY
69 DAY
70 DAY
71 DAY
72 DAY
73 DAY
74 DAY
75 DAY
76 DAY
77 DAY
78 DAY
79 DAY
80 DAY
81 DAY
82 DAY
83 DAY
84 DAY
85 DAY
86 DAY
87 DAY
88 DAY
89 DAY
90 DAY
91 DAY
92 DAY
93 DAY
94 DAY
95 DAY
96 DAY
97 DAY
98 DAY
99 DAY
100 DAY
101 DAY
102 DAY
103 DAY
104 DAY
105 DAY
106 DAY
107 DAY
108 DAY
109 DAY
110 DAY
111 DAY
112 DAY
113 DAY
114 DAY
115 DAY
116 DAY
117 DAY
118 DAY
119 DAY
120 DAY
121 DAY
122 DAY
123 DAY
124 DAY
125 DAY
126 DAY
127 DAY
128 DAY
129 DAY
130 DAY
131 DAY
132 DAY
133 DAY
134 DAY
135 DAY
136 DAY
137 DAY
138 DAY
139 DAY
140 DAY
141 DAY
142 DAY
143 DAY
144 DAY
145 DAY
146 DAY
147 DAY
148 DAY
149 DAY
150 DAY
151 DAY
152 DAY
153 DAY
154 DAY
155 DAY
156 DAY
157 DAY
158 DAY
159 DAY
160 DAY
161 DAY
162 DAY
163 DAY
164 DAY
165 DAY
166 DAY
167 DAY
168 DAY
169 DAY
170 DAY
171 DAY
172 DAY
173 DAY
174 DAY
175 DAY
176 DAY
177 DAY
178 DAY
179 DAY
180 DAY
181 DAY
182 DAY
183 DAY
184 DAY
185 DAY
186 DAY
187 DAY
188 DAY
189 DAY
190 DAY
191 DAY
192 DAY
193 DAY
194 DAY
195 DAY
196 DAY
197 DAY
198 DAY
199 DAY
200 DAY
201 DAY
202 DAY
203 DAY
204 DAY
205 DAY
206 DAY
207 DAY
208 DAY
209 DAY
210 DAY
211 DAY
212 DAY
213 DAY
214 DAY
215 DAY
216 DAY
217 DAY
218 DAY
219 DAY
220 DAY
221 DAY
222 DAY
223 DAY
224 DAY
225 DAY
226 DAY
227 DAY
228 DAY
229 DAY
230 DAY
231 DAY
232 DAY
233 DAY
234 DAY
235 DAY
236 DAY
237 DAY
238 DAY
239 DAY
240 DAY
241 DAY
242 DAY
243 DAY
244 DAY
245 DAY
246 DAY
247 DAY
248 DAY
249 DAY
250 DAY
251 DAY
252 DAY
253 DAY
254 DAY
255 DAY
256 DAY
257 DAY
258 DAY
259 DAY
260 DAY
261 DAY
262 DAY
263 DAY
264 DAY
265 DAY
266 DAY
267 DAY
268 DAY
269 DAY
270 DAY
271 DAY
272 DAY
273 DAY
274 DAY
275 DAY
276 DAY
277 DAY
278 DAY
279 DAY
280 DAY
281 DAY
282 DAY
283 DAY
284 DAY
285 DAY
286 DAY
287 DAY
288 DAY
289 DAY
290 DAY
291 DAY
292 DAY
293 DAY
294 DAY
295 DAY
296 DAY
297 DAY
298 DAY
299 DAY
300 DAY
301 DAY
302 DAY
303 DAY
304 DAY
305 DAY
306 DAY
307 DAY
308 DAY
309 DAY
310 DAY
311 DAY
312 DAY
313 DAY
314 DAY
315 DAY
316 DAY
317 DAY
318 DAY
319 DAY
320 DAY
321 DAY
322 DAY
323 DAY
324 DAY
325 DAY
326 DAY
327 DAY
328 DAY
329 DAY
330 DAY
331 DAY
332 DAY
333 DAY
334 DAY
335 DAY
336 DAY
337 DAY
338 DAY
339 DAY
340 DAY
341 DAY
342 DAY
343 DAY
344 DAY
345 DAY
346 DAY
347 DAY
348 DAY
349 DAY
350 DAY
351 DAY
352 DAY
353 DAY
354 DAY
355 DAY
356 DAY
357 DAY
358 DAY
359 DAY
360 DAY
361 DAY
362 DAY
363 DAY
364 DAY
365 DAY
366 DAY
367 DAY
368 DAY
369 DAY
370 DAY
371 DAY
372 DAY
373 DAY
374 DAY
375 DAY
376 DAY
377 DAY
378 DAY
379 DAY
380 DAY
381 DAY
382 DAY
383 DAY
384 DAY
385 DAY
386 DAY
387 DAY
388 DAY
389 DAY
390 DAY
391 DAY
392 DAY
393 DAY
394 DAY
395 DAY
396 DAY
397 DAY
398 DAY
399 DAY
400 DAY
401 DAY
402 DAY
403 DAY
404 DAY
405 DAY
406 DAY
407 DAY
408 DAY
409 DAY
410 DAY
411 DAY
412 DAY
413 DAY
414 DAY
415 DAY
416 DAY
417 DAY
418 DAY
419 DAY
420 DAY
421 DAY
422 DAY
423 DAY
424 DAY
425 DAY
426 DAY
427 DAY
428 DAY
429 DAY
430 DAY
431 DAY
432 DAY
433 DAY
434 DAY
435 DAY
436 DAY
437 DAY
438 DAY
439 DAY
440 DAY
441 DAY
442 DAY
443 DAY
444 DAY
445 DAY
446 DAY
447 DAY
448 DAY
449 DAY
450 DAY
451 DAY
452 DAY
453 DAY
454 DAY
455 DAY
456 DAY
457 DAY
458 DAY
459 DAY
460 DAY
461 DAY
462 DAY
463 DAY
464 DAY
465 DAY
466 DAY
467 DAY
468 DAY
469 DAY
470 DAY
471 DAY
472 DAY
473 DAY
474 DAY
475 DAY
476 DAY
477 DAY
478 DAY
479 DAY
480 DAY
481 DAY
482 DAY
483 DAY
484 DAY
485 DAY
486 DAY
487 DAY
488 DAY
489 DAY
490 DAY
491 DAY
492 DAY
493 DAY
494 DAY
495 DAY
496 DAY
497 DAY
498 DAY
499 DAY
500 DAY
501 DAY
502 DAY
503 DAY
504 DAY
505 DAY
506 DAY
507 DAY
508 DAY
509 DAY
510 DAY
511 DAY
512 DAY
513 DAY
514 DAY
515 DAY
516 DAY
517 DAY
518 DAY
519 DAY
520 DAY
521 DAY
522 DAY
523 DAY
524 DAY
525 DAY
526 DAY
527 DAY
528 DAY
529 DAY
530 DAY
531 DAY
532 DAY
533 DAY
534 DAY
535 DAY
536 DAY
537 DAY
538 DAY
539 DAY
540 DAY
541 DAY
542 DAY
543 DAY
544 DAY
545 DAY
546 DAY
547 DAY
548 DAY
549 DAY
550 DAY
551 DAY
552 DAY
553 DAY
554 DAY
555 DAY
556 DAY
557 DAY
558 DAY
559 DAY
560 DAY
561 DAY
562 DAY
563 DAY
564 DAY
565 DAY
566 DAY
567 DAY
568 DAY
569 DAY
570 DAY
571 DAY
572 DAY
573 DAY
574 DAY
575 DAY
576 DAY
577 DAY
578 DAY
579 DAY
580 DAY
581 DAY
582 DAY
583 DAY
584 DAY
585 DAY
586 DAY
587 DAY
588 DAY
589 DAY
590 DAY
591 DAY
592 DAY
593 DAY
594 DAY
595 DAY
596 DAY
597 DAY
598 DAY
599 DAY
600 DAY
601 DAY
602 DAY
603 DAY
604 DAY
605 DAY
606 DAY
607 DAY
608 DAY
609 DAY
610 DAY
611 DAY
612 DAY
613 DAY
614 DAY
615 DAY
616 DAY
617 DAY
618 DAY
619 DAY
620 DAY
621 DAY
622 DAY
623 DAY
624 DAY
625 DAY
626 DAY
627 DAY
628 DAY
629 DAY
630 DAY
631 DAY
632 DAY
633 DAY
634 DAY
635 DAY
636 DAY
637 DAY
638 DAY
639 DAY
640 DAY
641 DAY
642 DAY
643 DAY
644 DAY
645 DAY
646 DAY
647 DAY
648 DAY
649 DAY
650 DAY
651 DAY
652 DAY
653 DAY
654 DAY
655 DAY
656 DAY
657 DAY
658 DAY
659 DAY
660 DAY
661 DAY
662 DAY
663 DAY
664 DAY
665 DAY
666 DAY
667 DAY
668 DAY
669 DAY
670 DAY
671 DAY
672 DAY
673 DAY
674 DAY
675 DAY
676 DAY
677 DAY
678 DAY
679 DAY
680 DAY
681 DAY
682 DAY
683 DAY
684 DAY
685 DAY
686 DAY
687 DAY
688 DAY
689 DAY
690 DAY
691 DAY
692 DAY
693 DAY
694 DAY
695 DAY
696 DAY
697 DAY
698 DAY
699 DAY
700 DAY
701 DAY
702 DAY
703 DAY
704 DAY
705 DAY
706 DAY
707 DAY
708 DAY
709 DAY
710 DAY
711 DAY
712 DAY
713 DAY
714 DAY
715 DAY
716 DAY
717 DAY
718 DAY
719 DAY
720 DAY
721 DAY
722 DAY
723 DAY
724 DAY
725 DAY
726 DAY
727 DAY
728 DAY
729 DAY
730 DAY
731 DAY
732 DAY
733 DAY
734 DAY
735 DAY
736 DAY
737 DAY
738 DAY
739 DAY
740 DAY
741 DAY
742 DAY
743 DAY
744 DAY
745 DAY
746 DAY
747 DAY
748 DAY
749 DAY
750 DAY
751 DAY
752 DAY
753 DAY
754 DAY
755 DAY
756 DAY
757 DAY
758 DAY
759 DAY
760 DAY
761 DAY
762 DAY
763 DAY
764 DAY
765 DAY
766 DAY
767 DAY
768 DAY
769 DAY
770 DAY
771 DAY
772 DAY
773 DAY
774 DAY
775 DAY
776 DAY
777 DAY
778 DAY
779 DAY
780 DAY
781 DAY
782 DAY
783 DAY
784 DAY
785 DAY
786 DAY
787 DAY
788 DAY
789 DAY
790 DAY
791 DAY
792 DAY
793 DAY
794 DAY
795 DAY
796 DAY
797 DAY
798 DAY
799 DAY
800 DAY
801 DAY
802 DAY
803 DAY
804 DAY
805 DAY
806 DAY
807 DAY
808 DAY
809 DAY
8010 DAY
8011 DAY
8012 DAY
8013 DAY
8014 DAY
8015 DAY
8016 DAY
8017 DAY
8018 DAY
8019 DAY
8020 DAY
8021 DAY
8022 DAY
8023 DAY
8024 DAY
8025 DAY
8026 DAY
8027 DAY
8028 DAY
8029 DAY
8030 DAY
8031 DAY
8032 DAY
8033 DAY
8034 DAY
8035 DAY
8036 DAY
8037 DAY
8038 DAY
8039 DAY
8040 DAY
8041 DAY
8042 DAY
8043 DAY
8044 DAY
8045 DAY
8046 DAY
8047 DAY
8048 DAY
8049 DAY
8050 DAY
8051 DAY
8052 DAY
8053 DAY
8054 DAY
8055 DAY
8056 DAY
8057 DAY
8058 DAY
8059 DAY
8060 DAY
8061 DAY
8062 DAY
8063 DAY
8064 DAY
8065 DAY
8066 DAY
8067 DAY
8068 DAY
8069 DAY
8070 DAY
8071 DAY
8072 DAY
8073 DAY
8074 DAY
8075 DAY
8076 DAY
8077 DAY
8078 DAY
8079 DAY
8080 DAY
8081 DAY
8082 DAY
8083 DAY
8084 DAY
8085 DAY
8086 DAY
8087 DAY
8088 DAY
8089 DAY
8090 DAY
8091 DAY
8092 DAY
8093 DAY
8094 DAY
8095 DAY
8096 DAY
8097 DAY
8098 DAY
8099 DAY
80100 DAY
80101 DAY
80102 DAY
80103 DAY
80104 DAY
80105 DAY
80106 DAY
80107 DAY
80108 DAY
80109 DAY
80110 DAY
80111 DAY
80112 DAY
80113 DAY
80114 DAY
80115 DAY
80116 DAY
80117 DAY
80118 DAY
80119 DAY
80120 DAY
80121 DAY
80122 DAY
80123 DAY
80124 DAY
80125 DAY
80126 DAY
80127 DAY
80128 DAY
80129 DAY
80130 DAY
80131 DAY
80132 DAY
80133 DAY
80134 DAY
80135 DAY
80136 DAY
80137 DAY
80138 DAY
80139 DAY
80140 DAY
80141 DAY
80142 DAY
80143 DAY
80144 DAY
80145 DAY
80146 DAY
80147 DAY
80148 DAY
80149 DAY
80150 DAY
80151 DAY
80152 DAY
80153 DAY
80154 DAY
80155 DAY
80156 DAY
80157 DAY
80158 DAY
80159 DAY
80160 DAY
80161 DAY
80162 DAY
80163 DAY
80164 DAY
80165 DAY
80166 DAY
80167 DAY
80168 DAY
80169 DAY
80170 DAY
80171 DAY
80172 DAY
80173 DAY
80174 DAY
80175 DAY
80176 DAY
80177 DAY
80178 DAY
80179 DAY
80180 DAY
80181 DAY
80182 DAY
80183 DAY
80184 DAY
80185 DAY
80186 DAY
80187 DAY
80188 DAY
80189 DAY
80190 DAY
80191 DAY
80192 DAY
80193 DAY
80194 DAY
80195 DAY
80196 DAY
80197 DAY
80198 DAY
80199 DAY
80200 DAY
80201 DAY
80202 DAY
80203 DAY
80204 DAY
80205 DAY
80206 DAY
80207 DAY
80208 DAY
80209 DAY
80210 DAY
80211 DAY
80212 DAY
80213 DAY
80214 DAY
80215 DAY
80216 DAY
80217 DAY
80218 DAY
80219 DAY
80220 DAY
80221 DAY
80222 DAY
80223 DAY
80224 DAY
80225 DAY
80226 DAY
80227 DAY
80228 DAY
80229 DAY
80230 DAY
80231 DAY
80232 DAY
80233 DAY
80234 DAY
80235 DAY
80236 DAY
80237 DAY
80238 DAY
80239 DAY
80240 DAY
80241 DAY
80242 DAY
80243 DAY
80244 DAY
80245 DAY
80246 DAY
80247 DAY
80248 DAY
80249 DAY
80250 DAY
80251 DAY
80252 DAY
80253 DAY
80254 DAY
80255 DAY
80256 DAY
80257 DAY
80258 DAY
80259 DAY
80260 DAY
80261 DAY
80262 DAY
80263 DAY
80264 DAY
80265 DAY
80266 DAY
80267 DAY
80268 DAY
80269 DAY
80270 DAY
80271 DAY
80272 DAY
80273 DAY
80274 DAY
80275 DAY
80276 DAY
80277 DAY
80278 DAY
80279 DAY
80280 DAY
80281 DAY
80282 DAY
80283 DAY
80284 DAY
80285 DAY
80286 DAY
80287 DAY
80288 DAY
80289 DAY
80290 DAY
80291 DAY
80292 DAY
80293 DAY
80294 DAY
80295 DAY
80296 DAY
80297 DAY
80298 DAY
80299 DAY
80300 DAY
80301 DAY
80302 DAY
80303 DAY
80304 DAY
80305 DAY
80306 DAY
80307 DAY
80308 DAY
80309 DAY
80310 DAY
80311 DAY
80312 DAY
80313 DAY
80314 DAY
80315 DAY
80316 DAY
80317 DAY
80318 DAY
80319 DAY
80320 DAY
80321 DAY
80322 DAY
80323 DAY
80324 DAY
80325 DAY
80326 DAY
80327 DAY
80328 DAY
80329 DAY
80330 DAY
80331 DAY
80332 DAY
80333 DAY
80334 DAY
80335 DAY
80336 DAY
80337 DAY
80338 DAY
80339 DAY
80340 DAY
80341 DAY
80342 DAY
80343 DAY
80344 DAY
80345 DAY
80346 DAY
80347 DAY
80348 DAY
80349 DAY
80350 DAY
80351 DAY
80352 DAY
80353 DAY
80354 DAY
80355 DAY
80356 DAY
80357 DAY
80358 DAY
80359 DAY
80360 DAY
80361 DAY
80362 DAY
80363 DAY
80364 DAY
80365 DAY
80366 DAY
80367 DAY
80368 DAY
80369 DAY
80370 DAY
80371 DAY
80372 DAY
80373 DAY
80374 DAY
80375 DAY
80376 DAY
80377 DAY
80378 DAY
80379 DAY
80380 DAY
80381 DAY
80382 DAY
80383 DAY
80384 DAY
80385 DAY
80386 DAY
80387 DAY
80388 DAY
80389 DAY
80390 DAY
80391 DAY
80392 DAY
80393 DAY
80394 DAY
80395 DAY
80396 DAY
80397 DAY
80398 DAY
80399 DAY
80400 DAY
80401 DAY
80402 DAY
80403 DAY
80404 DAY
80405 DAY
80406 DAY
80407 DAY
80408 DAY
80409 DAY
80410 DAY
80411 DAY
80412 DAY
80413 DAY
80414 DAY
80415 DAY
80416 DAY
80417 DAY
80418 DAY
80419 DAY
80420 DAY
80421 DAY
80422 DAY
80423 DAY
80424 DAY
80425 DAY
80426 DAY
80427 DAY
80428 DAY
80429 DAY
80430 DAY
80431 DAY
80432 DAY
80433 DAY
80434 DAY
80435 DAY
80436 DAY
80437 DAY
80438 DAY
80439 DAY
80440 DAY
80441 DAY
80442 DAY
80443 DAY
80444 DAY
80445 DAY
80446 DAY
80447 DAY
80448 DAY
80449 DAY
80450 DAY
80451 DAY
80452 DAY
80453 DAY
80454 DAY
80455 DAY
80456 DAY
80457 DAY
80458 DAY
80459 DAY
80460 DAY
80461 DAY
80462 DAY
80463 DAY
80464 DAY
80465 DAY
80466 DAY
80467 DAY
80468 DAY
80469 DAY
80470 DAY
80471 DAY
80472 DAY
80473 DAY
80474 DAY
80475 DAY
80476 DAY
80477 DAY
80478 DAY
80479 DAY
80480 DAY
80481 DAY
80482 DAY
80483 DAY
80484 DAY
80485 DAY
80486 DAY
80487 DAY
80488 DAY
80489 DAY
80490 DAY
80491 DAY
80492 DAY
80493 DAY
80494 DAY
80495 DAY
80496 DAY
80497 DAY
80498 DAY
80499 DAY
80500 DAY
80501 DAY
80502 DAY
80503 DAY
80504 DAY
80505 DAY
80506 DAY
80507 DAY
80508 DAY
80509 DAY
80510 DAY
80511 DAY
80512 DAY
80513 DAY
80514 DAY
80515 DAY
80516 DAY
80517 DAY
80518 DAY
80519 DAY
80520 DAY
80521 DAY
80522 DAY
80523 DAY
80524 DAY
80525 DAY
80526 DAY
80527 DAY
80528 DAY
80529 DAY
80530 DAY
80531 DAY
80532 DAY
80533 DAY
80534 DAY
80535 DAY
80536 DAY
80537 DAY
80538 DAY
80539 DAY
80540 DAY
80541 DAY
80542 DAY
80543 DAY
80544 DAY
80545 DAY
80546 DAY
80547 DAY
80548 DAY
80549 DAY
80550 DAY
80551 DAY
80552 DAY
80553 DAY
80554 DAY
80555 DAY
80556 DAY
80557 DAY
80558 DAY
80559 DAY
80560 DAY
80561 DAY
80562 DAY
80563 DAY
80564 DAY
80565 DAY
80566 DAY
80567 DAY
80568 DAY
80569 DAY
80570 DAY
80571 DAY
80572 DAY
80573 DAY
80574 DAY
80575 DAY
80576 DAY
80577 DAY
80578 DAY
80579 DAY
80580 DAY
80581 DAY
80582 DAY
80583 DAY
80584 DAY
80585 DAY
80586 DAY
80587 DAY
80588 DAY
80589 DAY
80590 DAY
80591 DAY
80592 DAY
80593 DAY
80594 DAY
80595 DAY
80596 DAY
80597 DAY
80598 DAY
80599 DAY
80600 DAY
80601 DAY
80602 DAY
80603 DAY
80604 DAY
80605 DAY
80606 DAY
80607 DAY
80608 DAY
80609 DAY
80610 DAY
80611 DAY
80612 DAY
80613 DAY
80614 DAY
80615 DAY
80616 DAY
80617 DAY
80618 DAY
80619 DAY
80620 DAY
80621 DAY
80622 DAY
80623 DAY
80624 DAY
80625 DAY
80626 DAY
80627 DAY
80628 DAY
80629 DAY
80630 DAY
80631 DAY
80632 DAY
80633 DAY
80634 DAY
80635 DAY
80636 DAY
80637 DAY
80638 DAY
80639 DAY
80640 DAY
80641 DAY
80642 DAY
80643 DAY
80644 DAY
80645 DAY
80646 DAY
80647 DAY
80648 DAY
80649 DAY
80650 DAY
80651 DAY
80652 DAY
80653 DAY
80654 DAY
80655 DAY
80656 DAY
80657 DAY
80658 DAY
80659 DAY
80660 DAY
80661

HELICOPTERS
HILLER
UH12B's
**AVAILABLE FOR LEASE
 OR SALE**

Complete spares for foreign
 operation. Fleet gear, etc.

Reply to

EW-TIM, Aviation Week
 P.O. Box 4230, New York 24, N.Y.

ENGINE WORKS

Lambert Field, Inc., St. Louis

Large engine repair facility for aircraft
 BCI, WCI, WCI, and fuel, and metall—

SUPER - 92

Wright R1820 R1830

-382, -56, -72, -73, -82, -94

Airs #3000.01, 13A1340 9999

BCI Green — used for the BCI engine
 evaluation test, and engine overhaul plan

2 C-46F TYPE AIRCRAFT

Available for long term lease or
 lease purchase arrangement.

See these premises at Lambert Field,
 St. Louis, Mo. Call collect or wire
 collect to 80-0222. The quotes include
 all rentals.

International Aircraft
 Maintenance Co.,
 Lockheed Air Terminal, Lambert Field,
 St. Louis, Mo.

T-3 THROTTLE AIRCRAFT

Buy Price \$10,000
 \$1,000.00 per month
 CAPITAL EQUIPMENT SALES
 1000 North Broad St., Philadelphia 3, Pa.

SPECIALTY ITEMS IN—
 F-86
 F-100
 F-104
 F-105
 F-106
 F-107
 F-108
 F-109
 F-110
 F-111
 F-112
 F-113
 F-114
 F-115
 F-116
 F-117
 F-118
 F-119
 F-120
 F-121
 F-122
 F-123
 F-124
 F-125
 F-126
 F-127
 F-128
 F-129
 F-130
 F-131
 F-132
 F-133
 F-134
 F-135
 F-136
 F-137
 F-138
 F-139
 F-140
 F-141
 F-142
 F-143
 F-144
 F-145
 F-146
 F-147
 F-148
 F-149
 F-150
 F-151
 F-152
 F-153
 F-154
 F-155
 F-156
 F-157
 F-158
 F-159
 F-160
 F-161
 F-162
 F-163
 F-164
 F-165
 F-166
 F-167
 F-168
 F-169
 F-170
 F-171
 F-172
 F-173
 F-174
 F-175
 F-176
 F-177
 F-178
 F-179
 F-180
 F-181
 F-182
 F-183
 F-184
 F-185
 F-186
 F-187
 F-188
 F-189
 F-190
 F-191
 F-192
 F-193
 F-194
 F-195
 F-196
 F-197
 F-198
 F-199
 F-200
 F-201
 F-202
 F-203
 F-204
 F-205
 F-206
 F-207
 F-208
 F-209
 F-210
 F-211
 F-212
 F-213
 F-214
 F-215
 F-216
 F-217
 F-218
 F-219
 F-220
 F-221
 F-222
 F-223
 F-224
 F-225
 F-226
 F-227
 F-228
 F-229
 F-230
 F-231
 F-232
 F-233
 F-234
 F-235
 F-236
 F-237
 F-238
 F-239
 F-240
 F-241
 F-242
 F-243
 F-244
 F-245
 F-246
 F-247
 F-248
 F-249
 F-250
 F-251
 F-252
 F-253
 F-254
 F-255
 F-256
 F-257
 F-258
 F-259
 F-260
 F-261
 F-262
 F-263
 F-264
 F-265
 F-266
 F-267
 F-268
 F-269
 F-270
 F-271
 F-272
 F-273
 F-274
 F-275
 F-276
 F-277
 F-278
 F-279
 F-280
 F-281
 F-282
 F-283
 F-284
 F-285
 F-286
 F-287
 F-288
 F-289
 F-290
 F-291
 F-292
 F-293
 F-294
 F-295
 F-296
 F-297
 F-298
 F-299
 F-300
 F-301
 F-302
 F-303
 F-304
 F-305
 F-306
 F-307
 F-308
 F-309
 F-310
 F-311
 F-312
 F-313
 F-314
 F-315
 F-316
 F-317
 F-318
 F-319
 F-320
 F-321
 F-322
 F-323
 F-324
 F-325
 F-326
 F-327
 F-328
 F-329
 F-330
 F-331
 F-332
 F-333
 F-334
 F-335
 F-336
 F-337
 F-338
 F-339
 F-340
 F-341
 F-342
 F-343
 F-344
 F-345
 F-346
 F-347
 F-348
 F-349
 F-350
 F-351
 F-352
 F-353
 F-354
 F-355
 F-356
 F-357
 F-358
 F-359
 F-360
 F-361
 F-362
 F-363
 F-364
 F-365
 F-366
 F-367
 F-368
 F-369
 F-370
 F-371
 F-372
 F-373
 F-374
 F-375
 F-376
 F-377
 F-378
 F-379
 F-380
 F-381
 F-382
 F-383
 F-384
 F-385
 F-386
 F-387
 F-388
 F-389
 F-390
 F-391
 F-392
 F-393
 F-394
 F-395
 F-396
 F-397
 F-398
 F-399
 F-400
 F-401
 F-402
 F-403
 F-404
 F-405
 F-406
 F-407
 F-408
 F-409
 F-410
 F-411
 F-412
 F-413
 F-414
 F-415
 F-416
 F-417
 F-418
 F-419
 F-420
 F-421
 F-422
 F-423
 F-424
 F-425
 F-426
 F-427
 F-428
 F-429
 F-430
 F-431
 F-432
 F-433
 F-434
 F-435
 F-436
 F-437
 F-438
 F-439
 F-440
 F-441
 F-442
 F-443
 F-444
 F-445
 F-446
 F-447
 F-448
 F-449
 F-450
 F-451
 F-452
 F-453
 F-454
 F-455
 F-456
 F-457
 F-458
 F-459
 F-460
 F-461
 F-462
 F-463
 F-464
 F-465
 F-466
 F-467
 F-468
 F-469
 F-470
 F-471
 F-472
 F-473
 F-474
 F-475
 F-476
 F-477
 F-478
 F-479
 F-480
 F-481
 F-482
 F-483
 F-484
 F-485
 F-486
 F-487
 F-488
 F-489
 F-490
 F-491
 F-492
 F-493
 F-494
 F-495
 F-496
 F-497
 F-498
 F-499
 F-500
 F-501
 F-502
 F-503
 F-504
 F-505
 F-506
 F-507
 F-508
 F-509
 F-510
 F-511
 F-512
 F-513
 F-514
 F-515
 F-516
 F-517
 F-518
 F-519
 F-520
 F-521
 F-522
 F-523
 F-524
 F-525
 F-526
 F-527
 F-528
 F-529
 F-530
 F-531
 F-532
 F-533
 F-534
 F-535
 F-536
 F-537
 F-538
 F-539
 F-540
 F-541
 F-542
 F-543
 F-544
 F-545
 F-546
 F-547
 F-548
 F-549
 F-550
 F-551
 F-552
 F-553
 F-554
 F-555
 F-556
 F-557
 F-558
 F-559
 F-560
 F-561
 F-562
 F-563
 F-564
 F-565
 F-566
 F-567
 F-568
 F-569
 F-570
 F-571
 F-572
 F-573
 F-574
 F-575
 F-576
 F-577
 F-578
 F-579
 F-580
 F-581
 F-582
 F-583
 F-584
 F-585
 F-586
 F-587
 F-588
 F-589
 F-590
 F-591
 F-592
 F-593
 F-594
 F-595
 F-596
 F-597
 F-598
 F-599
 F-600
 F-601
 F-602
 F-603
 F-604
 F-605
 F-606
 F-607
 F-608
 F-609
 F-610
 F-611
 F-612
 F-613
 F-614
 F-615
 F-616
 F-617
 F-618
 F-619
 F-620
 F-621
 F-622
 F-623
 F-624
 F-625
 F-626
 F-627
 F-628
 F-629
 F-630
 F-631
 F-632
 F-633
 F-634
 F-635
 F-636
 F-637
 F-638
 F-639
 F-640
 F-641
 F-642
 F-643
 F-644
 F-645
 F-646
 F-647
 F-648
 F-649
 F-650
 F-651
 F-652
 F-653
 F-654
 F-655
 F-656
 F-657
 F-658
 F-659
 F-660
 F-661
 F-662
 F-663
 F-664
 F-665
 F-666
 F-667
 F-668
 F-669
 F-670
 F-671
 F-672
 F-673
 F-674
 F-675
 F-676
 F-677
 F-678
 F-679
 F-680
 F-681
 F-682
 F-683
 F-684
 F-685
 F-686
 F-687
 F-688
 F-689
 F-690
 F-691
 F-692
 F-693
 F-694
 F-695
 F-696
 F-697
 F-698
 F-699
 F-700
 F-701
 F-702
 F-703
 F-704
 F-705
 F-706
 F-707
 F-708
 F-709
 F-710
 F-711
 F-712
 F-713
 F-714
 F-715
 F-716
 F-717
 F-718
 F-719
 F-720
 F-721
 F-722
 F-723
 F-724
 F-725
 F-726
 F-727
 F-728
 F-729
 F-730
 F-731
 F-732
 F-733
 F-734
 F-735
 F-736
 F-737
 F-738
 F-739
 F-740
 F-741
 F-742
 F-743
 F-744
 F-745
 F-746
 F-747
 F-748
 F-749
 F-750
 F-751
 F-752
 F-753
 F-754
 F-755
 F-756
 F-757
 F-758
 F-759
 F-760
 F-761
 F-762
 F-763
 F-764
 F-765
 F-766
 F-767
 F-768
 F-769
 F-770
 F-771
 F-772
 F-773
 F-774
 F-775
 F-776
 F-777
 F-778
 F-779
 F-780
 F-781
 F-782
 F-783
 F-784
 F-785
 F-786
 F-787
 F-788
 F-789
 F-790
 F-791
 F-792
 F-793
 F-794
 F-795
 F-796
 F-797
 F-798
 F-799
 F-800
 F-801
 F-802
 F-803
 F-804
 F-805
 F-806
 F-807
 F-808
 F-809
 F-810
 F-811
 F-812
 F-813
 F-814
 F-815
 F-816
 F-817
 F-818
 F-819
 F-820
 F-821
 F-822
 F-823
 F-824
 F-825
 F-826
 F-827
 F-828
 F-829
 F-830
 F-831
 F-832
 F-833
 F-834
 F-835
 F-836
 F-837
 F-838
 F-839
 F-840
 F-841
 F-842
 F-843
 F-844
 F-845
 F-846
 F-847
 F-848
 F-849
 F-850
 F-851
 F-852
 F-853
 F-854
 F-855
 F-856
 F-857
 F-858
 F-859
 F-860
 F-861
 F-862
 F-863
 F-864
 F-865
 F-866
 F-867
 F-868
 F-869
 F-870
 F-871
 F-872
 F-873
 F-874
 F-875
 F-876
 F-877
 F-878
 F-879
 F-880
 F-881
 F-882
 F-883
 F-884
 F-885
 F-886
 F-887
 F-888
 F-889
 F-890
 F-891
 F-892
 F-893
 F-894
 F-895
 F-896
 F-897
 F-898
 F-899
 F-900
 F-901
 F-902
 F-903
 F-904
 F-905
 F-906
 F-907
 F-908
 F-909
 F-910
 F-911
 F-912
 F-913
 F-914
 F-915
 F-916
 F-917
 F-918
 F-919
 F-920
 F-921
 F-922
 F-923
 F-924
 F-925
 F-926
 F-927
 F-928
 F-929
 F-930
 F-931
 F-932
 F-933
 F-934
 F-935
 F-936
 F-937
 F-938
 F-939
 F-940
 F-941
 F-942
 F-943
 F-944
 F-945
 F-946
 F-947
 F-948
 F-949
 F-950
 F-951
 F-952
 F-953
 F-954
 F-955
 F-956
 F-957
 F-958
 F-959
 F-960
 F-961
 F-962
 F-963
 F-964
 F-965
 F-966
 F-967
 F-968
 F-969
 F-970
 F-971
 F-972
 F-973
 F-974
 F-975
 F-976
 F-977
 F-978
 F-979
 F-980
 F-981
 F-982
 F-983
 F-984
 F-985
 F-986
 F-987
 F-988
 F-989
 F-990
 F-991
 F-992
 F-993
 F-994
 F-995
 F-996
 F-997
 F-998
 F-999
 F-1000
 F-1001
 F-1002
 F-1003
 F-1004
 F-1005
 F-1006
 F-1007
 F-1008
 F-1009
 F-1010
 F-1011
 F-1012
 F-1013
 F-1014
 F-1015
 F-1016
 F-1017
 F-1018
 F-1019
 F-1020
 F-1021
 F-1022
 F-1023
 F-1024
 F-1025
 F-1026
 F-1027
 F-1028
 F-1029
 F-1030
 F-1031
 F-1032
 F-1033
 F-1034
 F-1035
 F-1036
 F-1037
 F-1038
 F-1039
 F-1040
 F-1041
 F-1042
 F-1043
 F-1044
 F-1045
 F-1046
 F-1047
 F-1048
 F-1049
 F-1050
 F-1051
 F-1052
 F-1053
 F-1054
 F-1055
 F-1056
 F-1057
 F-1058
 F-1059
 F-1060
 F-1061
 F-1062
 F-1063
 F-1064
 F-1065
 F-1066
 F-1067
 F-1068
 F-1069
 F-1070
 F-1071
 F-1072
 F-1073
 F-1074
 F-1075
 F-1076
 F-1077
 F-1078
 F-1079
 F-1080
 F-1081
 F-1082
 F-1083
 F-1084
 F-1085
 F-1086
 F-1087
 F-1088
 F-1089
 F-1090
 F-1091
 F-1092
 F-1093
 F-1094
 F-1095
 F-1096
 F-1097
 F-1098
 F-1099
 F-1100
 F-1101
 F-1102
 F-1103
 F-1104
 F-1105
 F-1106
 F-1107
 F-1108
 F-1109
 F-1110
 F-1111
 F-1112
 F-1113
 F-1114
 F-1115
 F-1116
 F-1117
 F-1118
 F-1119
 F-1120
 F-1121
 F-1122
 F-1123
 F-1124
 F-1125
 F-1126
 F-1127
 F-1128
 F-1129
 F-1130
 F-1131
 F-1132
 F-1133
 F-1134
 F-1135
 F-1136
 F-1137
 F-1138
 F-1139
 F-1140
 F-1141
 F-1142
 F-1143
 F-1144
 F-1145
 F-1146
 F-1147
 F-1148
 F-1149
 F-1150
 F-1151
 F-1152
 F-1153
 F-1154
 F-1155
 F-1156
 F-1157
 F-1158
 F-1159
 F-1160
 F-1161
 F-1162
 F-1163
 F-1164
 F-1165
 F-1166
 F-1167
 F-1168
 F-1169
 F-1170
 F-1171
 F-1172
 F-1173
 F-1174
 F-1175
 F-1176
 F-1177
 F-1178
 F-1179
 F-1180
 F-1181
 F-1182
 F-1183
 F-1184
 F-1185
 F-1186
 F-1187
 F-1188
 F-1189
 F-1190
 F-1191
 F-1192
 F-1193
 F-1194
 F-1195
 F-1196
 F-1197
 F-1198
 F-1199
 F-1200
 F-1201
 F-1202
 F-1203
 F-1204
 F-1205
 F-1206
 F-1207
 F-1208
 F-1209
 F-1210
 F-1211
 F-1212
 F-1213
 F-1214
 F-1215
 F-1216
 F-1217
 F-1218
 F-1219
 F-1220
 F-1221
 F-1222
 F-1223
 F-1224
 F-1225
 F-1226
 F-1227
 F-1228
 F-1229
 F-1230
 F-1231
 F-1232
 F-1233
 F-1234
 F-1235
 F-1236
 F-1237
 F-1238
 F-1239
 F-1240
 F-1241
 F-1242
 F-1243
 F-1244
 F-1245
 F-1246
 F-1247
 F-1248
 F-1249
 F-1250
 F-1251
 F-1252
 F-1253
 F-1254
 F-1255
 F-1256
 F-1257
 F-1258
 F-1259
 F-1260
 F-1261
 F-1262
 F-1263
 F-1264
 F-1265
 F-1266
 F-1267
 F-1268
 F-1269
 F-1270
 F-1271
 F-1272
 F-1273
 F-1274
 F-1275
 F-1276
 F-1277
 F-1278
 F-1279
 F-1280
 F-1281
 F-1282
 F-1283
 F-1284
 F-1285
 F-1286
 F-1287
 F-1288
 F-1289
 F-1290
 F-1291
 F-1292
 F-1293
 F-1294
 F-1295
 F-1296
 F-1297
 F-1298
 F-1299
 F-1300
 F-1301
 F-1302
 F-1303
 F-1304
 F-1305
 F-1306
 F-1307
 F-1308
 F-1309
 F-1310
 F-1311
 F-1312
 F-1313
 F-1314
 F-1315
 F-1316
 F-1317
 F-1318
 F-1319
 F-1320
 F-1321
 F-1322
 F-1323
 F-1324
 F-1325
 F-1326
 F-1327
 F-1328
 F-1329
 F-1330
 F-1331
 F-1332
 F-1333
 F-1334
 F-1335
 F-1336
 F-1337
 F-1338
 F-1339
 F-1340
 F-1341
 F-1342
 F-1343
 F-1344
 F-1345
 F-1346
 F-1347
 F-1348
 F-1349
 F-1350
 F-1351
 F-1352
 F-1353
 F-1354
 F-1355
 F-1356
 F-1357
 F-1358
 F-1359
 F-1360
 F-1361
 F-1362
 F-1363
 F-1364
 F-1365
 F-1366
 F-1367
 F-1368
 F-1369
 F-1370
 F-1371
 F-1372
 F-1373
 F-1374
 F-1375
 F-1376
 F-1377
 F-1378
 F-1379
 F-1380
 F-1381
 F-1382
 F-1383
 F-1384
 F-1385
 F-1386
 F-1387
 F-1388
 F-1389
 F-1390
 F-1391
 F-1392
 F-1393
 F-1394
 F-1395
 F-1396
 F-1397
 F-1398
 F-1399
 F-1400
 F-1401
 F-1402
 F-1403
 F-1404
 F-1405
 F-1406
 F-1407
 F-1408
 F-1409
 F-1410
 F-1411
 F-1412
 F-1413
 F-1414
 F-1415
 F-1416
 F-1417
 F-1418
 F-1419
 F-1420
 F-1421
 F-1422
 F-1423
 F-1424
 F-1425
 F-1426
 F-1427
 F-1428
 F-1429
 F-1430
 F-1431
 F-1432
 F-1433
 F-1434
 F-1435
 F-1436
 F-1437
 F-1438
 F-1439
 F-1440
 F-1441
 F-1442
 F-1443
 F-1444
 F-1445
 F-1446
 F-1447
 F-1448
 F-1449
 F-1450
 F-1451
 F-1452
 F-1453
 F-1454
 F-1455
 F-1456
 F-1457
 F-1458
 F-1459
 F-1460
 F-1461
 F-1462<br

EDITORIAL

Danger Signals in the Orient

There are many danger signals visible in the Orient today that indicate the Sino-Russian alliance plans further aggression on our Far Eastern frontier. These danger signals are clear and unavoidable despite the fact that daily newspaper headlines from the Orient are now featuring a "cease-fire" and peace talks and the release of USAF prisoners illegally held by the Chinese for more than two years.

AERONAUTIC WEEK's military editor Claude Witte reported recently from Korea (AW Aug. 1 p. 12) on the Communist increase of air strength in North Korea less than ten minutes flying time away from the United Nations bases in South Korea and within easy striking distance of Japan. All of this air activity, including reinforcement of the Communist air force with 300 MiG-15s, building of 35 airfields, construction of underground hangars and fuel storage depots, is in direct violation of the Korean truce agreement. Any one who may be leniently disposed by the Communists can look at incitement and gravity at Geneva should look at how they have brazenly violated the Korean truce terms.

Reds Learned Lesson

The Communists know full well, even if the American people don't, that U.S. airpower—USAFA, Navy and Marines—are all that prevented a complete Communist victory on the Korean Peninsula. They made a great mistake in underestimating the effectiveness of U.S. airpower, and they don't intend to make the same mistake twice.

Another sign of Communist air strength increases comes in private communications from two top American war correspondents in the Far East. Although they represent two different sources, their views of the erosion opposing them are strikingly similar, and they deserve wide dissemination among the American people.

The report that Communist air strength in the Far East is stretching from the northern positions of Siberia to the South China sea coast now totals more than 7,000 planes including MiG-17 fighters and B-57 twin jet bombers. They estimate the Russians are strength along the Siberian coast to be far in excess of what would be required for purely defensive operations. These Siberian bases bring both the MiG-17 bombing force and the MiG-17 fighters equipped with mobile fuel tanks (of which AERONAUTIC WEEK published photo, Mar. 14, p. 96) within easy range of virtually all USAF and Navy bases in Japan.

On the southern end of the Communist line, they report an accelerating effort to build air bases, logistical support bases and service facilities in the provinces of Fukien, Kuangtung and Kiangsi opposite the Formosa

Strait. This effort is continuing at the same steady pace during the "cease-fire" talk as it did when American newspaper headlines shouted bluely of the imminent invasion of Formosa and the off-shore islands.

Americans who operated with General Chou Lee Chenault in these same provinces during World War II are familiar with the difficulties of logistics support for a sustained air offensive from there. Many of the fields now being enlarged by the Communists to take jet aircraft were originally built by the Chinese Nationalists and used by the P-40s and B-25s of the 14th Air Force to bomb at Japanese air training centers on Formosa and destroy shipping in the Formosa Straits. These Americans who used Kaochow, Chungking, Szechuan and other East China fields now being modernized by the Com informants are also aware of the advantages of tactical surprise. They offend and how difficult it can be for carrier air operations to destroy a force effectively shielded between these staging fields and main bases inland beyond the range of either Formosa or carrier-based bombers.

These three separate pieces paint a consistent picture of Communist air acceleration all along the Far East frontier from Siberia to the South China Sea.

The Communist professors of peace at Geneva and elsewhere should be evaluated against the facts of their steady increase in air strength all along the Far East frontier and the tremendous research, development and production effort the Russians are now applying to build offensive airpower for themselves and their Communist satellite nations.

Now Not a Time To Relax

World can be changed swiftly from peace to war, and history is full of treaties that were torn up in a trice. But it takes wise men of steady and shalffel effort to build effective airpower. If we relax our effort to produce superior airpower and accept a ban on atomic weapons as a result of the current sugar of Communist influence we will have suffered a major defeat and handed our enemies a significant victory.

We now enjoy a margin of atomic airpower superiority over the Communists and that is all that has kept Western Europe and many other parts of the world out of the Communist clutches. The size and significance of our airpower imperative margin has diminished in recent years as the Russians have augmented their air effort and we have reluctantly reduced our own pace.

Unless we accelerate the pace and scope of our airpower program to regain a clear and unquestioned lead over the Russians we are doomed to a position of inferiority around the diplomatic conference table.

—Robert Hoss



USAF DESTROYS UNSEEN TARGETS; PLANES USE RADAR BOMBSIGHT

THE STORY BEHIND THE STORY

■ You've read headlines like the one above reporting the precision of Air Force bombing—during tests. Within hours after an apparent attack, you would read there again—reporting deadly counteraction. Night or day regardless of weather. Right or wrong regardless of target altitude. On every test, in every type of weather, in every part of the world.

■ How in large scale production, the Air

Force K-Bombing System combines accurate navigation with self-contained identification and bombing of any target. With the aid of the Sperry Gyrojet[®] Flight Control and the K System, the crew flies the high-speed bomber to the target area. Using the Sperry-designed Bombing-Navigational Computer, the bombardier locates the target optically or by radar. By sight, The effects of speed, altitude and wind on the tailing bomb are automatically compensated, enabling the bombardier to score direct hits.

* * * * *

In extreme altitude from high speed jets, the K System permits accurate and flexibility as the bomb runs miles even though it "misses" completely.

■ These little resemblance between this automatic "beam" and the first bombsight developed by Sperry for use in World War I—a simple telescope and range scale on board like an egg beater that both were made possible because a military industry team anticipated the needs of modern warfare—they met these needs with a strategic bombing program which authorities credit with helping to prevent a new global war.

SPERRY SPERRY CORPORATION
Division of American Telephone & Telegraph Company
New York, New York

d's tallest pile driver...

World's toughest test rig...

for

Elastic Stop® nuts



Each hammer-stroke of this 270-foot pile driver delivers a 24-foot-ton wallop! It was built by Raymond Concrete Pile Company to drive 200-foot pipe piles for the foundation of units being added to the B. C. Cobb Steam Plant of Consumers Power Company, at Muskegon, Mich.

Raymond makes a practice of using Elastic Stop® nuts for bolting together sections of leads and booms on all their pile-driving equipment. The red elastic locking collar of these vibration-proof fasteners has successfully maintained its grip under these severest of all vibration and impact conditions!

Whether used on aircraft or locomotives; guided missiles or steam shovels . . . more than twenty years of field testing on applications where safety and severe operating conditions demand a fastener that will not shake loose, prove that . . . you can rely on Elastic Stop nuts.

**ELASTIC STOP NUT CORPORATION
OF AMERICA**

Department N77-R25 • 2330 Vauxhall Road • Union, N. J.

The red locking insert in an
Elastic Stop nut guarantees

- reusability
- vibration-proof locking
- thread sealing . . . no galling
- immediate identification
- adaptability to all shapes and sizes of threaded fittings
- suitability to production line assembly methods

